

## Message

I am happy that the existing National Frequency Allocation Plan-2002 (NFAP-2002) has been revised and new National Frequency Allocation Plan-2008 (NFAP-2008) has been developed within the frame work of ITU taking into account spectrum requirement of Government as well as private sectors in the fast changing scenario with a view to meeting requirements of new emerging spectrum efficient technologies as well as protecting existing assignments. The requirement of Government as well as private sector has been considered in a very transparent manner while developing NFAP-2008.

2 The radio frequency spectrum and geo-stationary satellite orbit are limited natural resources. Government of India attaches great significance to spectrum management and radio regulatory process. It is essential that these resources are used rationally, efficiently and economically so that equitable access is available for all spectrum users of different Radiocommunication services. With the emergence of new technologies and with astounding growth of telecommunication services all over the world, spectrum management process has become extremely complex and intricate. It is necessary that all the spectrum and orbit users, whether government or private, work in the spirit of mutual understanding and cooperation and utilize these resources in most optimal manner with self-discipline.

3 As per New Telecom Policy-99, the NFAP is to be revised every two years in line with the decisions of World Radiocommunication Conferences. However, the work of review /revision of existing NFAP was undertaken within the framework of NTP-99 and Radio Regulations of ITU, the work of NFAP could not be progressed due to various pending policy issues on spectrum with different government agencies. The draft NFAP 2005 was finalized and placed on the DOT website for information to all concerned but no formal NFAP could be published. After WRC-2007, the issue of

review/ revision was again taken up with all stakeholders and consensus decisions on various India remarks have been made

4. In the recent past the growth of telecommunications services particularly mobile telephony, has been phenomenal, 8-10 millions telephone subscribers are being added every month in the country and due to this growth in telecom, the number of subscriber have reached 400 million and tele-density has increased to 34.5%. As the mobile services require spectrum, sufficient spectrum is required to be made available for successful implementation of wireless based telecom infrastructure. In this connection, during the World Radiocommunication Conference- 2007 many new frequency bands have been identified for mobile services. The NFAP-2008 has taken all this aspects while formulating the National Frequency Allocation Plan.

5 The task of review/revision of NFAP was very challenging and complex. A lot of efforts have been put in to revise and bring out the new NFAP effective from April 1, 2009. I would also like to express my appreciation to the Wireless Adviser & his team of officers and stake holders for their efforts in the development of NFAP-2008. I would also like to compliment all the participants from government sector, private sector and the industry for their valuable contributions in this detailed exercise.

6 I am confident that NFAP-2008 will prove to be valuable for spectrum managers and wireless users in country and that the Plan will result in optimal utilization of radio frequency spectrum, which is limited natural resource.

( Siddartha Behura)

## INTRO D UCTION

In pursuance of National Telecom Policy, 1999, the National Frequency Allocation Plan 2000 (NFAP-2000) was evolved which became a public document. It was reviewed and revised in 2002 in line with the decisions taken in the WRC-2000 and also taking in to consideration of the requirements of various stakeholders and NFAP-2002 was evolved which is presently in force. The NFAP-2008 has been evolved in line with the over all frame work of ITU, taking into account spectrum requirements of government as well as private sector and national priorities.

2 The radio frequency spectrum is shared by various government and private user organisations like Defence, Police, Intelligence and other Security agencies, Public Telecommunications, Broadcasting, Railways, Public Utility Organisations, Oil and Electricity Grids, Atomic Energy, Mining and Steel, Shipping and Airlines, and so on as well as private and public telecom operators, for variety of applications including public telecom services, aeronautical and maritime safety communications, radars, seismic surveys, rocket and satellite launching, earth exploration, natural calamities forecasting etc. A frequency which is being used in one place by one agency may be used by another agency for some other purpose in another place leading to the frequency reuse on spatial basis.

3 In the National Frequency Allocation Plan-2008 (NFAP-2008), the table on the left side depicts, as a reference, the international frequency allocations in ITU Regions 1, 2 and 3 respectively, contained in article 5 of the Radio Regulations of the International Telecommunication Union (ITU). India falls in ITU Region 3. The table in right hand side depicts the national frequency allocations

4 Following definitions, in accordance with Radio Regulations (RR), are relevant in this context:

4.1 *Allocation* (of a frequency band): Entry in the Table of Frequency Allocations of a given frequency band for the purpose of its use by one or more terrestrial or space *radiocommunication services* or the *radio astronomy service* under specified conditions. This term shall also be applied to the frequency band concerned. (RR-1.16)

4.2 *Allotment* (of a radio frequency or radio frequency channel): Entry of a designated frequency channel in an agreed plan, adopted by a competent conference, for use by one or more administrations for a terrestrial or space

*radiocommunication service* in one or more identified countries or geographical areas and under specified conditions (RR-1.17).

4.3 *Assignment* (of a radio frequency or radio frequency channel): Authorisation given by an administration for a radio *station* to use a radio frequency or radio frequency channel under specified conditions (RR-1.18).

4.4 *Region 1*: Region 1 includes the area limited on the east by line A (lines A, B and C are defined below) and on the west by line B, excluding any of the territory of the Islamic Republic of Iran which lies between these limits. It also includes the whole of the territory of Armenia, Azerbaijan, Russian Federation, Georgia, Kazakstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation which lies between lines A and C. (RR5.3)

4.5 *Region 2*: Region 2 includes the area limited on the east by line B and on the west by line C. (RR 5.4)

4.6 *Region 3*: Region 3 includes the area limited on the east by line C and on the west by line A, except any of the territory of Armenia, Azerbaijan, Russian Federation, Georgia, Kazakstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation. It also includes that part of the territory of the Islamic Republic of Iran lying outside of those limits. (RR-5.5)

4.7 *Line A*: Line A extends from the North Pole along meridian 40° East of Greenwich to parallel 40° North; thence by great circle arc to the intersection of meridian 60° East and the Tropic of Cancer; thence along the meridian 60° East to the South Pole. (RR-5.7)

4.8 *Line B*: Line B extends from the North Pole along meridian 10° West of Greenwich to its intersection with parallel 72° North; thence by great circle arc to the intersection of meridian 50° West and parallel 40° North; thence by great circle arc to the intersection of meridian 20° West and parallel 10° South; thence along meridian 20° West to the South Pole. (RR-5.8)

4.9 *Line C*: Line C extends from the North Pole by great circle arc to the intersection of parallel 65° 30' North with the international boundary in Bering Strait; thence by great circle arc to the intersection of meridian 165° East of Greenwich and parallel 50° North; thence by great circle arc to the intersection of meridian 170° West and parallel 10° North; thence along parallel 10° North to its intersection with meridian 120° West; thence along meridian 120° West to the South Pole. (RR-5.9)

4.10 *Primary Services:* services the names of which are printed in “capitals” (example: FIXED); these are called “primary” services( RR-5.25);

4.11 *Secondary Services:* services the names of which are printed in “normal characters” (example: Mobile); these are called “secondary” services ( RR-Nos. 5.26) Stations of a secondary service:

a) shall not cause harmful interference to stations of primary services to which frequencies are already assigned or to which frequencies may be assigned at a later date(RR-5.29)

b) cannot claim protection from harmful interference from stations of a primary service to which frequencies are already assigned or may be assigned at a later date(RR-5.30)

c) can claim protection, however, from harmful interference from stations of the same or other secondary service(s) to which frequencies may be assigned at a later date(RR-5.31)

4.11.2 When more than one services are listed as having same status, order of their listing does not indicate any relative priority among such services.

5 Existing assignments will be protected under their existing status, unless and until it is decided to modify or relocate these assignments.

6 Radio Frequency Channelling Plans as per ITU-R recommendations should be followed unless specified otherwise.

7 Spectrum efficient technologies and systems should be deployed for exploitation of radiofrequency spectrum.

8. All necessary technical, operational, regulatory and administrative measures shall be taken so as to avoid harmful interference.

9. Permitting exploitation in portion of earmarked frequency bands for particular system by other systems in the areas where exploitation of total spectrum is not envisaged by the earmarked systems and other systems have specific needs for exploitation may be considered without putting undue constraints on the earmarked systems. Suitable time frames be also kept in view in this context.

10. In relation to coexistence of FDD, TDD and mobile TV operations a joint task group has been established to study the compatibility and to develop a channel plan in line with ITU-R recommendation for which studies are going on in ITU foras.

11. The review of NFAP may be done generally every two years, in line with the Radio Regulations of ITU.

12. The effective date of NFAP-2008 is 01.04.2009.

## Footnotes to International Frequency Allocation Table

### International Footnotes

**5.53** Administrations authorizing the use of frequencies below 9 kHz shall ensure that no harmful interference is caused thereby to the services to which the bands above 9 kHz are allocated.

**5.54** Administrations conducting scientific research using frequencies below 9 kHz are urged to advise other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference.

**5.55** *Additional allocation:* in Armenia, Azerbaijan, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the band 14-17 kHz is also allocated to the radionavigation service on a primary basis. (WRC-07)

**5.56** The stations of services to which the bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Georgia, Kazakhstan, Mongolia, Kyrgyzstan, Slovakia, Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC-07)

**5.57** The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.

**5.58** *Additional allocation:* in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan and Turkmenistan, the band 67-70 kHz is also allocated to the radionavigation service on a primary basis. (WRC-2000)

**5.59** *Different category of service:* in Bangladesh and Pakistan, the allocation of the bands 70-72 kHz and 84-86 kHz to the fixed and maritime mobile services is on a primary basis (see No. **5.33**). (WRC-2000)

**5.60** In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.

**5.61** In Region 2, the establishment and operation of stations in the maritime radionavigation service in the bands 70-90 kHz and 110-130 kHz shall be subject to agreement obtained under No. **9.21** with administrations whose services, operating in accordance with the Table, may be affected. However, stations of the fixed, maritime mobile and radiolocation services shall not cause harmful interference to stations in the maritime radionavigation service established under such agreements.

**5.62** Administrations which operate stations in the radionavigation service in the band 90-110 kHz are urged to coordinate technical and operating characteristics in such a way as to avoid harmful interference to the services provided by these stations.

**5.63** (SUP - WRC-97)

## Footnotes to International Frequency Allocation Table

**5.64** Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service.

**5.65** *Different category of service:* in Bangladesh, the allocation of the bands 112-117.6 kHz and 126-129 kHz to the fixed and maritime mobile services is on a primary basis (see No. **5.33**). (WRC-2000)

**5.66** *Different category of service:* in Germany, the allocation of the band 115-117.6 kHz to the fixed and maritime mobile services is on a primary basis (see No. **5.33**) and to the radionavigation service on a secondary basis (see No. **5.32**).

**5.67** *Additional allocation:* in Mongolia, Kyrgyzstan and Turkmenistan, the band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate. (WRC-07)

*5.67A Stations in the amateur service using frequencies in the band 135.7-137.8 kHz shall not exceed a maximum radiated power of 1 W (e.i.r.p.) and shall not cause harmful interference to stations of the radionavigation service operating in countries listed in No. 5.67. (WRC-07)*

*5.67B The use of the band 135.7-137.8 kHz in Algeria, Egypt, Iran (Islamic Republic of), Iraq, Libyan Arab Jamahiriya, Lebanon, Syrian Arab Republic, Sudan and Tunisia is limited to the fixed and maritime mobile services. The amateur service shall not be used in the above-mentioned countries in the band 135.7-137.8 kHz, and this should be taken into account by the countries authorizing such use. (WRC-07)*

**5.68** *Alternative allocation:* in Angola, Burundi, Congo (Rep. of the), Malawi, the Dem. Rep. of the Congo, Rwanda and South Africa, the band 160-200 kHz is allocated to the fixed service on a primary basis. (WRC-03)

**5.69** *Additional allocation:* in Somalia, the band 200-255 kHz is also allocated to the aeronautical radionavigation service on a primary basis.

**5.70** *Alternative allocation:* in Angola, Botswana, Burundi, the Central African Rep., Congo (Rep. of the), Ethiopia, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Namibia, Nigeria, Oman, the Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland, Tanzania, Chad, Zambia and Zimbabwe, the band 200-283.5 kHz is allocated to the aeronautical radionavigation service on a primary basis. (WRC-07)

**5.71** *Alternative allocation:* in Tunisia, the band 255-283.5 kHz is allocated to the broadcasting service on a primary basis.



## Footnotes to International Frequency Allocation Table

**5.72** Norwegian stations of the fixed service situated in northern areas (north of 60° N) subject to auroral disturbances are allowed to continue operation on four frequencies in the bands 283.5-490 kHz and 510-526.5 kHz.

**5.73** The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)

**5.74** *Additional Allocation:* in Region 1, the frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.

**5.75** *Different category of service:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and the Black Sea areas of Romania, the allocation of the band 315-325 kHz to the maritime radionavigation service is on a primary basis under the condition that in the Baltic Sea area, the assignment of frequencies in this band to new stations in the maritime or aeronautical radionavigation services shall be subject to prior consultation between the administrations concerned. (WRC-07)

**5.76** The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.

**5.77** *Different category of service:* in Australia, China, the French Overseas Communities of Region 3, India, Iran (Islamic Republic of), Japan, Pakistan, Papua New Guinea and Sri Lanka, the allocation of the band 415-495 kHz to the aeronautical radionavigation service is on a primary basis. Administrations in these countries shall take all practical steps necessary to ensure that aeronautical radionavigation stations in the band 435-495 kHz do not cause interference to reception by coast stations of ship stations transmitting on frequencies designated for ship stations on a worldwide basis (see No. 52.39). (WRC-07)

**5.78** *Different category of service:* in Cuba, the United States of America and Mexico, the allocation of the band 415-435 kHz to the aeronautical radionavigation service is on a primary basis.

**5.79** The use of the bands 415-495 kHz and 505-526.5 kHz (505-510 kHz in Region 2) by the maritime mobile service is limited to radiotelegraphy.

**5.79A** When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 339 (Rev.WRC-07)). (WRC-07)

**5.80** In Region 2, the use of the band 435-495 kHz by the aeronautical radionavigation service is limited to non-directional beacons not employing voice transmission.

## Footnotes to International Frequency Allocation Table

**5.81** (SUP - WRC-2000)

**5.82** In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In using the band 415-495 kHz for the aeronautical radionavigation service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-07)

**5.82A** The use of the band 495-505 KHz is limited to radiotelegraphy

**5.82B** Administrations authorizing the use of frequencies in the band 495-505 kHz by services other than the maritime mobile service shall ensure that no harmful interference is caused to the maritime mobile service in this band or to the services having allocations in the adjacent bands, noting in particular the conditions of use of the frequencies 490 kHz and 518 kHz, as prescribed in Articles 31 and 52. (WRC-07)

**5.83** SUP

**5.84** The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52. (WRC-07)

**5.85** Not used.

**5.86** In Region 2, in the band 525-535 kHz the carrier power of broadcasting stations shall not exceed 1 kW during the day and 250 W at night.

**5.87** *Additional allocation:* in Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland and Zimbabwe, the band 526.5-535 kHz is also allocated to the mobile service on a secondary basis. (WRC-03)

**5.87A** *Additional allocation:* in Uzbekistan, the band 526.5-1 606.5 kHz is also allocated to the radionavigation service on a primary basis. Such use is subject to agreement obtained under No. **9.21** with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-97)

**5.88** *Additional allocation:* in China, the band 526.5-535 kHz is also allocated to the aeronautical radionavigation service on a secondary basis.

**5.89** In Region 2, the use of the band 1 605-1 705 kHz by stations of the broadcasting service is subject to the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

The examination of frequency assignments to stations of the fixed and mobile services in the band 1 625-1 705 kHz shall take account of the allotments appearing in the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

## Footnotes to International Frequency Allocation Table

**5.90** In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.

**5.91** *Additional allocation:* in the Philippines and Sri Lanka, the band 1 606.5-1 705 kHz is also allocated to the broadcasting service on a secondary basis. (WRC-97)

**5.92** Some countries of Region 1 use radiodetermination systems in the bands 1 606.5-1 625 kHz, 1 635-1 800 kHz, 1 850-2 160 kHz, 2 194-2 300 kHz, 2 502-2 850 kHz and 3 500-3 800 kHz, subject to agreement obtained under No. **9.21**. The radiated mean power of these stations shall not exceed 50 W.

**5.93** *Additional allocation:* in Angola, Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Moldova, Mongolia, Nigeria, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Tajikistan, Chad, Turkmenistan and Ukraine, the bands 1 625-1 635 kHz, 1 800-1 810 kHz and 2 160-2 170 kHz are also allocated to the fixed and land mobile services on a primary basis, subject to agreement obtained under No. 9.21. (WRC-07)

**5.94** and **5.95** Not used.

**5.96** In Germany, Armenia, Austria, Azerbaijan, Belarus, Denmark, Estonia, the Russian Federation, Finland, Georgia, Hungary, Ireland, Iceland, Israel, Kazakhstan, Latvia, Liechtenstein, Lithuania, Malta, Moldova, Norway, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., the United Kingdom, Sweden, Switzerland, Tajikistan, Turkmenistan and Ukraine, administrations may allocate up to 200 kHz to their amateur service in the bands 1 715-1 800 kHz and 1 850-2 000 kHz. However, when allocating the bands within this range to their amateur service, administrations shall, after prior consultation with administrations of neighbouring countries, take such steps as may be necessary to prevent harmful interference from their amateur service to the fixed and mobile services of other countries. The mean power of any amateur station shall not exceed 10 W. (WRC-03)

**5.97** In Region 3, the Loran system operates either on 1 850 kHz or 1 950 kHz, the bands occupied being 1 825-1 875 kHz and 1 925-1 975 kHz respectively. Other services to which the band 1 800-2 000 kHz is allocated may use any frequency therein on condition that no harmful interference is caused to the Loran system operating on 1 850 kHz or 1 950 kHz.

**5.98** *Alternative allocation:* in Angola, Armenia, Azerbaijan, Belarus, Belgium, Cameroon, Congo (Rep. of the), Denmark, Egypt, Eritrea, Spain, Ethiopia, the Russian Federation, Georgia, Greece, Italy, Kazakhstan, Lebanon, Lithuania, Moldova, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Tunisia, Turkmenistan, Turkey and Ukraine, the band 1 810-1 830 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

**5.99** *Additional allocation:* in Saudi Arabia, Austria, Iraq, the Libyan Arab Jamahiriya, Uzbekistan, Slovakia, Romania, Serbia, Slovenia, Chad, and Togo, the band 1 810-1 830 kHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.100** In Region 1, the authorization to use the band 1 810-1 830 kHz by the amateur service in countries situated totally or partially north of 40° N shall be given only after consultation with the countries mentioned in Nos. **5.98** and **5.99** to define the necessary steps to be taken to prevent harmful interference between amateur stations and stations of other services operating in accordance with Nos. **5.98** and **5.99**.

**5.101** *Alternative allocation:* in Burundi and Lesotho, the band 1 810-1 850 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

**5.102** **Alternative allocation: in Bolivia, Chile, Mexico, Paraguay, Peru and Uruguay, the band 1 850-2 000 kHz is allocated to the fixed, mobile except aeronautical mobile, radiolocation and radionavigation services on a primary basis. (WRC-07)**

**5.103** In Region 1, in making assignments to stations in the fixed and mobile services in the bands 1 850-2 045 kHz, 2 194-2 498 kHz, 2 502-2 625 kHz and 2 650-2 850 kHz, administrations should bear in mind the special requirements of the maritime mobile service.

**5.104** In Region 1, the use of the band 2 025-2 045 kHz by the meteorological aids service is limited to oceanographic buoy stations.

**5.105** In Region 2, except in Greenland, coast stations and ship stations using radiotelephony in the band 2 065-2 107 kHz shall be limited to class J3E emissions and to a peak envelope power not exceeding 1 kW. Preferably, the following carrier frequencies should be used: 2 065.0 kHz, 2 079.0 kHz, 2 082.5 kHz, 2 086.0 kHz, 2 093.0 kHz, 2 096.5 kHz, 2 100.0 kHz and 2 103.5 kHz. In Argentina and Uruguay, the carrier frequencies 2 068.5 kHz and 2 075.5 kHz are also used for this purpose, while the frequencies within the band 2 072-2 075.5 kHz are used as provided in No. **52.165**.

**5.106** In Regions 2 and 3, provided no harmful interference is caused to the maritime mobile service, the frequencies between 2 065 kHz and 2 107 kHz may be used by stations of the fixed service communicating only within national borders and whose mean power does not exceed 50 W. In notifying the frequencies, the attention of the Bureau should be drawn to these provisions.

**5.107** *Additional allocation:* in Saudi Arabia, Eritrea, Ethiopia, Iraq, the Libyan Arab Jamahiriya, Lesotho, Somalia and Swaziland, the band 2 160-2 170 kHz is also allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. The mean power of stations in these services shall not exceed 50 W. (WRC-03)

**5.108** The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles 31 and 52. (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.109** The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article **31**.

**5.110** The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are international distress frequencies for narrow-band direct-printing telegraphy. The conditions for the use of these frequencies are prescribed in Article **31**.

**5.111** The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31.

The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of  $\pm 3$  kHz about the frequency. (WRC-07)

**5.112** Alternative allocation: in Denmark, Malta, Serbia and Sri Lanka, the band 2 194-2 300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

**5.113** For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. **5.16** to **5.20**, **5.21** and **23.3** to **23.10**.

**5.114** Alternative allocation: in Denmark, Iraq, Malta, and Serbia, the band 2 502-2 625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

**5.115** The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article 31 by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07)

**5.116** Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs.

It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.

**5.117** Alternative allocation: in Côte d'Ivoire, Denmark, Egypt, Liberia, Malta, Serbia, Sri Lanka and Togo, the band 3 155-3 200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

**5.118** *Additional allocation:* in the United States, Mexico, Peru and Uruguay, the band 3 230-3 400 kHz is also allocated to the radiolocation service on a secondary basis. (WRC-03)

## Footnotes to International Frequency Allocation Table

**5.119** *Additional allocation: in Honduras, Mexico and Peru, the band 3 500-3 750 kHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)*

**5.120** (SUP - WRC-2000)

**5.121** Not used.

**5.122** *Alternative allocation: in Bolivia, Chile, Ecuador, Paraguay, Peru and Uruguay, the band 3 750-4 000 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)*

**5.123** *Additional allocation: in Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia and Zimbabwe, the band 3 900-3 950 kHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21.*

**5.124** (SUP - WRC-2000)

**5.125** *Additional allocation: in Greenland, the band 3 950-4 000 kHz is also allocated to the broadcasting service on a primary basis. The power of the broadcasting stations operating in this band shall not exceed that necessary for a national service and shall in no case exceed 5 kW.*

**5.126** In Region 3, the stations of those services to which the band 3 995-4 005 kHz is allocated may transmit standard frequency and time signals.

**5.127** The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. 52.220 and Appendix 17).

**5.128** Frequencies in the bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Azerbaijan, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service. (WRC-07)

**5.129** SUP

**5.130** The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles 31 and 52. (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.131** The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)

**5.132** The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix 17).

**5.133** Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 5 130-5 250 kHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-07)

**5.134** The use of the bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC-07). (WRC-07)

**5.135** (SUP - WRC-97)

**5.136** Additional allocation: Frequencies in the band 5 900-5 950 kHz may be used by stations in the following services, communicating only within the boundary of the country in which they are located: fixed service (in all three Regions), land mobile service (in Region 1), mobile except aeronautical mobile (R) service (in Regions 2 and 3), on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.137** On condition that harmful interference is not caused to the maritime mobile service, the bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.

**5.138** The following bands:

6 765-6 795 kHz	(centre frequency 6 780 kHz),
433.05-434.79 MHz	(centre frequency 433.92 MHz) in Region 1 except in the countries mentioned in No. 5.280,
61-61.5 GHz	(centre frequency 61.25 GHz),
122-123 GHz	(centre frequency 122.5 GHz), and
244-246 GHz	(centre frequency 245 GHz)

are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorization by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.

## Footnotes to International Frequency Allocation Table

**5.138A** Until 29 March 2009, the band 6 765-7 000 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. After this date, this band is allocated to the fixed and the mobile except aeronautical mobile (R) services on a primary basis. (WRC-03)

**5.139** Different category of service: until 29 March 2009, in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 6 765-7 000 kHz to the land mobile service is on a primary basis (see No. 5.33). (WRC-07)

**5.140** *Additional allocation:* in Angola, Iraq, Kenya, Rwanda, Somalia and Togo, the band 7 000-7 050 kHz is also allocated to the fixed service on a primary basis. (WRC-03)

**5.141** *Alternative allocation:* in Egypt, Eritrea, Ethiopia, Guinea, the Libyan Arab Jamahiriya and Madagascar, the band 7 000-7 050 kHz is allocated to the fixed service on a primary basis. (WRC-97)

**5.141A** *Additional allocation:* in Uzbekistan and Kyrgyzstan, the bands 7 000-7 100 kHz and 7 100-7 200 kHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-03)

**5.141B** *Additional allocation:* after 29 March 2009, in Algeria, Saudi Arabia, Australia, Bahrain, Botswana, Brunei Darussalam, China, Comoros, Korea (Rep. of), Diego Garcia, Djibouti, Egypt, United Arab Emirates, Eritrea, Indonesia, Iran (Islamic Republic of), Japan, Jordan, Kuwait, the Libyan Arab Jamahiriya, Morocco, Mauritania, New Zealand, Oman, Papua New Guinea, Qatar, the Syrian Arab Republic, Singapore, Sudan, Tunisia, Viet Nam and Yemen, the band 7 100-7 200 kHz is also allocated to the fixed and the mobile, except aeronautical mobile (R), services on a primary basis. (WRC-03)

**5.141C** In Regions 1 and 3, the band 7 100-7 200 kHz is allocated to the broadcasting service until 29 March 2009 on a primary basis. (WRC-03)

**5.142** Until 29 March 2009, the use of the band 7 100-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. After 29 March 2009 the use of the band 7 200-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC-03)

**5.143** *Additional allocation:* Frequencies in the band 7 300-7 350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.143A** In Region 3, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, frequencies in this band may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account



## Footnotes to International Frequency Allocation Table

of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-03)

**5.143B** In Region 1, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, on condition that harmful interference is not caused to the broadcasting service, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed and land mobile services communicating only within the boundary of the country in which they are located, each station using a total radiated power that shall not exceed 24 dBW. (WRC-03)

**5.143C** Additional allocation: after 29 March 2009 in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, the bands 7 350-7 400 kHz and 7 400-7 450 kHz are also allocated to the fixed service on a primary basis. (WRC-03)

**5.143D** In Region 2, the band 7 350-7 400 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, frequencies in this band may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-03)

**5.143E** Until 29 March 2009, the band 7 450-8 100 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. (WRC-03)

**5.144** In Region 3, the stations of those services to which the band 7 995-8 005 kHz is allocated may transmit standard frequency and time signals.

**5.145** The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52. (WRC-07)

**5.146** Additional allocation: Frequencies in the bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.147** On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

**5.148** (SUP - WRC-97)

## Footnotes to International Frequency Allocation Table

**5.149** In making assignments to stations of other services to which the bands:

13 360-13 410 kHz,	76-86 GHz,
25 550-25 670 kHz,	92-94 GHz,
37.5-38.25 MHz,	94.1-100 GHz,
73-74.6 MHz in Regions 1 and 3,	102-109.5 GHz,
150.05-153 MHz in Region 1,	111.8-114.25 GHz,
322-328.6 MHz,	128.33-128.59 GHz,
406.1-410 MHz,	129.23-129.49 GHz,
608-614 MHz in Regions 1 and 3,	130-134 GHz,
1 330-1 400 MHz,	136-148.5 GHz,
1 610.6-1 613.8 MHz,	151.5-158.5 GHz,
1 660-1 670 MHz,	168.59-168.93 GHz,
1 718.8-1 722.2 MHz,	171.11-171.45 GHz,
2 655-2 690 MHz,	172.31-172.65 GHz,
3 260-3 267 MHz,	173.52-173.85 GHz,
3 332-3 339 MHz,	195.75-196.15 GHz,
3 345.8-3 352.5 MHz,	209-226 GHz,
4 825-4 835 MHz,	241-250 GHz,
4 950-4 990 MHz,	252-275 GHz
4 990-5 000 MHz,	
6 650-6 675.2 MHz,	
10.6-10.68 GHz,	
14.47-14.5 GHz,	
22.01-22.21 GHz,	
22.21-22.5 GHz,	
22.81-22.86 GHz,	
23.07-23.12 GHz,	
31.2-31.3 GHz,	
31.5-31.8 GHz in Regions 1 and 3,	
36.43-36.5 GHz,	
42.5-43.5 GHz,	
48.94-49.04 GHz,	

## Footnotes to International Frequency Allocation Table

are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (see Nos. **4.5** and **4.6** and Article **29**). (WRC-07)

**5.150** The following bands:

13 553-13 567 kHz	(centre frequency 13 560 kHz),
26 957-27 283 kHz	(centre frequency 27 120 kHz),
40.66-40.70 MHz	(centre frequency 40.68 MHz),
902-928 MHz	in Region 2 (centre frequency 915 MHz),
2 400-2 500 MHz	(centre frequency 2 450 MHz),
5 725-5 875 MHz	(centre frequency 5 800 MHz), and
24-24.25 GHz	(centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. **15.13**.

**5.151** Additional allocation: Frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.152** *Additional allocation:* in Armenia, Azerbaijan, China, Côte d'Ivoire, the Russian Federation, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW. (WRC-03)

## Footnotes to International Frequency Allocation Table

**5.153** In Region 3, the stations of those services to which the band 15 995-16 005 kHz is allocated may transmit standard frequency and time signals.

**5.154** *Additional allocation:* in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW. (WRC-03)

**5.155** *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) service on a primary basis. (WRC-07)

**5.155A** *In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the use of the band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety. (WRC-07)*

**5.155B** The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.

**5.156** *Additional allocation:* in Nigeria, the band 22 720-23 200 kHz is also allocated to the meteorological aids service (radiosondes) on a primary basis.

**5.156A** The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety.

**5.157** The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.

**5.158** and **5.159** Not used.

**5.160** *Additional allocation:* in Botswana, Burundi, Lesotho, Malawi, Dem. Rep. of the Congo, Rwanda and Swaziland, the band 41-44 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-2000)

**5.161** *Additional allocation:* in Iran (Islamic Republic of) and Japan, the band 41-44 MHz is also allocated to the radiolocation service on a secondary basis.

## Footnotes to International Frequency Allocation Table

**5.162** *Additional allocation:* in Australia and New Zealand, the band 44-47 MHz is also allocated to the broadcasting service on a primary basis.

**5.162A** *Additional allocation:* in Germany, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Denmark, Spain, Estonia, the Russian Federation, Finland, France, Ireland, Iceland, Italy, Latvia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Lithuania, Luxembourg, Monaco, Montenegro, Norway, the Netherlands, Poland, Portugal, Slovakia, the Czech Rep., the United Kingdom, Serbia, Slovenia, Sweden and Switzerland the band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97). (WRC-07)

**5.163** *Additional allocation:* in Armenia, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Moldova, Uzbekistan, Kyrgyzstan, Slovakia, the Czech Rep., Tajikistan, Turkmenistan and Ukraine, the bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-07)

**5.164** Additional allocation: in Albania, Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d'Ivoire, Denmark, Spain, Estonia, Finland, France, Gabon, Greece, Ireland, Israel, Italy, the Libyan Arab Jamahiriya, Jordan, Lebanon, Liechtenstein, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Montenegro, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, Romania, the United Kingdom, Serbia, Slovenia, Sweden, Switzerland, Swaziland, Chad, Togo, Tunisia and Turkey, the band 47-68 MHz, in South Africa the band 47-50 MHz, in the Czech Rep. the band 66-68 MHz, and in Latvia and Lithuania the band 48.5-56.5 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the band. (WRC-07)

**5.165** *Additional allocation:* in Angola, Cameroon, Congo (Rep. of the), Madagascar, Mozambique, Somalia, Sudan, Tanzania and Chad, the band 47-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

## Footnotes to International Frequency Allocation Table

**5.166** *Alternative allocation:* in New Zealand, the band 50-51 MHz is allocated to the fixed, mobile and broadcasting services on a primary basis; the band 53-54 MHz is allocated to the fixed and mobile services on a primary basis.

**5.167** *Alternative allocation:* in Bangladesh, Brunei Darussalam, India, Iran (Islamic Republic of), Pakistan, Singapore and Thailand, the band 50-54 MHz is allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-07)

**5.168** *Additional allocation:* in Australia, China and the Dem. People's Rep. of Korea, the band 50-54 MHz is also allocated to the broadcasting service on a primary basis.

**5.169** *Alternative allocation:* in Botswana, Burundi, Lesotho, Malawi, Namibia, the Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland, Zambia and Zimbabwe, the band 50-54 MHz is allocated to the amateur service on a primary basis.

**5.170** *Additional allocation:* in New Zealand, the band 51-53 MHz is also allocated to the fixed and mobile services on a primary basis.

**5.171** *Additional allocation:* in Botswana, Burundi, Lesotho, Malawi, Mali, Namibia, Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland and Zimbabwe, the band 54-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

**5.172** *Different category of service:* in the French Overseas Departments in Region 2, Guyana, Jamaica and Mexico, the allocation of the band 54-68 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**).

**5.173** *Different category of service:* in the French Overseas Departments in Region 2, Guyana, Jamaica and Mexico, the allocation of the band 68-72 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**).

**5.174** *SUP*

**5.175** *Alternative allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting service on a primary basis. In Latvia and Lithuania, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting and mobile, except aeronautical

## Footnotes to International Frequency Allocation Table

*mobile, services on a primary basis. The services to which these bands are allocated in other countries and the broadcasting service in the countries listed above are subject to agreements with the neighbouring countries concerned. (WRC-07)*

**5.176** Additional allocation: in Australia, China, Korea (Rep. of), the Philippines, the Dem. People's Rep. of Korea and Samoa, the band 68-74 MHz is also allocated to the broadcasting service on a primary basis. (WRC-07)

**5.177** Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 73-74 MHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-07)

**5.178** *Additional allocation:* in Colombia, Costa Rica, Cuba, El Salvador, Guatemala, Guyana, Honduras and Nicaragua, the band 73-74.6 MHz is also allocated to the fixed and mobile services on a secondary basis.

**5.179** Additional allocation: in Armenia, Azerbaijan, Belarus, China, the Russian Federation, Georgia, Kazakhstan, Lithuania, Mongolia, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the bands 74.6-74.8 MHz and 75.2-75.4 MHz are also allocated to the aeronautical radionavigation service, on a primary basis, for ground-based transmitters only. (WRC-07)

**5.180** The frequency 75 MHz is assigned to marker beacons. Administrations shall refrain from assigning frequencies close to the limits of the guardband to stations of other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons.

Every effort should be made to improve further the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.

**5.181** *Additional allocation:* in Egypt, Israel and the Syrian Arab Republic, the band 74.8-75.2 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. **9.21**. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. **9.21**. (WRC-03)

**5.182** *Additional allocation:* in Western Samoa, the band 75.4-87 MHz is also allocated to the broadcasting service on a primary basis.

## Footnotes to International Frequency Allocation Table

**5.183** *Additional allocation:* in China, Korea (Rep. of), Japan, the Philippines and the Dem. People's Rep. of Korea, the band 76-87 MHz is also allocated to the broadcasting service on a primary basis.

**5.184** SUP

**5.185** *Different category of service:* in the United States, the French Overseas Departments in Region 2, Guyana, Jamaica, Mexico and Paraguay, the allocation of the band 76-88 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**).

**5.186** (SUP - WRC-97)

**5.187** *Alternative allocation:* in Albania, the band 81-87.5 MHz is allocated to the broadcasting service on a primary basis and used in accordance with the decisions contained in the Final Acts of the Special Regional Conference (Geneva, 1960).

**5.188** *Additional allocation:* in Australia, the band 85-87 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service in Australia is subject to special agreements between the administrations concerned.

**5.189** Not used.

**5.190** *Additional allocation:* in Monaco, the band 87.5-88 MHz is also allocated to the land mobile service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-97)

**5.191** Not used.

**5.192** *Additional allocation:* in China and Korea (Rep. of), the band 100-108 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-97)

**5.193** Not used.

**5.194** *Additional allocation:* in Azerbaijan, Kyrgyzstan, Somalia and Turkmenistan, the band 104-108 MHz is also allocated to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-07)

**5.195** and **5.196** Not used.

**5.197** *Additional allocation:* in Pakistan and the Syrian Arab Republic, the band 108-111.975 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedures invoked under No. 9.21. (WRC-07)

**5.197A** *Additional allocation:* the band 108-117.975 MHz is also allocated on a primary basis to the aeronautical mobile (R) service, limited to systems operating in accordance with recognized international aeronautical standards. Such use shall be in



## Footnotes to International Frequency Allocation Table

accordance with Resolution 413 (Rev.WRC-07). The use of the band 108-112 MHz by the aeronautical mobile (R) service shall be limited to systems composed of ground-based transmitters and associated receivers that provide navigational information in support of air navigation functions in accordance with recognized international aeronautical standards. (WRC-07)

**5.198** SUP

**5.199** SUP

**5.200** In the band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 for distress and safety purposes with stations of the aeronautical mobile service. (WRC-07)

**5.201** *Additional allocation:* in Angola, Armenia, Azerbaijan, Belarus, Bulgaria, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Japan, Kazakhstan, Latvia, Moldova, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-97)

**5.202** *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Belarus, Bulgaria, the United Arab Emirates, the Russian Federation, Georgia, Iran (Islamic Republic of), Jordan, Latvia, Moldova, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-2000)

**5.203** SUP

**5.203A** SUP

**5.203B** SUP

## Footnotes to International Frequency Allocation Table

**5.204** Different category of service: in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Kuwait, Montenegro, Oman, Pakistan, the Philippines, Qatar, Serbia, Singapore, Thailand and Yemen, the band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. 5.33). (WRC-07)

**5.205** *Different category of service:* in Israel and Jordan, the allocation of the band 137-138 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. **5.33**).

**5.206** *Different category of service:* in Armenia, Azerbaijan, Belarus, Bulgaria, Egypt, the Russian Federation, Finland, France, Georgia, Greece, Kazakhstan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Syrian Arab Republic, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 137-138 MHz to the aeronautical mobile (OR) service is on a primary basis (see No. **5.33**). (WRC-2000)

**5.207** *Additional allocation:* in Australia, the band 137-144 MHz is also allocated to the broadcasting service on a primary basis until that service can be accommodated within regional broadcasting allocations.

**5.208** The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)

**5.208B** In the bands:

- 1 452-1 492 MHz,
- 1 525-1 559 MHz,
- 1 613,8-1 626,5 MHz,
- 2 655-2 670 MHz,
- 2 670-2 690 MHz,
- 21.4-22 GHz,

Resolution **739 (WRC-07)** applies. (WRC-07)

**5.208A** In making assignments to space stations in the mobile-satellite service in the bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from

## Footnotes to International Frequency Allocation Table

unwanted emissions. The threshold levels of interference detrimental to the radio astronomy service are shown in the relevant ITU-R Recommendation. (WRC-07)

**5.209** The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems. (WRC-97)

**5.210** Additional allocation: in Italy, the Czech Rep. and the United Kingdom, the bands 138-143.6 MHz and 143.65-144 MHz are also allocated to the space research service (space-to-Earth) on a secondary basis. (WRC-07)

**5.211** Additional allocation: in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Denmark, the United Arab Emirates, Spain, Finland, Greece, Ireland, Israel, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lebanon, Liechtenstein, Luxembourg, Mali, Malta, Montenegro, Norway, the Netherlands, Qatar, the United Kingdom, Serbia, Slovenia, Somalia, Sweden, Switzerland, Tanzania, Tunisia and Turkey, the band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis. (WRC-07)

**5.212** Alternative allocation: in Angola, Botswana, Burundi, Cameroon, the Central African Rep., Congo (Rep. of the), Gabon, Gambia, Ghana, Guinea, Iraq, Libyan Arab Jamahiriya, Jordan, Lesotho, Liberia, Malawi, Mozambique, Namibia, Oman, Uganda, Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sierra Leone, South Africa, Swaziland, Chad, Togo, Zambia and Zimbabwe, the band 138-144 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-07)

**5.213** *Additional allocation:* in China, the band 138-144 MHz is also allocated to the radiolocation service on a primary basis.

**5.214** *Additional allocation:* in Eritrea, Ethiopia, Kenya, The Former Yugoslav Republic of Macedonia, Malta, Montenegro, Serbia, Somalia, Sudan and Tanzania, the band 138-144 MHz is also allocated to the fixed service on a primary basis. (WRC-07)

**5.215** Not used.

**5.216** *Additional allocation:* in China, the band 144-146 MHz is also allocated to the aeronautical mobile (OR) service on a secondary basis.

**5.217** *Alternative allocation:* in Afghanistan, Bangladesh, Cuba, Guyana and India, the band 146-148 MHz is allocated to the fixed and mobile services on a primary basis.

## Footnotes to International Frequency Allocation Table

**5.218** *Additional allocation:* the band 148-149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. **9.21**. The bandwidth of any individual transmission shall not exceed  $\pm 25$  kHz.

**5.219** The use of the band 148-149.9 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the band 148-149.9 MHz.

**5.220** The use of the bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The mobile-satellite service shall not constrain the development and use of the radionavigation-satellite service in the bands 149.9-150.05 MHz and 399.9-400.05 MHz. (WRC-97)

**5.221** Stations of the mobile-satellite service in the band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Ethiopia, the Russian Federation, Finland, France, Gabon, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, the Libyan Arab Jamahiriya, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Montenegro, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Kyrgyzstan, Dem. People's Rep. of Korea, Slovakia, Romania, the United Kingdom, Senegal, Serbia, Sierra Leone, Singapore, Slovenia, Sri Lanka, South Africa, Sweden, Switzerland, Swaziland, Tanzania, Chad, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Ukraine, Viet Nam, Yemen, Zambia, and Zimbabwe. (WRC-07)

**5.222** Emissions of the radionavigation-satellite service in the bands 149.9-150.05 MHz and 399.9-400.05 MHz may also be used by receiving earth stations of the space research service.

## Footnotes to International Frequency Allocation Table

**5.223** Recognizing that the use of the band 149.9-150.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation-satellite service, administrations are urged not to authorize such use in application of No. **4.4**.

**5.224** (SUP - WRC-97)

**5.224A** The use of the bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service (Earth-to-space) is limited to the land mobile-satellite service (Earth-to-space) until 1 January 2015. (WRC-97)

**5.224B** The allocation of the bands 149.9-150.05 MHz and 399.9-400.05 MHz to the radionavigation-satellite service shall be effective until 1 January 2015. (WRC-97)

**5.225** *Additional allocation:* in Australia and India, the band 150.05-153 MHz is also allocated to the radio astronomy service on a primary basis.

**5.226** The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article 31 and Appendix 18.

The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles 31 and 52, and in Appendix 18.

In the bands 156-156.4875 MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles 31 and 52, and Appendix 18).

Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service.

However, the frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements. (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.227** Additional allocation: the bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz are also allocated to the fixed and land mobile services on a primary basis. The use of these bands by the fixed and land mobile services shall not cause harmful interference to nor claim protection from the maritime mobile VHF radiocommunication service. (WRC-07)

**5.227A** Additional allocation: the bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz are also allocated to the mobile-satellite service (Earth-to-space) on a secondary basis for the reception of automatic identification system (AIS) emissions from stations operating in the maritime-mobile service (see Appendix 18). (WRC-07)

**5.228** Not used.

**5.229** *Alternative allocation:* in Morocco, the band 162-174 MHz is allocated to the broadcasting service on a primary basis. The use of this band shall be subject to agreement with administrations having services, operating or planned, in accordance with the Table which are likely to be affected. Stations in existence on 1 January 1981, with their technical characteristics as of that date, are not affected by such agreement.

**5.230** *Additional allocation:* in China, the band 163-167 MHz is also allocated to the space operation service (space-to-Earth) on a primary basis, subject to agreement obtained under No. **9.21**.

**5.231** *Additional allocation:* in Afghanistan, China and Pakistan, the band 167-174 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service into this band shall be subject to agreement with the neighbouring countries in Region 3 whose services are likely to be affected.

**5.232** *Additional allocation:* in Japan, the band 170-174 MHz is also allocated to the broadcasting service on a primary basis.

**5.233** *Additional allocation:* in China, the band 174-184 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis, subject to agreement obtained under No. **9.21**. These services shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations.

**5.234** *Different category of service:* in Mexico, the allocation of the band 174-216 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**).

## Footnotes to International Frequency Allocation Table

**5.235** *Additional allocation:* in Germany, Austria, Belgium, Denmark, Spain, Finland, France, Israel, Italy, Liechtenstein, Malta, Monaco, Norway, the Netherlands, the United Kingdom, Sweden and Switzerland, the band 174-223 MHz is also allocated to the land mobile service on a primary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, broadcasting stations, existing or planned, in countries other than those listed in this footnote.

**5.236** Not used.

**5.237** *Additional allocation:* in Congo (Rep. of the), Eritrea, Ethiopia, Gambia, Guinea, the Libyan Arab Jamahiriya, Malawi, Mali, Sierra Leone, Somalia and Chad, the band 174-223 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-07)

**5.238** *Additional allocation:* in Bangladesh, India, Pakistan and the Philippines, the band 200-216 MHz is also allocated to the aeronautical radionavigation service on a primary basis.

**5.239** Not used.

**5.240** *Additional allocation:* in China and India, the band 216-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.

**5.241** In Region 2, no new stations in the radiolocation service may be authorized in the band 216-225 MHz. Stations authorized prior to 1 January 1990 may continue to operate on a secondary basis.

**5.242** *Additional allocation:* in Canada, the band 216-220 MHz is also allocated to the land mobile service on a primary basis.

**5.243** *Additional allocation:* in Somalia, the band 216-225 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to not causing harmful interference to existing or planned broadcasting services in other countries.

**5.244** (SUP - WRC-97)

## Footnotes to International Frequency Allocation Table

**5.245** *Additional allocation:* in Japan, the band 222-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.

**5.246** *Alternative allocation:* in Spain, France, Israel and Monaco, the band 223-230 MHz is allocated to the broadcasting and land mobile services on a primary basis (see No. **5.33**) on the basis that, in the preparation of frequency plans, the broadcasting service shall have prior choice of frequencies; and allocated to the fixed and mobile, except land mobile, services on a secondary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations in Morocco and Algeria.

**5.247** *Additional allocation:* in Saudi Arabia, Bahrain, the United Arab Emirates, Jordan, Oman, Qatar and Syrian Arab Republic, the band 223-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis.

**5.248** and **5.249** Not used.

**5.250** *Additional allocation:* in China, the band 225-235 MHz is also allocated to the radio astronomy service on a secondary basis.

**5.251** *Additional allocation:* in Nigeria, the band 230-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to agreement obtained under No. **9.21**.

**5.252** *Alternative allocation:* in Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia and Zimbabwe, the bands 230-238 MHz and 246-254 MHz are allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. **9.21**.

**5.253** Not used.

**5.254** The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. **9.21**, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. **5.256A**. (WRC-03)



## Footnotes to International Frequency Allocation Table

**5.255** The bands 312-315 MHz (Earth-to-space) and 387-390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under No. **9.11A**.

**5.256** The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes. (WRC-07)

**5.256A** *Additional allocation:* in China, the Russian Federation, Kazakhstan and Ukraine, the band 258-261 MHz is also allocated to the space research service (Earth-to-space) and space operation service (Earth-to-space) on a primary basis. Stations in the space research service (Earth-to-space) and space operation service (Earth-to-space) shall not cause harmful interference to, nor claim protection from, nor constrain the use and development of the mobile service systems and mobile-satellite service systems operating in the band. Stations in space research service (Earth-to-space) and space operation service (Earth-to-space) shall not constrain the future development of fixed service systems of other countries. (WRC-03)

**5.257** The band 267-272 MHz may be used by administrations for space telemetry in their countries on a primary basis, subject to agreement obtained under No. **9.21**.

**5.258** The use of the band 328.6-335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).

**5.259** *Additional allocation:* in Egypt, Israel and the Syrian Arab Republic, the band 328.6-335.4 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21. (WRC-07)

**5.260** Recognizing that the use of the band 399.9-400.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation satellite service, administrations are urged not to authorize such use in application of No. **4.4**.

**5.261** Emissions shall be confined in a band of  $\pm 25$  kHz about the standard frequency 400.1 MHz.

## Footnotes to International Frequency Allocation Table

**5.262** Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Botswana, Colombia, Costa Rica, Cuba, Egypt, the United Arab Emirates, Ecuador, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Liberia, Malaysia, Moldova, Uzbekistan, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Kyrgyzstan, Romania, Singapore, Somalia, Tajikistan, Turkmenistan and Ukraine, the band 400.05-401 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)

**5.263** The band 400.15-401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.

**5.264** The use of the band 400.15-401 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The power flux-density limit indicated in Annex 1 of Appendix 5 shall apply until such time as a competent world radiocommunication conference revises it.

**5.265** Not used.

**5.266** The use of the band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position-indicating radiobeacons (see also Article 31). (WRC-07)

**5.267** Any emission capable of causing harmful interference to the authorized uses of the band 406-406.1 MHz is prohibited.

**5.268** Use of the band 410-420 MHz by the space research service is limited to communications within 5 km of an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from extra-vehicular activities shall not exceed  $-153 \text{ dB(W/m}^2\text{)}$  for  $0^\circ \leq \delta \leq 5^\circ$ ,  $-153 + 0.077 (\delta - 5) \text{ dB(W/m}^2\text{)}$  for  $5^\circ \leq \delta \leq 70^\circ$  and  $-148 \text{ dB(W/m}^2\text{)}$  for  $70^\circ \leq \delta \leq 90^\circ$ , where  $\delta$  is the angle of arrival of the radio-frequency wave and the reference bandwidth is 4 kHz. No. **4.10** does not apply to extra-vehicular activities. In this frequency band the space research (space-to-space) service shall not claim protection from, nor constrain the use and development of, stations of the fixed and mobile services. (WRC-97)

**5.269** *Different category of service:* in Australia, the United States, India, Japan and the United Kingdom, the allocation of the bands 420-430 MHz and 440-450 MHz to the radiolocation service is on a primary basis (see No. **5.33**).

## Footnotes to International Frequency Allocation Table

**5.270** *Additional allocation:* in Australia, the United States, Jamaica and the Philippines, the bands 420-430 MHz and 440-450 MHz are also allocated to the amateur service on a secondary basis.

**5.271** *Additional allocation:* in Belarus, China, India, Kyrgyzstan and Turkmenistan, the band 420-460 MHz is also allocated to the aeronautical radionavigation service (radio altimeters) on a secondary basis. (WRC-07)

**5.272** *Different category of service:* in France, the allocation of the band 430-434 MHz to the amateur service is on a secondary basis (see No. **5.32**).

**5.273** *Different category of service:* in the Libyan Arab Jamahiriya, the allocation of the bands 430-432 MHz and 438-440 MHz to the radiolocation service is on a secondary basis (see No. **5.32**). (WRC-03)

**5.274** *Alternative allocation:* in Denmark, Norway and Sweden, the bands 430-432 MHz and 438-440 MHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

**5.275** *Additional allocation:* in Croatia, Estonia, Finland, Libyan Arab Jamahiriya, The Former Yugoslav Republic of Macedonia, Montenegro, Serbia and Slovenia, the bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

**5.276** *Additional allocation:* in Afghanistan, Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burkina Faso, Burundi, Egypt, the United Arab Emirates, Ecuador, Eritrea, Ethiopia, Greece, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Italy, Libyan Arab Jamahiriya, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Malta, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Switzerland, Tanzania, Thailand, Togo, Turkey and Yemen, the band 430-440 MHz is also allocated to the fixed service on a primary basis and the bands 430-435 MHz and 438-440 MHz are also allocated to the mobile, except aeronautical mobile, service on a primary basis. (WRC-07)

**5.277** *Additional allocation:* in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo (Rep. of the), Djibouti, the Russian Federation, Georgia, Hungary, Israel, Kazakhstan, Mali, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, Romania, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the band 430-440 MHz is also allocated to the fixed service on a primary basis. (WRC-07)

**5.278** *Different category of service:* in Argentina, Colombia, Costa Rica, Cuba, Guyana, Honduras, Panama and Venezuela, the allocation of the band 430-440 MHz to the amateur service is on a primary basis (see No. **5.33**).

## Footnotes to International Frequency Allocation Table

**5.279** *Additional allocation:* in Mexico, the bands 430-435 MHz and 438-440 MHz are also allocated on a primary basis to the land mobile service, subject to agreement obtained under No. **9.21**.

**5.279A** The use of this band by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU-R SA.1260-1. Additionally, the Earth exploration-satellite service (active) in the band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. **5.29** and **5.30**. (WRC-03)

**5.280** In Germany, Austria, Bosnia and Herzegovina, Croatia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Montenegro, Portugal, Serbia, Slovenia and Switzerland, the band 433.05-434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific and medical (ISM) applications. Radiocommunication services of these countries operating within this band must accept harmful interference which may be caused by these applications. ISM equipment operating in this band is subject to the provisions of No. **15.13**. (WRC-07)

**5.281** *Additional allocation:* in the French Overseas Departments in Region 2 and India, the band 433.75-434.25 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis. In France and in Brazil, the band is allocated to the same service on a secondary basis.

**5.282** In the bands 435-438 MHz, 1 260-1 270 MHz, 2 400-2 450 MHz, 3 400-3 410 MHz (in Regions 2 and 3 only) and 5 650-5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. **5.43**). Administrations authorizing such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. **25.11**. The use of the bands 1 260-1 270 MHz and 5 650-5 670 MHz by the amateur-satellite service is limited to the Earth-to-space direction.

**5.283** *Additional allocation:* in Austria, the band 438-440 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

## Footnotes to International Frequency Allocation Table

**5.284** *Additional allocation:* in Canada, the band 440-450 MHz is also allocated to the amateur service on a secondary basis.

**5.285** *Different category of service:* in Canada, the allocation of the band 440-450 MHz to the radiolocation service is on a primary basis (see No. **5.33**).

**5.286** The band 449.75-450.25 MHz may be used for the space operation service (Earth-to-space) and the space research service (Earth-to-space), subject to agreement obtained under No. **9.21**.

**5.286A** The use of the bands 454-456 MHz and 459-460 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)

**5.286AA** The band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). See Resolution **224 (Rev.WRC-07)**. This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.

**5.286B** The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)

**5.286C** The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not constrain the development and use of the fixed and mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)

**5.286D** *Additional allocation:* in Canada, the United States and Panama, the band 454-455 MHz is also allocated to the mobile-satellite service (Earth-to-space) on a primary basis. (WRC-07)

**5.286E** *Additional allocation:* in Cape Verde, Nepal and Nigeria, the bands 454-456 MHz and 459-460 MHz are also allocated to the mobile-satellite (Earth-to-space) service on a primary basis. (WRC-07)

**5.287** In the maritime mobile service, the frequencies 457.525 MHz, 457.550 MHz, 457.575 MHz, 467.525 MHz, 467.550 MHz and 467.575 MHz may be used by on-board

## Footnotes to International Frequency Allocation Table

communication stations. Where needed, equipment designed for 12.5 kHz channel spacing using also the additional frequencies 457.5375 MHz, 457.5625 MHz, 467.5375 MHz and 467.5625 MHz may be introduced for on-board communications. The use of these frequencies in territorial waters may be subject to the national regulations of the administration concerned. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-2 (WRC-07)

**5.288** In the territorial waters of the United States and the Philippines, the preferred frequencies for use by on-board communication stations shall be 457.525 MHz, 457.550 MHz, 457.575 MHz and 457.600 MHz paired, respectively, with 467.750 MHz, 467.775 MHz, 467.800 MHz and 467.825 MHz. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-1. (WRC-03)

**5.289** Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460-470 MHz and 1 690-1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table.

**5.290** Different category of service: in Afghanistan, Azerbaijan, Belarus, China, the Russian Federation, Japan, Mongolia, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 460-470 MHz to the meteorological-satellite service (space-to-Earth) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-07)

**5.291** *Additional allocation:* in China, the band 470-485 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis subject to agreement obtained under No. 9.21 and subject to not causing harmful interference to existing and planned broadcasting stations.

**5.291A** *Additional allocation:* in Germany, Austria, Denmark, Estonia, Finland, Liechtenstein, Norway, Netherlands, the Czech Rep. and Switzerland, the band 470-494 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97). (WRC-97)

**5.292** *Different category of service:* in Mexico, the allocation of the band 470-512 MHz to the fixed and mobile services, and in Argentina, Uruguay and Venezuela to the mobile service, is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-07)

**5.293** *Different category of service:* in Canada, Chile, Colombia, Cuba, the United States, Guyana, Honduras, Jamaica, Mexico, Panama and Peru, the allocation of the bands 470-512 MHz and 614-806 MHz to the fixed service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. In Canada, Chile, Colombia, Cuba, the United States, Guyana, Honduras, Jamaica, Mexico, Panama and Peru, the allocation of the bands 470-512 MHz and 614-698 MHz to the mobile service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. In Argentina and Ecuador, the allocation of the

## Footnotes to International Frequency Allocation Table

band 470-512 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. (WRC-07)

**5.294** *Additional allocation:* in Saudi Arabia, Burundi, Cameroon, Côte d'Ivoire, Egypt, Ethiopia, Israel, the Libyan Arab Jamahiriya, Kenya, Malawi, the Syrian Arab Republic, Sudan, Chad and Yemen, the band 470-582 MHz is also allocated to the fixed service on a secondary basis. (WRC-07)

**5.295** Not used.

**5.296** *Additional allocation:* in Germany, Saudi Arabia, Austria, Belgium, Côte d'Ivoire, Denmark, Egypt, Spain, Finland, France, Ireland, Israel, Italy, the Libyan Arab Jamahiriya, Jordan, Lithuania, Malta, Morocco, Monaco, Norway, Oman, the Netherlands, Portugal, the Syrian Arab Republic, the United Kingdom, Sweden, Switzerland, Swaziland and Tunisia, the band 470-790 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting. Stations of the land mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote. (WRC-07)

**5.297** *Additional allocation:* in Canada, Costa Rica, Cuba, El Salvador, the United States, Guatemala, Guyana, Honduras, Jamaica and Mexico, the band 512-608 MHz is also allocated to the fixed and mobile services on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-07)

**5.298** *Additional allocation:* in India, the band 549.75-550.25 MHz is also allocated to the space operation service (space-to-Earth) on a secondary basis.

**5.299** Not used.

**5.300** *Additional allocation:* in Saudi Arabia, Egypt, Israel, the Libyan Arab Jamahiriya, Jordan, Oman, the Syrian Arab Republic and Sudan, the band 582-790 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-07)

**5.301** Not used.

**5.302** *Additional allocation:* in the United Kingdom, the band 590-598 MHz is also allocated to the aeronautical radionavigation service on a primary basis. All new assignments to stations in the aeronautical radionavigation service, including those transferred from the adjacent bands, shall be subject to coordination with the Administrations of the following countries: Germany, Belgium, Denmark, Spain, France, Ireland, Luxembourg, Morocco, Norway and the Netherlands.

**5.303** Not used.

## Footnotes to International Frequency Allocation Table

**5.304** *Additional allocation:* in the African Broadcasting Area (see Nos. **5.10** to **5.13**), the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.

**5.305** *Additional allocation:* in China, the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.

**5.306** *Additional allocation:* in Region 1, except in the African Broadcasting Area (see Nos. **5.10** to **5.13**), and in Region 3, the band 608-614 MHz is also allocated to the radio astronomy service on a secondary basis.

**5.307** *Additional allocation:* in India, the band 608-614 MHz is also allocated to the radio astronomy service on a primary basis.

**5.308** Not used.

**5.309** *Different category of service:* in Costa Rica, El Salvador and Honduras, the allocation of the band 614-806 MHz to the fixed service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**.

**5.310** (SUP - WRC-97)

**5.311** SUP

**5.311A** For the frequency band 620-790 MHz, see also Resolution **549 (WRC-07)**

**5.312** *Additional allocation:* in Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the band 645-862 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)

**5.313** (SUP - WRC-97)

**5.313A** The band, or portions of the band 698-790 MHz, in Bangladesh, China, Korea (Rep. Of), India, Japan, New Zealand, Papua New Guinea, Philippines and Singapore are identified for use by these Administrations wishing to implement International Mobile Telecommunication (IMT). This identification does not preclude the use of these bands by any application of service to which they are allocated and does not establish priority in Radio Regulations. In China, the use of IMT in this band will not start until 2015. (ERC-07)



## Footnotes to International Frequency Allocation Table

**5.313B** Different Category of Service : In Brazil, the allocation of band 698-806 MHz to the mobile service is on secondary basis ( WRC-07)

**5.314** *Additional allocation:* in Austria, Italy, Moldova, Uzbekistan, Kyrgyzstan, the United Kingdom and Swaziland, the band 790-862 MHz is also allocated to the land mobile service on a secondary basis. (WRC-07)

**5.315** *Alternative allocation:* in Greece, Italy and Tunisia, the band 790-838 MHz is allocated to the broadcasting service on a primary basis. (WRC-2000)

**5.316** *Additional allocation:* in Germany, Saudi Arabia, Bosnia and Herzegovina, Burkina Faso, Cameroon, Côte d'Ivoire, Croatia, Denmark, Egypt, Finland, Greece, Israel, the Libyan Arab Jamahiriya, Jordan, Kenya, The Former Yugoslav Republic of Macedonia, Liechtenstein, Mali, Monaco, Montenegro, Norway, the Netherlands, Portugal, the United Kingdom, the Syrian Arab Republic, Serbia,, Sweden and Switzerland, the band 790-830 MHz, and in these same countries and in Spain, France, Gabon and Malta, the band 830-862 MHz, are also allocated to the mobile, except aeronautical mobile, service on a primary basis. However, stations of the mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, stations of services operating in accordance with the Table in countries other than those mentioned in connection with the band. This allocation is effective until 16 June 2015. (WRC-07)

**5.316A** *Additional allocation:* in Spain, France, Gabon and Malta and in Lithuania in the band 790-830 MHz, in Angola, Bahrain, Benin, Botswana, Congo (Rep. of the), French Overseas Departments and Communities of Region 1, Gambia, Ghana, Guinea, Kuwait, Lesotho, Lebanon, Malawi, Morocco, Mauritania, Mozambique, Namibia, Niger, Oman, Uganda, Poland, Qatar, Rwanda, Senegal, Sudan, South Africa, Swaziland, Tanzania, Chad, Togo, Yemen, Zambia and Zimbabwe, the band 790-862 MHz, Georgia the band 806-862 MHz and in Lithuania, the band 830-862 MHz is also allocated to the mobile service except the aeronautical mobile, service on a primary basis subject to the agreement by the administrations concerned obtained under No. **9.21** and under the Geneva-06 Agreement, as appropriate, including those administrations mentioned in No. **5.312** where appropriate. However, stations of the mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause unacceptable interference to, nor claim protection from, stations

## Footnotes to International Frequency Allocation Table

of services operating in accordance with the Table in countries other than those mentioned in connection with the band. Frequency assignment to the mobile service under this allocation in Lithuania and Poland shall not be used without the agreement of the Russian Federation and Belarus. This allocation is effective until 16 June 2015. (WRC-07)

**5.316B** In Region 1, the allocation to the mobile, except aeronautical mobile, service on a primary basis in the frequency band 790-862 MHz shall come into effect from 17 June 2015 and shall be subject to agreement obtained under No. **9.21** with respect to the aeronautical radionavigation service in countries mentioned in No. **5.312**. For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolution **224 (Rev.WRC-07)** and 749 (**Rev.WRC-07**) shall apply. (WRC-07)

**5.317** *Additional allocation:* in Region 2 (except Brazil and the United States), the band 806-890 MHz is also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. **9.21**. The use of this service is intended for operation within national boundaries.

**5.317A** Those parts of the band 698-960 MHz in Region 2 and the band 790-960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) See Resolution **224 (Rev.WRC-07)** and Resolution **[COM4/13] (WRC-07)**. This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-07)

**5.318** *Additional allocation:* in Canada, the United States and Mexico, the bands 849-851 MHz and 894-896 MHz are also allocated to the aeronautical mobile service on a primary basis, for public correspondence with aircraft. The use of the band 849-851 MHz is limited to transmissions from aeronautical stations and the use of the band 894-896 MHz is limited to transmissions from aircraft stations.

**5.319** *Additional allocation:* in Belarus, the Russian Federation and Ukraine, the bands 806-840 MHz (Earth-to-space) and 856-890 MHz (space-to-Earth) are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service. The use of these bands by this service shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations and is subject to special agreements between the administrations concerned.

**5.320** *Additional allocation:* in Region 3, the bands 806-890 MHz and 942-960 MHz are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service on a primary basis, subject to agreement obtained under No. **9.21**. The use of this service is limited to operation within national boundaries. In seeking such agreement, appropriate protection shall be afforded to services operating in accordance with the Table, to ensure that no harmful interference is caused to such services.

## Footnotes to International Frequency Allocation Table

**5.321**      *SUP*

**5.322**      In Region 1, in the band 862-960 MHz, stations of the broadcasting service shall be operated only in the African Broadcasting Area (see Nos. **5.10** to **5.13**) excluding Algeria, Egypt, Spain, the Libyan Arab Jamahiriya, Morocco, Namibia, Nigeria, South Africa, Tanzania, Zimbabwe and Zambia, subject to agreement obtained under No. **9.21**. (WRC-2000)

**5.323**      *Additional allocation:* in Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Hungary, Kazakhstan, Moldova, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the band 862-960 MHz is also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. **9.21** with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-07)

**5.324**      Not used.

**5.325**      *Different category of service:* in the United States, the allocation of the band 890-942 MHz to the radiolocation service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**.

**5.325A**    *Different category of service:* in Cuba, the allocation of the band 902-915 MHz to the land mobile service is on a primary basis. (WRC-2000)

**5.326**      *Different category of service:* in Chile, the band 903-905 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. **9.21**.

**5.327**      *Different category of service:* in Australia, the allocation of the band 915-928 MHz to the radiolocation service is on a primary basis (see No. **5.33**).

**5.327A**    The use of the band 960-1 164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution **417 (WRC-07)**. (WRC-07)

**5.328**      The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities. (WRC-2000)

## Footnotes to International Frequency Allocation Table

**5.328A** Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution **609 (Rev.WRC-07)** and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. **5.43A** does not apply. The provisions of No. **21.18** shall apply. (WRC-07)

**5.328B** The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. **9.12**, **9.12A** and **9.13**. Resolution **610 (WRC-03)** shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and systems, Resolution **610 (WRC-03)** shall only apply to transmitting space stations. In accordance with No. **5.329A**, for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. **9.7**, **9.12**, **9.12A** and **9.13** shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space). (WRC-07)

**5.329** Use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. **5.331**. Furthermore, the use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. **5.43** shall not apply in respect of the radiolocation service. Resolution **608 (WRC-03)** shall apply. (WRC-03)

**5.329A** Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on radionavigation-satellite service (space-to-Earth) systems or on other services operating in accordance with the Table of Frequency Allocations. (WRC-07)

**5.330** *Additional allocation:* in Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, China, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Japan, Jordan, Kuwait, Lebanon, Mozambique, Nepal, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Somalia, Sudan, Chad, Togo and Yemen, the band 1 215-1 300 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)

**5.331** *Additional allocation:* in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic

## Footnotes to International Frequency Allocation Table

Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Turkey, Venezuela and Viet Nam, the band 1215-1300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the band 1240-1300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC-07)

**5.332** In the band 1215-1260 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis. (WRC-2000)

**5.333** (SUP - WRC-97)

**5.334** *Additional allocation:* in Canada and the United States, the band 1350-1370 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)

**5.335** In Canada and the United States in the band 1240-1300 MHz, active spaceborne sensors in the earth exploration-satellite and space research services shall not cause interference to, claim protection from, or otherwise impose constraints on operation or development of the aeronautical radionavigation service. (WRC-97)

**5.335A** In the band 1260-1300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis. (WRC-2000)

**5.336** Not used.

**5.337** The use of the bands 1300-1350 MHz, 2700-2900 MHz and 9000-9200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which transmit only on frequencies in these bands and only when actuated by radars operating in the same band.

**5.337A** The use of the band 1300-1350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service. (WRC-2000)

## Footnotes to International Frequency Allocation Table

**5.338** In Mongolia, Kyrgyzstan, Slovakia, the Czech Rep. and Turkmenistan, existing installations of the radionavigation service may continue to operate in the band 1 350-1 400 MHz. (WRC-07)

**5.338A** In the bands 1350-1400 MHz, 1427-1452 MHz, 22.55-23.55 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz and 51.4-52.6 GHz, Resolution **750** ( **WRC-07**) applies

**5.339** The bands 1 370-1 400 MHz, 2 640-2 655 MHz, 4 950-4 990 MHz and 15.20-15.35 GHz are also allocated to the space research (passive) and Earth exploration-satellite (passive) services on a secondary basis.

**5.339A** *SUP*

**5.340** All emissions are prohibited in the following bands:

1 400-1 427 MHz,  
2 690-2 700 MHz, except those provided for by No. **5.422**,  
10.68-10.7 GHz, except those provided for by No. **5.483**,  
15.35-15.4 GHz, except those provided for by No. **5.511**,  
23.6-24 GHz,  
31.3-31.5 GHz,  
31.5-31.8 GHz, in Region 2,  
48.94-49.04 GHz, from airborne stations  
50.2-50.4 GHz<sup>2</sup>,  
52.6-54.25 GHz,  
86-92 GHz,  
100-102 GHz,  
109.5-111.8 GHz,  
114.25-116 GHz,  
148.5-151.5 GHz,  
164-167 GHz,  
182-185 GHz,  
190-191.8 GHz,  
200-209 GHz,

---

<sup>2</sup> **5.340.1** The allocation to the Earth exploration-satellite service (passive) and the space research service (passive) in the band 50.2-50.4 GHz should not impose undue constraints on the use of the adjacent bands by the primary allocated services in those bands. (WRC-97)

## Footnotes to International Frequency Allocation Table

226-231.5 GHz,  
250-252 GHz. (WRC-03)

**5.341** In the bands 1 400-1 727 MHz, 101-120 GHz and 197-220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extraterrestrial origin.

**5.342** *Additional allocation:* in Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Uzbekistan, Kyrgyzstan and Ukraine, the band 1 429-1 535 MHz is also allocated to the aeronautical mobile service on a primary basis exclusively for the purposes of aeronautical telemetry within the national territory. As of 1 April 2007, the use of the band 1 452-1 492 MHz is subject to agreement between the administrations concerned. (WRC-2000)

**5.343** In Region 2, the use of the band 1 435-1 535 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service.

**5.344** *Alternative allocation:* in the United States, the band 1 452-1 525 MHz is allocated to the fixed and mobile services on a primary basis (see also No. **5.343**).

**5.345** Use of the band 1 452-1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (WARC-92)\***.

**5.346** Not used.

**5.347** SUP

**5.347A** SUP

**5.348** The use of the band 1 518-1 525 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. **5.43A** does not apply. (WRC-03)

---

\* *Note by the Secretariat:* This Resolution was revised by WRC-03.

## Footnotes to International Frequency Allocation Table

**5.348A** In the band 1 518-1 525 MHz, the coordination threshold in terms of the power flux-density levels at the surface of the Earth in application of No. **9.11A** for space stations in the mobile-satellite (space-to-Earth) service, with respect to the land mobile service use for specialized mobile radios or used in conjunction with public switched telecommunication networks (PSTN) operating within the territory of Japan, shall be – 150 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival, instead of those given in Table 5-2 of Appendix 5. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from stations in the mobile service in the territory of Japan. No. **5.43A** does not apply. (WRC-03)

**5.348B** In the band 1 518-1 525 MHz, stations in the mobile-satellite service shall not claim protection from aeronautical mobile telemetry stations in the mobile service in the territory of the United States (see Nos. **5.343** and **5.344**) and in the countries listed in No. **5.342**. No. **5.43A** does not apply. (WRC-03)

**5.348C** For the use of the bands 1 518-1 525 MHz and 1 668-1 675 MHz by the mobile-satellite service, see Resolution **225 (Rev.WRC-03)**. (WRC-03)

**5.349** *Different category of service:* in Saudi Arabia, Azerbaijan, Bahrain, Cameroon, Egypt, France, Iran (Islamic Republic of), Iraq, Israel, Kazakhstan, Kuwait, The Former Yugoslav Republic of Macedonia, Lebanon, Morocco, Qatar, Syrian Arab Republic, Kyrgyzstan, Turkmenistan and Yemen, the allocation of the band 1 525-1 530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. **5.33**). (WRC-07)

**5.350** *Additional allocation:* in Azerbaijan, Kyrgyzstan and Turkmenistan, the band 1 525-1 530 MHz is also allocated to the aeronautical mobile service on a primary basis. (WRC-2000)

**5.351A** For the use of the bands 1 518-1 544 MHz, 1 545-1 559 MHz, 1 610-1 626.5 MHz, 1 626.5-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 668-1 675 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 500 MHz, 2 500-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions **212 (Rev.WRC-07)** and **225 (Rev.WRC-07)**. (WRC-07)

**5.351A** For the use of the bands 1 525-1 544 MHz, 1 545-1 559 MHz, 1 610-1 626.5 MHz, 1 626.5-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 500 MHz, 2 500-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions **212 (Rev.WRC-97)** and **225 (WRC-2000)\***. (WRC-2000)

**5.352** (SUP - WRC-97)

---

\* *Note by the Secretariat:* This Resolution was revised by WRC-03.



## Footnotes to International Frequency Allocation Table

**5.352A** In the band 1 525-1 530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in France and French overseas territories in Region 3, Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Malta, Morocco, Mauritania, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Tanzania, Viet Nam and Yemen notified prior to 1 April 1998. (WRC-97)

**5.353** (SUP - WRC-97)

**5.353A** In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 530-1 544 MHz and 1 626.5-1 645.5 MHz, priority shall be given to accommodating the spectrum requirements for distress, urgency and safety communications of the Global Maritime Distress and Safety System (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-2000) shall apply.) (WRC-2000)

**5.354** The use of the bands 1 525-1 559 MHz and 1 626.5-1 660.5 MHz by the mobile-satellite services is subject to coordination under No. 9.11A.

**5.355** *Additional allocation:* in Bahrain, Bangladesh, Congo (Rep. of the), Egypt, Eritrea, Iraq, Israel, Kuwait, Lebanon, Malta, Qatar, Syrian Arab Republic, Somalia, Sudan, Chad, Togo and Yemen, the bands 1 540-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a secondary basis. (WRC-03)

**5.356** The use of the band 1 544-1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article 31).

**5.357** Transmissions in the band 1 545-1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorized when such transmissions are used to extend or supplement the satellite-to-aircraft links.

## Footnotes to International Frequency Allocation Table

**5.357A** In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 545-1 555 MHz and 1 646.5-1 656.5 MHz, priority shall be given to accommodating the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article 44. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44 shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-2000) shall apply.) (WRC-2000)

**5.358** (SUP - WRC-97)

**5.359** *Additional allocation:* in Germany, Saudi Arabia, Armenia, Austria, Azerbaijan, Belarus, Benin, Bulgaria, Cameroon, Spain, the Russian Federation, France, Gabon, Georgia, Greece, Guinea, Guinea-Bissau, the Libyan Arab Jamahiriya, Jordan, Kazakhstan, Kuwait, Lebanon, Lithuania, Mauritania, Moldova, Uganda, Uzbekistan, Pakistan, Poland, the Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Swaziland, Tajikistan, Tanzania, Tunisia, Turkmenistan and Ukraine, the bands 1 550-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these bands. (WRC-07)

**5.360 to 5.362** (SUP - WRC-97)

**5.362A** In the United States, in the bands 1 555-1 559 MHz and 1 656.5-1 660.5 MHz, the aeronautical mobile-satellite (R) service shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (WRC-97)

**5.362B** *Additional allocation:* The band 1 559-1 610 MHz is also allocated to the fixed service on a primary basis until 1 January 2010 in Algeria, Saudi Arabia, Cameroon, Libyan Arab Jamahiriya, Jordan, Mali, Mauritania, Syrian Arab Republic and Tunisia. After this date, the fixed service may continue to operate on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. The band 1 559-1 610 MHz is also allocated to the fixed service on a secondary basis in Algeria, Germany, Armenia, Azerbaijan, Belarus, Benin, Bulgaria, Spain, Russian Federation, France, Gabon, Georgia, Guinea, Guinea-Bissau, Kazakhstan, Lithuania, Moldova, Nigeria, Uganda, Uzbekistan, Pakistan, Poland, Kyrgyzstan, Dem. People's Rep. of Korea, Romania, Senegal, Swaziland, Tajikistan, Tanzania, Turkmenistan and Ukraine until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and

## Footnotes to International Frequency Allocation Table

the aeronautical radionavigation service and not authorize new frequency assignments to fixed-service systems in this band. (WRC-07)

**5.362C** *Additional allocation:* in Congo (Rep. of the), Egypt, Eritrea, Iraq, Israel, Jordan, Malta, Qatar, the Syrian Arab Republic, Somalia, Sudan, Chad, Togo and Yemen, the band 1 559-1 610 MHz is also allocated to the fixed service on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and not authorize new frequency assignments to fixed-service systems in this band. (WRC-07)

### **5.363** SUP

**5.364** The use of the band 1 610-1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination-satellite service (Earth-to-space) is subject to coordination under No. **9.11A**. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of  $-15$  dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. **5.366** (to which No. **4.10** applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed  $-3$  dB(W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. **5.366** and stations in the fixed service operating in accordance with the provisions of No. **5.359**. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. **5.366**.

**5.365** The use of the band 1 613.8-1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under No. **9.11A**.

**5.366** The band 1 610-1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. **9.21**.

**5.367** *Additional allocation:* The bands 1 610-1 626.5 MHz and 5 000-5 150 MHz are also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. **9.21**.

**5.368** With respect to the radiodetermination-satellite and mobile-satellite services the provisions of No. **4.10** do not apply in the band 1 610-1 626.5 MHz, with the exception of the aeronautical radionavigation-satellite service.

## Footnotes to International Frequency Allocation Table

**5.369** *Different category of service:* in Angola, Australia, Burundi, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), Israel, the Libyan Arab Jamahiriya, Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, the Dem. Rep. of the Congo, Sudan, Swaziland, Togo and Zambia, the allocation of the band 1 610-1 626.5 MHz to the radiodetermination-satellite service (Earth-to-space) is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21** from countries not listed in this provision. (WRC-03)

**5.370** *Different category of service:* in Venezuela, the allocation to the radiodetermination-satellite service in the band 1 610-1 626.5 MHz (Earth-to-space) is on a secondary basis.

**5.371** *Additional allocation:* in Region 1, the bands 1 610-1 626.5 MHz (Earth-to-space) and 2 483.5-2 500 MHz (space-to-Earth) are also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. **9.21**.

**5.372** Harmful interference shall not be caused to stations of the radio astronomy service using the band 1 610.6-1 613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. **29.13** applies).

**5.373** Not used.

**5.373A** (SUP - WRC-97)

**5.374** Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5-1 634.5 MHz and 1 656.5-1 660 MHz shall not cause harmful interference to stations in the fixed service operating in the countries listed in No. **5.359**. (WRC-97)

**5.375** The use of the band 1 645.5-1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress and safety communications (see Article **31**).

**5.376** Transmissions in the band 1 646.5-1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorized when such transmissions are used to extend or supplement the aircraft-to-satellite links.

## Footnotes to International Frequency Allocation Table

**5.376A** Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service. (WRC-97)

**5.377** (SUP - WRC-03)

**5.378** Not used.

**5.379** *Additional allocation:* in Bangladesh, India, Indonesia, Nigeria and Pakistan, the band 1 660.5-1 668.4 MHz is also allocated to the meteorological aids service on a secondary basis.

**5.379A** Administrations are urged to give all practicable protection in the band 1 660.5-1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the band 1 664.4-1 668.4 MHz as soon as practicable.

**5.379B** The use of the band 1 668-1 675 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. In the band 1 668-1 668.4 MHz, Resolution [**COM5/1**] (**WRC-07**) shall apply. (WRC-07)

**5.379C** In order to protect the radio astronomy service in the band 1 668-1 670 MHz, the aggregate power flux-density values produced by mobile earth stations in a network of the mobile-satellite service operating in this band shall not exceed  $-181$  dB(W/m<sup>2</sup>) in 10 MHz and  $-194$  dB(W/m<sup>2</sup>) in any 20 kHz at any radio astronomy station recorded in the Master International Frequency Register, for more than 2% of integration periods of 2 000 s. (WRC-03)

**5.379D** For sharing of the band 1 668.4-1 675 MHz between the mobile-satellite service and the fixed and mobile services, Resolution **744 (Rev.WRC-07)** shall apply. (WRC-07)

**5.379E** In the band 1 668.4-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4-1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)

**5.380** SUP

## Footnotes to International Frequency Allocation Table

**5.380A** In the band 1 670-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified before 1 January 2004. Any new assignment to these earth stations in this band shall also be protected from harmful interference from stations in the mobile-satellite service. (WRC-07)

**5.381** *Additional allocation:* in Afghanistan, Costa Rica, Cuba, India, Iran (Islamic Republic of) and Pakistan, the band 1 690-1 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-03)

**5.382** *Different category of service:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, the Russian Federation, Guinea, Iraq, Israel, Jordan, Kazakhstan, Kuwait, the Former Yugoslav Republic of Macedonia, Lebanon, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, the Syrian Arab Republic, Kyrgyzstan, Serbia, Somalia, Tajikistan, Tanzania, Turkmenistan, Ukraine and Yemen, the allocation of the band 1 690-1 700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. **5.33**), and in the Dem. People's Rep. of Korea, the allocation of the band 1 690-1 700 MHz to the fixed service is on a primary basis (see No. **5.33**) and to the mobile, except aeronautical mobile, service on a secondary basis. (WRC-07)

**5.383** Not used.

**5.384** *Additional allocation:* in India, Indonesia and Japan, the band 1 700-1 710 MHz is also allocated to the space research service (space-to-Earth) on a primary basis. (WRC-97)

**5.384A** The bands, or portions of the bands, 1 710-1 885 MHz, 2 300-2 400 MHz and 2 500-2 690 MHz, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev.WRC-07)**. This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-07).

**5.385** *Additional allocation:* the band 1 718.8-1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations. (WRC-2000)

**5.386** *Additional allocation:* the band 1 750-1 850 MHz is also allocated to the space operation (Earth-to-space) and space research (Earth-to-space) services in Region 2, in Australia, Guam, India, Indonesia and Japan on a primary basis, subject to agreement obtained under No. **9.21**, having particular regard to troposcatter systems. (WRC-03)

**5.387** *Additional allocation:* in Belarus, Georgia, Kazakhstan, Mongolia, Kyrgyzstan, Slovakia, Romania, Tajikistan and Turkmenistan, the band 1 770-1 790 MHz is also allocated to the meteorological-satellite service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.388** The bands 1 885-2 025 MHz and 2 110-2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications-2000 (IMT-2000). Such use does not preclude the use of these bands by other services to which they are allocated. The bands should be made available for IMT-2000 in accordance with Resolution **212 (Rev.WRC-97)**. (See also Resolution **223 (WRC-2000)**.) (WRC-2000)

**5.388A** In Regions 1 and 3, the bands 1 885-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz and, in Region 2, the bands 1 885-1 980 MHz and 2 110-2 160 MHz may be used by high altitude platform stations as base stations to provide International Mobile Telecommunications-2000 (IMT-2000), in accordance with Resolution **221 (Rev.WRC-03)**. Their use by IMT-2000 applications using high altitude platform stations as base stations does not preclude the use of these bands by any station in the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-03)

**5.388B** In Algeria, Saudi Arabia, Bahrain, Benin, Burkina Faso, Cameroon, Comoros, Côte d'Ivoire, China, Cuba, Djibouti, Egypt, United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, India, Iran (Islamic Republic of), Israel, the Libyan Arab Jamahiriya, Jordan, Kenya, Kuwait, Mali, Morocco, Mauritania, Nigeria, Oman, Uganda, Qatar, the Syrian Arab Republic, Senegal, Singapore, Sudan, Tanzania, Chad, Togo, Tunisia, Yemen, Zambia and Zimbabwe, for the purpose of protecting fixed and mobile services, including IMT-2000 mobile stations, in their territories from co-channel interference, a high altitude platform station (HAPS) operating as an IMT-2000 base station in neighbouring countries, in the bands referred to in No. **5.388A**, shall not exceed a co-channel power flux-density of  $-127 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  at the Earth's surface outside a country's borders unless explicit agreement of the affected administration is provided at the time of the notification of HAPS. (WRC-03)

**5.389** Not used.

**5.389A** The use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716 (Rev.WRC-2000)**. (WRC-07)

**5.389B** The use of the band 1 980-1 990 MHz by the mobile-satellite service shall not cause harmful interference to or constrain the development of the fixed and mobile services in Argentina, Brazil, Canada, Chile, Ecuador, the United States, Honduras, Jamaica, Mexico, Peru, Suriname, Trinidad and Tobago, Uruguay and Venezuela.

## Footnotes to International Frequency Allocation Table

**5.389C** The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz in Region 2 by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716 (Rev.WRC-2000)**. (WRC-07)

**5.389D** (SUP - WRC-03)

**5.389E** The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz by the mobile-satellite service in Region 2 shall not cause harmful interference to or constrain the development of the fixed and mobile services in Regions 1 and 3.

**5.389F** In Algeria, Benin, Cape Verde, Egypt, Iran (Islamic Republic of), Mali, Syrian Arab Republic and Tunisia, the use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service shall neither cause harmful interference to the fixed and mobile services, nor hamper the development of those services prior to 1 January 2005, nor shall the former service request protection from the latter services. (WRC-2000)

**5.390** SUP

**5.391** In making assignments to the mobile service in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154, and shall take that Recommendation into account for the introduction of any other type of mobile system. (WRC-97)

**5.392** Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.

**5.392A** SUP

**5.393** *Additional allocation:* in Canada, the United States, India and Mexico, the band 2 310-2 360 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial sound broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (Rev.WRC-03)**, with the exception of *resolves* 3 in regard to the limitation on broadcasting-satellite systems in the upper 25 MHz. (WRC-07)

**5.394** In the United States, the use of the band 2 300-2 390 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. In Canada, the use of the band 2 360-2 400 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. (WRC-07)



## Footnotes to International Frequency Allocation Table

**5.395** In France and Turkey, the use of the band 2 310-2 360 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service. (WRC-03)

**5.396** Space stations of the broadcasting-satellite service in the band 2 310-2 360 MHz operating in accordance with No. **5.393** that may affect the services to which this band is allocated in other countries shall be coordinated and notified in accordance with Resolution **33 (Rev.WRC-97)\***. Complementary terrestrial broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use.

**5.397** *Different category of service:* in France, the band 2 450-2 500 MHz is allocated on a primary basis to the radiolocation service (see No. **5.33**). Such use is subject to agreement with administrations having services operating or planned to operate in accordance with the Table of Frequency Allocations which may be affected.

**5.398** In respect of the radiodetermination-satellite service in the band 2 483.5-2 500 MHz, the provisions of No. **4.10** do not apply.

**5.399** In Region 1, in countries other than those listed in No. **5.400**, harmful interference shall not be caused to, or protection shall not be claimed from, stations of the radiolocation service by stations of the radiodetermination satellite service.

**5.400** *Different category of service:* in Angola, Australia, Bangladesh, Burundi, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, the Dem. Rep. of the Congo, the Syrian Arab Republic, Sudan, Swaziland, Togo and Zambia, the allocation of the band 2 483.5-2 500 MHz to the radiodetermination-satellite service (space-to-Earth) is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21** from countries not listed in this provision. (WRC-03)

**5.401** Not used.

**5.402** The use of the band 2 483.5-2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under No. **9.11A**. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5-2 500 MHz band, especially those caused by second-harmonic radiation that would fall into the 4 990-5 000 MHz band allocated to the radio astronomy service worldwide.

## Footnotes to International Frequency Allocation Table

**5.403** Subject to agreement obtained under No. **9.21**, the band 2 520-2 535 MHz may also be used for the mobile-satellite (space-to-Earth), except aeronautical mobile-satellite, service for operation limited to within national boundaries. The provisions of No. **9.11A** apply. (WRC-07)

**5.404** *Additional allocation:* in India and Iran (Islamic Republic of), the band 2 500-2 516.5 MHz may also be used for the radiodetermination-satellite service (space-to-Earth) for operation limited to within national boundaries, subject to agreement obtained under No. **9.21**.

**5.405** *Additional allocation:* in France, the band 2 500-2 550 MHz is also allocated to the radiolocation service on a primary basis. Such use is subject to agreement with the administrations having services operating or planned to operate in accordance with the Table which may be affected.

**5.406** Not used.

**5.407** In the band 2 500-2 520 MHz, the power flux-density at the surface of the Earth from space stations operating in the mobile-satellite (space-to-Earth) service shall not exceed  $-152 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$  in Argentina, unless otherwise agreed by the administrations concerned.

**5.408** (SUP - WRC-2000)

**5.409** SUP

**5.410** The band 2 500-2 690 MHz may be used for tropospheric scatter systems in Region 1, subject to agreement obtained under No. **9.21**. Administrations shall make all practicable efforts to avoid developing new tropospheric scatter systems in this band. When planning new tropospheric scatter radio-relay links in this band, all possible measures shall be taken to avoid directing the antennas of these links towards the geostationary-satellite orbit. (WRC-07)

**5.411** SUP

**5.412** *Alternative allocation:* in Azerbaijan, Kyrgyzstan and Turkmenistan, the band 2 500-2 690 MHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

**5.413** In the design of systems in the broadcasting-satellite service in the bands between 2 500 MHz and 2 690 MHz, administrations are urged to take all necessary steps to protect the radio astronomy service in the band 2 690-2 700 MHz.

## Footnotes to International Frequency Allocation Table

**5.414** The allocation of the frequency band 2 500-2 520 MHz to the mobile-satellite service (space-to-Earth) is subject to coordination under No. **9.11A**. (WRC-07)

**5.414A** In Japan and India, the use of the bands 2 500-2 520 MHz and 2 520-2 535 MHz, under No. **5.403**, by a satellite network in the mobile-satellite service (space-to-Earth) is limited to operation within national boundaries and subject to the application of No. **9.11A**. The following pfd values shall be used as a threshold for coordination under No. **9.11A**, for all conditions and for all methods of modulation, in an area of 1 000 km around the territory of the administration notifying the mobile-satellite service network:

-136 dB(W/(m <sup>2</sup> · MHz))	for	0° ≤ θ ≤ 5°
-136 + 0.55 (θ - 5) dB(W/(m <sup>2</sup> · MHz))	for	5° < θ ≤ 25°
-125 dB(W/(m <sup>2</sup> · MHz))	for	25° < θ ≤ 90°

where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. Outside this area Table **21-4** of Article **21** shall apply. Furthermore, the coordination thresholds in Table 5-2 of Annex 1 to Appendix **5** of the Radio Regulations (edition of 2004), in conjunction with the applicable provisions of Articles **9** and **11** associated with No. **9.11A**, shall apply to systems for which complete notification information has been received by the Radicommunication Bureau by 14 November 2007 and that have been brought into use by that date. (WRC-07)

**5.415** The use of the bands 2 500-2 690 MHz in Region 2 and 2 500-2 535 MHz and 2 655-2 690 MHz in Region 3 by the fixed-satellite service is limited to national and regional systems, subject to agreement obtained under No. **9.21**, giving particular attention to the broadcasting-satellite service in Region 1. (WRC-07)

**5.415A** *Additional allocation:* in India and Japan, subject to agreement obtained under No. **9.21**, the band 2 515-2 535 MHz may also be used for the aeronautical mobile-satellite service (space-to-Earth) for operation limited to within their national boundaries. (WRC-2000)

**5.416** The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under No. **9.21**. The provisions of No. **9.19** shall be applied by administrations in this band in their bilateral and multilateral negotiations. (WRC-07)

**5.417** (SUP - WRC-2000)

**5.417A** In applying provision No. **5.418**, in Korea (Rep. of) and Japan, *resolves* 3 of Resolution **528 (Rev.WRC-03)** is relaxed to allow the broadcasting-satellite service (sound) and the complementary terrestrial broadcasting service to additionally operate on a primary basis in the band 2 605-2 630 MHz. This use is limited to systems intended for national coverage. An administration listed in this provision shall not have

## Footnotes to International Frequency Allocation Table

simultaneously two overlapping frequency assignments, one under this provision and the other under No. **5.416**. The provisions of No. **5.416** and Table **21-4** of Article **21** do not apply. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) in the band 2 605-2 630 MHz is subject to the provisions of Resolution **539 (Rev.WRC-03)**. The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the band 2 605-2 630 MHz for which complete Appendix **4** coordination information, or notification information, has been received after 4 July 2003, for all conditions and for all methods of modulation, shall not exceed the following limits:

$$\begin{aligned} & -130 \text{ dB(W/(m}^2 \cdot \text{MHz))} && \text{for } 0^\circ \leq \theta \leq 5^\circ \\ & -130 + 0.4 (\theta - 5) \text{ dB(W/(m}^2 \cdot \text{MHz))} && \text{for } 5^\circ < \theta \leq 25^\circ \\ & -122 \text{ dB(W/(m}^2 \cdot \text{MHz))} && \text{for } 25^\circ < \theta \leq 90^\circ \end{aligned}$$

where  $\theta$  is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. In the case of the broadcasting-satellite service (sound) networks of Korea (Rep. of), as an exception to the limits above, the power flux-density value of  $-122 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  shall be used as a threshold for coordination under No. **9.11** in an area of 1 000 km around the territory of the administration notifying the broadcasting-satellite service (sound) system, for angles of arrival greater than  $35^\circ$ . (WRC-03)

**5.417B** In Korea (Rep. of) and Japan, use of the band 2 605-2 630 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.417A**, for which complete Appendix **4** coordination information, or notification information, has been received after 4 July 2003, is subject to the application of the provisions of No. **9.12A**, in respect of geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received after 4 July 2003, and No. **22.2** does not apply. No. **22.2** shall continue to apply with respect to geostationary-satellite networks for which complete Appendix **4** coordination information, or notification information, is considered to have been received before 5 July 2003. (WRC-03)

**5.417C** Use of the band 2 605-2 630 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.417A**, for which complete Appendix **4** coordination information, or notification information, has been received after 4 July 2003, is subject to the application of the provisions of No. **9.12**. (WRC-03)

## Footnotes to International Frequency Allocation Table

**5.417D** Use of the band 2 605-2 630 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003 is subject to the application of the provisions of No. **9.13** with respect to non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.417A**, and No. **22.2** does not apply. (WRC-03)

**5.418** *Additional allocation:* in Korea (Rep. of), India, Japan, Pakistan and Thailand, the band 2 535-2 655 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (Rev.WRC-03)**. The provisions of No. **5.416** and Table **21-4** of Article **21**, do not apply to this additional allocation. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) is subject to Resolution **539 (Rev.WRC-03)**. Geostationary broadcasting-satellite service (sound) systems for which complete Appendix 4 coordination information has been received after 1 June 2005 are limited to systems intended for national coverage. The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the band 2 630-2 655 MHz, and for which complete Appendix 4 coordination information has been received after 1 June 2005, shall not exceed the following limits, for all conditions and for all methods of modulation:

-130 dB(W/(m <sup>2</sup> · MHz))	for 0° ≤ θ ≤ 5°
-130 + 0.4 (θ - 5) dB(W/(m <sup>2</sup> · MHz))	for 5° < θ ≤ 25°
-122 dB(W/(m <sup>2</sup> · MHz))	for 25° < θ ≤ 90°

where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. As an exception to the limits above, the pfd value of -122 dB(W/(m<sup>2</sup> · MHz)) shall be used as a threshold for coordination under No. **9.11** in an area of 1 500 km around the territory of the administration notifying the broadcasting-satellite service (sound) system.

In addition, an administration listed in this provision shall not have simultaneously two overlapping frequency assignments, one under this provision and the other under No. **5.416** for systems for which complete Appendix 4 coordination information has been received after 1 June 2005. (WRC-07)

**5.418A** In certain Region 3 countries listed in No. **5.418**, use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound) for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. **9.12A**, in respect of geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, is considered to have been received after 2 June 2000, and No. **22.2** does not apply. No. **22.2** shall continue to apply with respect to geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, is considered to have been received before 3 June 2000. (WRC-03)

**5.418B** Use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.418**, for which complete

## Footnotes to International Frequency Allocation Table

Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. **9.12**. (WRC-03)

**5.418C** Use of the band 2 630-2 655 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000 is subject to the application of the provisions of No. **9.13** with respect to non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. **5.418** and No. **22.2** does not apply. (WRC-03)

**5.419** When introducing systems of the mobile-satellite service in the band 2 670-2 690 MHz, administrations shall take all necessary steps to protect the satellite systems operating in this band prior to 3 March 1992. The coordination of mobile-satellite systems in the band shall be in accordance with No. **9.11A**. (WRC-07)

**5.420** The band 2 655-2 670 MHz may also be used for the mobile-satellite (Earth-to-space), except aeronautical mobile-satellite, service for operation limited to within national boundaries, subject to agreement obtained under No. **9.21**. The coordination under No. **9.11A** applies. (WRC-07)

**5.420A** *SUP*

**5.421** (SUP - WRC-03)

**5.422** *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Brunei Darussalam, Congo (Rep. of the), Côte d'Ivoire, Cuba, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Georgia, Guinea, Guinea-Bissau, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Mauritania, Moldova, Mongolia, Montenegro, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, the Dem. Rep. of the Congo, Romania, Somalia, Tajikistan, Tunisia, Turkmenistan, Ukraine and Yemen, the band 2 690-2 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-07)

**5.423** In the band 2 700-2 900 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the aeronautical radionavigation service.

**5.424** *Additional allocation:* in Canada, the band 2 850-2 900 MHz is also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars.

**5.424A** In the band 2 900-3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC-03)

## Footnotes to International Frequency Allocation Table

**5.425** In the band 2 900-3 100 MHz, the use of the shipborne interrogator-transponder (SIT) system shall be confined to the sub-band 2 930 -2 950 MHz.

**5.426** The use of the band 2 900-3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.

**5.427** In the bands 2 900-3 100 MHz and 9 300-9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. **4.9**.

**5.428** *Additional allocation:* in Azerbaijan, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 3 100-3 300 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)

**5.429** *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Japan, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Oman, Uganda, Pakistan, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea and Yemen, the band 3 300-3 400 MHz is also allocated to the fixed and mobile services on a primary basis. The countries bordering the Mediterranean shall not claim protection for their fixed and mobile services from the radiolocation service. (WRC-07)

**5.430** *Additional allocation:* in Azerbaijan, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)

**5.430A** *Different category of service:* in Albania, Algeria, Germany, Andorra, Saudi Arabia, Austria, Azerbaijan, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Cameroon, Cyprus, Vatican, Côte d'Ivoire, Croatia, Denmark, French Overseas Departments and Communities in Region 1, Egypt, Spain, Estonia, Finland, France, Gabon, Georgia, Greece, Guinea, Hungary, Ireland, Iceland, Israel, Italy, Jordan, Kuwait, Lesotho, Latvia, Macedonia, Liechtenstein, Lithuania, Malawi, Malta, Morocco, Mauritania, Moldova, Monaco, Mongolia, Montenegro, Mozambique, Namibia, Niger, Norway, Oman, Netherlands, Poland, Portugal, Qatar, Syria, Congo, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Senegal, Serbia, Sierra Leone, Slovenia, South Africa, Sweden, Switzerland, Swaziland, Togo, Chad, Tunisia, Turkey, Ukraine, Zambia and Zimbabwe, the band 3 400-3 600 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis subject to agreement obtained under No. **9.21** with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions

## Footnotes to International Frequency Allocation Table

of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed  $-154.5 \text{ dBW}/(\text{m}^2 \cdot 4 \text{ kHz})$  for more than 20 per cent of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). This allocation is effective from 17 November 2010. (WRC-07)

**5.431** *Additional allocation:* in Germany, Israel and the United Kingdom, the band 3 400-3 475 MHz is also allocated to the amateur service on a secondary basis. (WRC-03)

**5.431A** *Different category of service:* in Argentina, Brazil, Chile, Costa Rica, Cuba, Dominican Republic, El Salvador, Guatemala, Mexico, Paraguay, Suriname, Uruguay, Venezuela and French Overseas Departments and Communities in Region 2, the band 3 400-3 500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. **9.21**. Stations of the mobile service in the band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table **21-4** of the Radio Regulations (Edition of 2004). (WRC-07)

**5.432** *Different category of service:* in Korea (Rep. of), Japan and Pakistan, the allocation of the band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. **5.33**). (WRC-2000)

**5.432A** In Korea (Rep. of), Japan and Pakistan, the band 3 400-3 500 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. **9.17** and **9.18** also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed  $-154.5 \text{ dBW}/(\text{m}^2 \cdot 4 \text{ kHz})$  for more than 20 per cent of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 400-3 500 MHz shall not claim more



## Footnotes to International Frequency Allocation Table

protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-07)

**5.432B** *Different category of service:* in Bangladesh, China, India, Iran (Islamic Republic of), New Zealand, Singapore and French Overseas Communities in Region 3, the band 3 400-3 500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21 with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a station of the mobile service in this band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed  $-154.5 \text{ dBW}/(\text{m}^2 \cdot 4 \text{ kHz})$  for more than 20 per cent of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station) with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (2004 edition). (WRC-07)

**5.433** In Regions 2 and 3, in the band 3 400-3 600 MHz the radiolocation service is allocated on a primary basis. However, all administrations operating radiolocation systems in this band are urged to cease operations by 1985. Thereafter, administrations shall take all practicable steps to protect the fixed-satellite service and coordination requirements shall not be imposed on the fixed-satellite service.

**5.433A** In Bangladesh, China, Korea (Rep. of), India, Iran (Islamic Republic of), Japan, New Zealand, Pakistan and French Overseas Communities in Region 3, the band 3 500-3 600 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a station of the mobile service in this band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed  $-154.5 \text{ dBW}/(\text{m}^2 \cdot 4 \text{ kHz})$  for more than 20 per cent of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 500-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-07)

**5.434** (SUP - WRC-97)

## Footnotes to International Frequency Allocation Table

**5.435** In Japan, in the band 3 620-3 700 MHz, the radiolocation service is excluded.

**5.436** Not used.

**5.437** (SUP - WRC-2000)

**5.438** Use of the band 4 200-4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. However, passive sensing in the Earth exploration-satellite and space research services may be authorized in this band on a secondary basis (no protection is provided by the radio altimeters).

**5.439** *Additional allocation:* in Iran (Islamic Republic of) and Libyan Arab Jamahiriya, the band 4 200-4 400 MHz is also allocated to the fixed service on a secondary basis. (WRC-2000)

**5.440** The standard frequency and time signal-satellite service may be authorized to use the frequency 4 202 MHz for space-to-Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of  $\pm 2$  MHz of these frequencies, subject to agreement obtained under No. **9.21**.

**5.440A** In Region 2 (except Brazil, Cuba, French Overseas Departments and Communities, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 400-4 940 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. **1.83**). Such use shall be in accordance with Resolution **416** and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of these bands by other mobile service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-07)

**5.441** The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in

## Footnotes to International Frequency Allocation Table

accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

**5.442** In the bands 4 825-4 835 MHz and 4 950-4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service. In Region 2 (except Brazil, Cuba, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 825-4 835 MHz is also allocated to the aeronautical mobile service, limited to aeronautical mobile telemetry for flight testing by aircraft stations. Such use shall be in accordance with Resolution **416** and shall not cause harmful interference to the fixed service. (WRC-07)

**5.443** *Different category of service:* in Argentina, Australia and Canada, the allocation of the bands 4 825-4 835 MHz and 4 950-4 990 MHz to the radio astronomy service is on a primary basis (see No. **5.33**).

**5.443A** (SUP - WRC-03)

**5.443B** In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the band 5 030-5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the band 5 010-5 030 MHz shall not exceed  $-124.5$  dB(W/m<sup>2</sup>) in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the band 4 990-5 000 MHz, radionavigation-satellite service systems operating in the band 5 010-5 030 MHz shall comply with the limits in the band 4 990-5 000 MHz defined in Resolution **741 (WRC-03)**. (WRC-03)

**5.444** The band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. In the band 5 030-5 091 MHz, the requirements of this system shall take precedence over other uses of this band. For the use of the band 5 091-5 150 MHz, No. **5.444A** and Resolution **114 (Rev.WRC-03)** apply. (WRC-07)

**5.444A** *Additional allocation:* the band 5 091-5 150 MHz is also allocated to the fixed-satellite service (Earth-to-space) on a primary basis. This allocation is limited to feeder links of non-geostationary mobile-satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**.

In the band 5 091-5 150 MHz, the following conditions also apply:

## Footnotes to International Frequency Allocation Table

- prior to 1 January 2018, the use of the band 5 091-5 150 MHz by feeder links of non-geostationary-satellite systems in the mobile-satellite service shall be made in accordance with Resolution **114 (Rev.WRC-03)**;
- after 1 January 2012, no new assignments shall be made to earth stations providing feeder links of non-geostationary mobile-satellite systems;
- after 1 January 2018, the fixed-satellite service will become secondary to the aeronautical radionavigation service. (WRC-07)

- 5.444B** The use of the band 5 091-5 150 MHz by the aeronautical mobile service is limited to:
- systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution [**COM4/4**] (**WRC-07**);
  - aeronautical telemetry transmissions from aircraft stations (see No. **1.83**) in accordance with Resolution [**COM4/7**] (**WRC-07**);
  - aeronautical security transmissions. Such use shall be in accordance with Resolution [**COM4/8**] (**WRC-07**). (WRC-07)

**5.445** Not used.

**5.446** *Additional allocation:* in the countries listed in Nos. **5.369** and **5.400**, the band 5 150-5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis, subject to agreement obtained under No. **9.21**. In Region 2, the band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in Nos. **5.369** and **5.400**, the band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the bands 1 610-1 626.5 MHz and/or 2 483.5-2 500 MHz. The total power flux-density at the Earth's surface shall in no case exceed  $-159$  dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival.

**5.446A** The use of the bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution **229 (WRC-03)**. (WRC-07)

**5.446B** In the band 5 150-5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed-satellite service. No. **5.43A** does not apply to the mobile service with respect to fixed-satellite service earth stations. (WRC-03)

## Footnotes to International Frequency Allocation Table

**5.446C** *Additional allocation:* in Region 1 (except in Algeria, Saudi Arabia, Bahrain, Egypt, United Arab Emirates, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Syrian Arab Republic, Sudan and Tunisia) and in Brazil, the band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. **1.83**), in accordance with Resolution [COM4/7] (**WRC-07**). These stations shall not claim protection from other stations operating in accordance with Article 5. No. **5.43A** does not apply. (WRC-07)

**5.447** *Additional allocation:* in Côte d'Ivoire, Israel, Lebanon, Pakistan, the Syrian Arab Republic and Tunisia, the band 5 150-5 250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. **9.21**. In this case, the provisions of Resolution **229 (WRC-03)** do not apply. (WRC-07)

**5.447A** The allocation to the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**.

**5.447B** *Additional allocation:* the band 5 150-5 216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of No. **9.11A**. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150-5 216 MHz shall in no case exceed  $-164$  dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival.

**5.447C** Administrations responsible for fixed-satellite service networks in the band 5 150-5 250 MHz operated under Nos. **5.447A** and **5.447B** shall coordinate on an equal basis in accordance with No. **9.11A** with administrations responsible for non-geostationary-satellite networks operated under No. **5.446** and brought into use prior to 17 November 1995. Satellite networks operated under No. **5.446** brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. **5.447A** and **5.447B**.

**5.447D** The allocation of the band 5 250-5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)

**5.447E** *Additional allocation:* The band 5 250-5 350 MHz is also allocated to the fixed service on a primary basis in the following countries in Region 3: Australia, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, Malaysia, Papua New Guinea, the Philippines, Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam. The use of this band by the fixed service is intended for the implementation of fixed wireless access systems and shall comply with Recommendation ITU-R F.1613. In addition, the fixed service shall not claim protection from the radiodetermination, Earth exploration-satellite (active) and space research (active) services, but the provisions of No. **5.43A** do not apply to the fixed service with respect to the Earth exploration-satellite (active) and space research (active) services. After implementation of fixed wireless access systems in the fixed service with protection for the existing

## Footnotes to International Frequency Allocation Table

radiodetermination systems, no more stringent constraints should be imposed on the fixed wireless access systems by future radiodetermination implementations. (WRC-07)

**5.447F** In the band 5 250-5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). These services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendations ITU-R M.1638 and ITU-R SA.1632. (WRC-03)

**5.448** *Additional allocation:* in Azerbaijan, Libyan Arab Jamahiriya, Mongolia, Kyrgyzstan, Slovakia, Romania and Turkmenistan, the band 5 250-5 350 MHz is also allocated to the radionavigation service on a primary basis. (WRC-03)

**5.448A** The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250-5 350 MHz shall not claim protection from the radiolocation service. No. **5.43A** does not apply. (WRC-03)

**5.448B** The Earth exploration-satellite service (active) operating in the band 5 350-5 570 MHz and space research service (active) operating in the band 5 460-5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350-5 460 MHz, the radionavigation service in the band 5 460-5 470 MHz and the maritime radionavigation service in the band 5 470-5 570 MHz. (WRC-03)

**5.448C** The space research service (active) operating in the band 5 350-5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC-03)

**5.448D** In the frequency band 5 350-5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. **5.449**. (WRC-03)

**5.449** The use of the band 5 350-5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.

**5.450** *Additional allocation:* in Austria, Azerbaijan, Iran (Islamic Republic of), Mongolia, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 5 470-5 650 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)

## Footnotes to International Frequency Allocation Table

**5.450A** In the band 5 470-5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. Radiodetermination services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendation ITU-R M.1638. (WRC-03)

**5.450B** In the frequency band 5 470-5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600-5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC-03)

**5.451** *Additional allocation:* in the United Kingdom, the band 5 470-5 850 MHz is also allocated to the land mobile service on a secondary basis. The power limits specified in Nos. **21.2**, **21.3**, **21.4** and **21.5** shall apply in the band 5 725-5 850 MHz.

**5.452** Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the maritime radionavigation service.

**5.453** *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Egypt, the United Arab Emirates, Gabon, Guinea, Equatorial Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Japan, Jordan, Kenya, Kuwait, Lebanon, Madagascar, Malaysia, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sri Lanka, Swaziland, Tanzania, Chad, Thailand, Togo, Viet Nam and Yemen, the band 5 650-5 850 MHz is also allocated to the fixed and mobile services on a primary basis. In this case, the provisions of Resolution **229 (WRC-03)** do not apply. (WRC-03)

**5.454** *Different category of service:* in Azerbaijan, the Russian Federation, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 5 670-5 725 MHz to the space research service is on a primary basis (see No. 5.33). (WRC-07)

**5.455** *Additional allocation:* in Armenia, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 5 670-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-07)

**5.456** *Additional allocation:* in Cameroon, the band 5 755-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-03)

**5.457** Not used.

## Footnotes to International Frequency Allocation Table

**5.457A** In the bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution **902 (WRC-03)**. (WRC-03)

**5.457B** In the bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may operate with the characteristics and under the conditions contained in Resolution **902 (WRC-03)** in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, the Libyan Arab Jamahiriya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, in the maritime mobile-satellite service on a secondary basis. Such use shall be in accordance with Resolution **902 (WRC-03)**. (WRC-03)

**5.457C** In Region 2 (except Brazil, Cuba, French Overseas Departments and Communities, Guatemala, Paraguay, Uruguay and Venezuela), the band 5 925-6 700 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. **1.83**). Such use shall be in accordance with Resolution **[COM4/2] (WRC-07)** and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of these bands by other mobile service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in the Radio Regulations.  
(WRC-07)

**5.458** In the band 6 425-7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075-7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425-7 025 MHz and 7 075-7 250 MHz.

**5.458A** In making assignments in the band 6 700-7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650-6 675.2 MHz from harmful interference from unwanted emissions.

**5.458B** The space-to-Earth allocation to the fixed-satellite service in the band 6 700-7 075 MHz is limited to feeder links for non-geostationary satellite systems of the mobile-satellite service and is subject to coordination under No. **9.11A**. The use of the band 6 700-7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. **22.2**.

**5.458C** Administrations making submissions in the band 7 025-7 075 MHz (Earth-to-space) for geostationary-satellite systems in the fixed-satellite service after 17 November



## Footnotes to International Frequency Allocation Table

1995 shall consult on the basis of relevant ITU-R Recommendations with the administrations that have notified and brought into use non-geostationary-satellite systems in this frequency band before 18 November 1995 upon request of the latter administrations. This consultation shall be with a view to facilitating shared operation of both geostationary-satellite systems in the fixed-satellite service and non-geostationary-satellite systems in this band.

**5.459** *Additional allocation:* in the Russian Federation, the frequency bands 7 100-7 155 MHz and 7 190-7 235 MHz are also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-97)

**5.460** The use of the band 7 145-7 190 MHz by the space research service (Earth-to-space) is restricted to deep space; no emissions to deep space shall be effected in the band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. **5.43A** does not apply. (WRC-03)

**5.461** *Additional allocation:* the bands 7 250-7 375 MHz (space-to-Earth) and 7 900-8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. **9.21**.

**5.461A** The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems. Non-geostationary meteorological-satellite systems in this band notified before 30 November 1997 may continue to operate on a primary basis until the end of their lifetime. (WRC-97)

**5.461B** The use of the band 7 750-7 850 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems. (WRC-97)

**5.462** (SUP - WRC-97)

**5.462A** In Regions 1 and 3 (except for Japan), in the band 8 025-8 400 MHz, the Earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following provisional values for angles of arrival ( $\theta$ ), without the consent of the affected administration:

-174 dB(W/m <sup>2</sup> ) in a 4 kHz band	for	0°	≤	$\theta$	<	5°
-174 + 0.5 ( $\theta - 5$ ) dB(W/m <sup>2</sup> ) in a 4 kHz band	for	5°	≤	$\theta$	<	25°
-164 dB(W/m <sup>2</sup> ) in a 4 kHz band	for	25°	≤	$\theta$	≤	90°

## Footnotes to International Frequency Allocation Table

These values are subject to study under Resolution **124 (WRC-97)\***. (WRC-97)

**5.463** Aircraft stations are not permitted to transmit in the band 8 025-8 400 MHz. (WRC-97)

**5.464** (SUP - WRC-97)

**5.465** In the space research service, the use of the band 8 400-8 450 MHz is limited to deep space.

**5.466** *Different category of service:* in Israel, Singapore and Sri Lanka, the allocation of the band 8 400-8 500 MHz to the space research service is on a secondary basis (see No. **5.32**). (WRC-03)

**5.467** (SUP - WRC-03)

**5.468** *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burundi, Cameroon, China, Congo (Rep. of the), Costa Rica, Egypt, the United Arab Emirates, Gabon, Guyana, Indonesia, Iran (Islamic Republic of), Iraq, the Libyan Arab Jamahiriya, Jamaica, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Senegal, Singapore, Somalia, Swaziland, Tanzania, Chad, Togo, Tunisia and Yemen, the band 8 500-8 750 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)

**5.469** *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Lithuania, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the band 8 500-8 750 MHz is also allocated to the land mobile and radionavigation services on a primary basis. (WRC-03)

**5.469A** In the band 8 550-8 650 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service. (WRC-97)

---

\* *Note by the Secretariat:* This Resolution was revised by WRC-2000.

## Footnotes to International Frequency Allocation Table

**5.470** The use of the band 8 750-8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.

**5.471** *Additional allocation:* in Algeria, Germany, Bahrain, Belgium, China, Egypt, the United Arab Emirates, France, Greece, Indonesia, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, the Netherlands, Qatar and Sudan, the bands 8 825-8 850 MHz and 9 000-9 200 MHz are also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars only. (WRC-07)

**5.472** In the bands 8 850-9 000 MHz and 9 200-9 225 MHz, the maritime radionavigation service is limited to shore-based radars.

**5.473** *Additional allocation:* in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC-07)

**5.474** In the band 9 200-9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article 31).

**5.475** The use of the band 9 300-9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the band 9 300-9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. In the band 9 300-9 500 MHz, ground-based radars used for meteorological purposes have priority over other radiolocation devices.

**5.475A** In the band 9 000-9 200 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, systems identified in No. 5.337 operating in the aeronautical radionavigation service, or radar systems in the maritime radionavigation service operating in this band on a primary basis in the countries listed in No. 5.471. (WRC-07)

**5.475B** In the band 9 300-9 500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation uses. (WRC-07)

**5.476** SUP

## Footnotes to International Frequency Allocation Table

**5.476A** In the band 9 300-9 800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services. (WRC-07)

**5.477** *Different category of service:* in Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Japan, Jordan, Kuwait, Lebanon, Liberia, Malaysia, Nigeria, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Trinidad and Tobago, and Yemen, the allocation of the band 9 800-10 000 MHz to the fixed service is on a primary basis (see No. **5.33**). (WRC-07)

**5.478** *Additional allocation:* in Azerbaijan, Mongolia, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 9 800-10 000 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)

**5.478A** The use of the band 9 800-9 900 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 500 MHz that cannot be fully accommodated within the 9 300-9 800 MHz band.

**5.478B** In the band 9 800-9 900 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis.

**5.479** The band 9 975-10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.

**5.480** *Additional allocation:* in Argentina, Brazil, Chile, Costa Rica, Cuba, El Salvador, Ecuador, Guatemala, Honduras, Mexico, Paraguay, the Netherlands Antilles, Peru and Uruguay, the band 10-10.45 GHz is also allocated to the fixed and mobile services on a primary basis. In Venezuela, the band 10-10.45 GHz is also allocated to the fixed service on a primary basis. (WRC-07)

**5.481** *Additional allocation:* in Germany, Angola, Brazil, China, Costa Rica, Côte d'Ivoire, El Salvador, Ecuador, Spain, Guatemala, Hungary, Japan, Kenya, Morocco, Nigeria, Oman, Uzbekistan, Paraguay, Peru, the Dem. People's Rep. of Korea, Romania, Tanzania, Thailand and Uruguay, the band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)

**5.482** In the band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed -3 dBW. This limit may be exceeded, subject to agreement obtained under No. **9.21**. However, in Algeria, Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, Egypt, United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Jordan, Libyan Arab Jamahiriya, Kazakhstan, Kuwait, Lebanon, Morocco, Mauritania, Moldova, Nigeria, Oman, Uzbekistan, Pakistan, Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Singapore, Tajikistan, Tunisia, Turkmenistan and Viet Nam, this restriction on the fixed and mobile, except aeronautical mobile, service is not applicable. (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.482A** For sharing of the band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution **751 (WRC-07)** applies. (WRC-07)

**5.483** *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, China, Colombia, Korea (Rep. of), Costa Rica, Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Qatar, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Tajikistan, Turkmenistan and Yemen, the band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-07)

**5.484** In Region 1, the use of the band 10.7-11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service.

**5.484A** The use of the bands 10.95-11.2 GHz (space-to-Earth), 11.45-11.7 GHz (space-to-Earth), 11.7-12.2 GHz (space-to-Earth) in Region 2, 12.2-12.75 GHz (space-to-Earth) in Region 3, 12.5-12.75 GHz (space-to-Earth) in Region 1, 13.75-14.5 GHz (Earth-to-space), 17.8-18.6 GHz (space-to-Earth), 19.7-20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

**5.485** In Region 2, in the band 11.7-12.2 GHz, transponders on space stations in the fixed-satellite service may be used additionally for transmissions in the broadcasting-satellite service, provided that such transmissions do not have a maximum e.i.r.p. greater than 53 dBW per television channel and do not cause greater interference or require more protection from interference than the coordinated fixed-satellite service frequency assignments. With respect to the space services, this band shall be used principally for the fixed-satellite service.

**5.486** *Different category of service:* in Mexico and the United States, the allocation of the band 11.7-12.1 GHz to the fixed service is on a secondary basis (see No. **5.32**).

## Footnotes to International Frequency Allocation Table

**5.487** In the band 11.7-12.5 GHz in Regions 1 and 3, the fixed, fixed-satellite, mobile, except aeronautical mobile, and broadcasting services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with the Regions 1 and 3 Plan in Appendix 30. (WRC-03)

**5.487A** *Additional allocation:* in Region 1, the band 11.7-12.5 GHz, in Region 2, the band 12.2-12.7 GHz and, in Region 3, the band 11.7-12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, limited to non-geostationary systems and subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-03)

**5.488** The use of the band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2 is subject to application of the provisions of No. 9.14 for coordination with stations of terrestrial services in Regions 1, 2 and 3. For the use of the band 12.2-12.7 GHz by the broadcasting-satellite service in Region 2, see Appendix 30. (WRC-03)

**5.489** *Additional allocation:* in Peru, the band 12.1-12.2 GHz is also allocated to the fixed service on a primary basis.

**5.490** In Region 2, in the band 12.2-12.7 GHz, existing and future terrestrial radiocommunication services shall not cause harmful interference to the space services operating in conformity with the broadcasting-satellite Plan for Region 2 contained in Appendix 30.

**5.491** (SUP - WRC-03)

**5.492** Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix 30 may also be used for transmissions in the fixed-satellite service (space-to-

## Footnotes to International Frequency Allocation Table

Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate. (WRC-2000)

**5.493** The broadcasting-satellite service in the band 12.5-12.75 GHz in Region 3 is limited to a power flux-density not exceeding  $-111 \text{ dB(W/(m}^2 \cdot 27 \text{ MHz))}$  for all conditions and for all methods of modulation at the edge of the service area. (WRC-97)

**5.494** *Additional allocation:* in Algeria, Angola, Saudi Arabia, Bahrain, Cameroon, the Central African Rep., Congo (Rep. of the), Côte d'Ivoire, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Iraq, Israel, the Libyan Arab Jamahiriya, Jordan, Kuwait, Lebanon, Madagascar, Mali, Morocco, Mongolia, Nigeria, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Somalia, Sudan, Chad, Togo and Yemen, the band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-03)

**5.495** *Additional allocation:* in Bosnia and Herzegovina, France, Greece, Liechtenstein, Monaco, Montenegro, Uganda, Romania, Serbia, Switzerland, Tanzania and Tunisia, the band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-07)

**5.496** *Additional allocation:* in Austria, Azerbaijan, Kyrgyzstan and Turkmenistan, the band 12.5-12.75 GHz is also allocated to the fixed service and the mobile, except aeronautical mobile, service on a primary basis. However, stations in these services shall not cause harmful interference to fixed-satellite service earth stations of countries in Region 1 other than those listed in this footnote. Coordination of these earth stations is not required with stations of the fixed and mobile services of the countries listed in this footnote. The power flux-density limit at the Earth's surface given in Table **21-4** of Article **21**, for the fixed-satellite service shall apply on the territory of the countries listed in this footnote. (WRC-2000)

**5.497** The use of the band 13.25-13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.

**5.498** (SUP - WRC-97)

**5.498A** The Earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service. (WRC-97)

## Footnotes to International Frequency Allocation Table

**5.499** *Additional allocation:* in Bangladesh, India and Pakistan, the band 13.25-14 GHz is also allocated to the fixed service on a primary basis.

**5.500** *Additional allocation:* in Algeria, Angola, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Madagascar, Malaysia, Mali, Malta, Morocco, Mauritania, Nigeria, Pakistan, Qatar, the Syrian Arab Republic, Singapore, Sudan, Chad and Tunisia, the band 13.4-14 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)

**5.501** *Additional allocation:* in Azerbaijan, Hungary, Japan, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 13.4-14 GHz is also allocated to the radionavigation service on a primary basis. (WRC-07)

**5.501A** The allocation of the band 13.4-13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)

**5.501B** In the band 13.4-13.75 GHz, the Earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service. (WRC-97)

**5.502** In the band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non-geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna size smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed:

- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz))}$  for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal State;
- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz))}$  for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained.



## Footnotes to International Frequency Allocation Table

For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC-03)

**5.503** In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:

- in the band 13.77-13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed:
  - i)  $4.7D + 28$  dB(W/40 kHz), where  $D$  is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;
  - ii)  $49.2 + 20 \log(D/4.5)$  dB(W/40 kHz), where  $D$  is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;
  - iii) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;
  - iv) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;
- the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz.

Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC-03)

**5.503A** (SUP - WRC-03)

**5.504** The use of the band 14-14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service.

## Footnotes to International Frequency Allocation Table

**5.504A** In the band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. **5.29**, **5.30** and **5.31** apply. (WRC-03)

**5.504B** Aircraft earth stations operating in the aeronautical mobile-satellite service in the band 14-14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation ITU-R M.1643, with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa. (WRC-03)

**5.504C** In the band 14-14.25 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Kuwait, Lesotho, Nigeria, Oman, the Syrian Arab Republic and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-03)

**5.505** *Additional allocation:* in Algeria, Angola, Saudi Arabia, Bahrain, Botswana, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Egypt, the United Arab Emirates, Gabon, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lesotho, Lebanon, Malaysia, Mali, Morocco, Mauritania, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Swaziland, Tanzania, Chad, Viet Nam and Yemen, the band 14-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-07)

**5.506** The band 14-14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.

**5.506A** In the band 14-14.5 GHz, ship earth stations with an e.i.r.p. greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution **902 (WRC-03)**. This footnote shall not apply to ship earth stations for which the complete Appendix **4** information has been received by the Bureau prior to 5 July 2003. (WRC-03)

**5.506B** Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14-14.5 GHz without the

## Footnotes to International Frequency Allocation Table

need for prior agreement from Cyprus, Greece and Malta, within the minimum distance given in Resolution **902 (WRC-03)** from these countries. (WRC-03)

**5.507** Not used.

**5.508** *Additional allocation:* in Germany, Bosnia and Herzegovina, France, Italy, Libyan Arab Jamahiriya, The Former Yugoslav Rep. of Macedonia and the United Kingdom, the band 14.25-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-07)

**5.508A** In the band 14.25-14.3 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, China, Côte d'Ivoire, Egypt, France, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Lesotho, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-03)

**5.509** *SUP*

**5.509A** In the band 14.3-14.5 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, Cameroon, China, Côte d'Ivoire, Egypt, France, Gabon, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Lesotho, Morocco, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom, Sri Lanka, Tunisia and Viet Nam by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. **5.29**. (WRC-03)

**5.510** The use of the band 14.5-14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. This use is reserved for countries outside Europe.

**5.511** *Additional allocation:* in Saudi Arabia, Bahrain, Bosnia and Herzegovina, Cameroon, Egypt, the United Arab Emirates, Guinea, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Kuwait, Lebanon, Pakistan, Qatar, the Syrian Arab Republic and Somalia, the band 15.35-15.4 GHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-07)

**5.511A** The band 15.43-15.63 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. Use of the band 15.43-15.63 GHz by the fixed-

## Footnotes to International Frequency Allocation Table

satellite service (space-to-Earth and Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. **9.11A**. The use of the frequency band 15.43-15.63 GHz by the fixed-satellite service (space-to-Earth) is limited to feeder links of non-geostationary systems in the mobile-satellite service for which advance publication information has been received by the Bureau prior to 2 June 2000. In the space-to-Earth direction, the minimum earth station elevation angle above and gain towards the local horizontal plane and the minimum coordination distances to protect an earth station from harmful interference shall be in accordance with Recommendation ITU-R S.1341. In order to protect the radio astronomy service in the band 15.35-15.4 GHz, the aggregate power flux-density radiated in the 15.35-15.4 GHz band by all the space stations within any feeder-link of a non-geostationary system in the mobile-satellite service (space-to-Earth) operating in the 15.43-15.63 GHz band shall not exceed the level of  $-156 \text{ dB(W/m}^2\text{)}$  in a 50 MHz bandwidth, into any radio astronomy observatory site for more than 2% of the time. (WRC-2000)

**5.511B** (SUP - WRC-97)

**5.511C** Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R S.1340. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. **4.10** applies) from harmful interference from feeder-link earth stations and the maximum e.i.r.p. transmitted towards the local horizontal plane by a feeder-link earth station shall be in accordance with Recommendation ITU-R S.1340. (WRC-97)

**5.511D** Fixed-satellite service systems for which complete information for advance publication has been received by the Bureau by 21 November 1997 may operate in the bands 15.4-15.43 GHz and 15.63-15.7 GHz in the space-to-Earth direction and 15.63-15.65 GHz in the Earth-to-space direction. In the bands 15.4-15.43 GHz and 15.65-15.7 GHz, emissions from a non-geostationary space station shall not exceed the power flux-density limits at the Earth's surface of  $-146 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  for any angle of arrival. In the band 15.63-15.65 GHz, where an administration plans emissions from a non-geostationary space station that exceed  $-146 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  for any angle of arrival, it shall coordinate under No. **9.11A** with the affected administrations. Stations in the fixed-satellite service operating in the band 15.63-15.65 GHz in the Earth-to-space direction shall not cause harmful interference to stations in the aeronautical radionavigation service (No. **4.10** applies). (WRC-97)

**5.512** *Additional allocation:* in Algeria, Angola, Saudi Arabia, Austria, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Congo (Rep. of the), Costa Rica, Egypt, El Salvador, the United Arab Emirates, Eritrea, Finland, Guatemala, India, Indonesia, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Montenegro,

## Footnotes to International Frequency Allocation Table

Mozambique, Nepal, Nicaragua, Oman, Pakistan, Qatar, Syrian Arab Republic, Serbia, Singapore, Somalia, Sudan, Swaziland, Tanzania, Chad, Togo and Yemen, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)

**5.513** *Additional allocation:* in Israel, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. These services shall not claim protection from or cause harmful interference to services operating in accordance with the Table in countries other than those included in No. **5.512**.

**5.513A** Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis. (WRC-97)

**5.514** *Additional allocation:* in Algeria, Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, Costa Rica, El Salvador, the United Arab Emirates, Guatemala, India, Iran (Islamic Republic of), Iraq, Israel, Italy, the Libyan Arab Jamahiriya, Japan, Jordan, Kuwait, Lithuania, Nepal, Nicaragua, Nigeria, Oman, Uzbekistan, Pakistan, Qatar, Kyrgyzstan and Sudan, the band 17.3-17.7 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits given in Nos. **21.3** and **21.5** shall apply. (WRC-07)

**5.515** In the band 17.3-17.8 GHz, sharing between the fixed-satellite service (Earth-to-space) and the broadcasting-satellite service shall also be in accordance with the provisions of § 1 of Annex 4 of Appendix **30A**.

**5.516** The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article **11**. The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

## Footnotes to International Frequency Allocation Table

**5.516A** In the band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) in Region 1 shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix **30A**, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. (WRC-03)

**5.516B** The following bands are identified for use by high-density applications in the fixed-satellite service:

17.3-17.7 GHz (space-to-Earth) in Region 1,  
18.3-19.3 GHz (space-to-Earth) in Region 2,  
19.7-20.2 GHz (space-to-Earth) in all Regions,  
39.5-40 GHz (space-to-Earth) in Region 1,  
40-40.5 GHz (space-to-Earth) in all Regions,  
40.5-42 GHz (space-to-Earth) in Region 2,  
47.5-47.9 GHz (space-to-Earth) in Region 1,  
48.2-48.54 GHz (space-to-Earth) in Region 1,  
49.44-50.2 GHz (space-to-Earth) in Region 1,  
and  
27.5-27.82 GHz (Earth-to-space) in Region 1,  
28.35-28.45 GHz (Earth-to-space) in Region 2,  
28.45-28.94 GHz (Earth-to-space) in all Regions,  
28.94-29.1 GHz (Earth-to-space) in Region 2 and 3,  
29.25-29.46 GHz (Earth-to-space) in Region 2,  
29.46-30 GHz (Earth-to-space) in all Regions,  
48.2-50.2 GHz (Earth-to-space) in Region 2.

This identification does not preclude the use of these bands by other fixed-satellite service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in these Radio Regulations among users of the bands. Administrations should take this into account when considering regulatory provisions in relation to these bands. See Resolution **143 (WRC-03)**. (WRC-03)

**5.517** In Region 2, use of the fixed-satellite (space-to-Earth) service in the band 17.7-17.8 GHz shall not cause harmful interference to nor claim protection from assignments in the broadcasting-satellite service operating in conformity with the Radio Regulations. (WRC-07)

## Footnotes to International Frequency Allocation Table

### **5.518** SUP

**5.519** *Additional allocation:* the bands 18.0-18.3 GHz in Region 2 and 18.1-18.4 GHz in Regions 1 and 3 are also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Their use is limited to geostationary satellites. (WRC-07)

**5.520** The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-satellite systems in the broadcasting-satellite service. (WRC-2000)

**5.521** *Alternative allocation:* in Germany, Denmark, the United Arab Emirates and Greece, the band 18.1-18.4 GHz is allocated to the fixed, fixed-satellite (space-to-Earth) and mobile services on a primary basis (see No. **5.33**). The provisions of No. **5.519** also apply. (WRC-03)

**5.522** (SUP - WRC-2000)

**5.522A** The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. **21.5A** and **21.16.2**, respectively. (WRC-2000)

**5.522B** The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km. (WRC-2000)

**5.522C** In the band 18.6-18.8 GHz, in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, the Libyan Arab Jamahiriya, Jordan, Lebanon, Morocco, Oman, Qatar, the Syrian Arab Republic, Tunisia and Yemen, fixed-service systems in operation at the date of entry into force of the Final Acts of WRC-2000 are not subject to the limits of No. **21.5A**. (WRC-2000)

**5.523** (SUP - WRC-2000)

**5.523A** The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. **9.11A** and No. **22.2** does not apply. Administrations having geostationary-satellite networks under coordination prior to 18 November 1995 shall cooperate to the maximum extent possible to coordinate pursuant to No. **9.11A** with non-geostationary-satellite networks for which notification information has been received by the Bureau prior to that date, with a view to reaching results

## Footnotes to International Frequency Allocation Table

acceptable to all the parties concerned. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix 4 notification information is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)

**5.523B** The use of the band 19.3-19.6 GHz (Earth-to-space) by the fixed-satellite service is limited to feeder links for non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. **9.11A**, and No. **22.2** does not apply.

**5.523C** No. **22.2** shall continue to apply in the bands 19.3-19.6 GHz and 29.1-29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)

**5.523D** The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of No. **9.11A**, but not subject to the provisions of No. **22.2**. The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. **5.523C** and **5.523E**, is not subject to the provisions of No. **9.11A** and shall continue to be subject to Articles **9** (except No. **9.11A**) and **11** procedures, and to the provisions of No. **22.2**. (WRC-97)

**5.523E** No. **22.2** shall continue to apply in the bands 19.6-19.7 GHz and 29.4-29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau by 21 November 1997. (WRC-97)

**5.524** *Additional allocation:* in Afghanistan, Algeria, Angola, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Costa Rica, Egypt, the United Arab Emirates, Gabon, Guatemala, Guinea, India, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Tanzania, Chad, Togo and Tunisia, the band 19.7-21.2 GHz is also allocated to the fixed and mobile services on a primary basis. This additional use shall not impose any limitation on the power flux-density of space stations in the fixed-satellite service in the band 19.7-21.2 GHz and of space stations in the mobile-satellite service in the band 19.7-20.2 GHz where the allocation to the mobile-satellite service is on a primary basis in the latter band. (WRC-07)

**5.525** In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are



## Footnotes to International Frequency Allocation Table

most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz.

**5.526** In the bands 19.7-20.2 GHz and 29.5-30 GHz in Region 2, and in the bands 20.1-20.2 GHz and 29.9-30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.

**5.527** In the bands 19.7-20.2 GHz and 29.5-30 GHz, the provisions of No. **4.10** do not apply with respect to the mobile-satellite service.

**5.528** The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7-20.1 GHz in Region 2 and in the band 20.1-20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. **5.524**.

**5.529** The use of the bands 19.7-20.1 GHz and 29.5-29.9 GHz by the mobile-satellite service in Region 2 is limited to satellite networks which are both in the fixed-satellite service and in the mobile-satellite service as described in No. **5.526**.

**5.530** In Regions 1 and 3, the use of the band 21.4-22 GHz by the broadcasting-satellite service is subject to the provisions of Resolution **525 (Rev.WRC-07)**. (WRC-07)

**5.531** *Additional allocation:* in Japan, the band 21.4-22 GHz is also allocated to the broadcasting service on a primary basis.

**5.532** The use of the band 22.21-22.5 GHz by the Earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.

**5.533** The inter-satellite service shall not claim protection from harmful interference from airport surface detection equipment stations of the radionavigation service.

**5.534** (SUP - WRC-03)

**5.535** In the band 24.75-25.25 GHz, feeder links to stations of the broadcasting-satellite service shall have priority over other uses in the fixed-satellite service (Earth-to-

## Footnotes to International Frequency Allocation Table

space). Such other uses shall protect and shall not claim protection from existing and future operating feeder-link networks to such broadcasting satellite stations.

**5.535A** The use of the band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. **9.11A**, but not subject to the provisions of No. **22.2**, except as indicated in Nos. **5.523C** and **5.523E** where such use is not subject to the provisions of No. **9.11A** and shall continue to be subject to Articles **9** (except No. **9.11A**) and **11** procedures, and to the provisions of No. **22.2**. (WRC-97)

**5.536** Use of the 25.25-27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.

**5.536A** Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account Recommendations ITU-R SA.1278 and ITU-R SA.1625, respectively. (WRC-03)

**5.536B** In Germany, Saudi Arabia, Austria, Belgium, Brazil, Bulgaria, China, Korea (Rep. of), Denmark, Egypt, United Arab Emirates, Spain, Estonia, Finland, France, Hungary, India, Iran (Islamic Republic of), Ireland, Israel, Italy, the Libyan Arab Jamahiriya, Jordan, Kenya, Kuwait, Lebanon, Liechtenstein, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the Czech Rep., Romania, the United Kingdom, Singapore, Sweden, Switzerland, Tanzania, Turkey, Viet Nam and Zimbabwe, earth stations operating in the Earth exploration-satellite service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-07)

**5.536C** In Algeria, Saudi Arabia, Bahrain, Botswana, Brazil, Cameroon, Comoros, Cuba, Djibouti, Egypt, United Arab Emirates, Estonia, Finland, Iran (Islamic Republic of), Israel, Jordan, Kenya, Kuwait, Lithuania, Malaysia, Morocco, Nigeria, Oman, Qatar, Syrian Arab Republic, Somalia, Sudan, Tanzania, Tunisia, Uruguay, Zambia and Zimbabwe, earth stations operating in the space research service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-03)

**5.537** Space services using non-geostationary satellites operating in the inter-satellite service in the band 27-27.5 GHz are exempt from the provisions of No. **22.2**.

## Footnotes to International Frequency Allocation Table

**5.537A** In Bhutan, Cameroon, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, Lesotho, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 27.9-28.2 GHz may also be used by high altitude platform stations (HAPS) within the territory of these countries. Such use of 300 MHz of the fixed-service allocation by HAPS in the above countries is further limited to operation in the HAPS-to-ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems or other co-primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution **145 (Rev.WRC-07)**. (WRC-07)

**5.538** *Additional allocation:* the bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space-to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of +10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. (WRC-07)

**5.539** The band 27.5-30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.

**5.540** *Additional allocation:* the band 27.501-29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.

**5.541** In the band 28.5-30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.

**5.541A** Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. (WRC-2000)

**5.542** *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Pakistan, Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Somalia, Sudan,

## Footnotes to International Frequency Allocation Table

Sri Lanka and Chad, the band 29.5-31 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits specified in Nos. **21.3** and **21.5** shall apply. (WRC-07)

**5.543** The band 29.95-30 GHz may be used for space-to-space links in the Earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis.

**5.543A** In Bhutan, Cameroon, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, Lesotho, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 31-31.3 GHz may also be used by systems using high altitude platform stations (HAPS) in the ground-to-HAPS direction. The use of the band 31-31.3 GHz by systems using HAPS is limited to the territory of the countries listed above and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems, systems in the mobile service and systems operated under No. **5.545**. Furthermore, the development of these services shall not be constrained by HAPS. Systems using HAPS in the band 31-31.3 GHz shall not cause harmful interference to the radio astronomy service having a primary allocation in the band 31.3-31.8 GHz, taking into account the protection criterion as given in Recommendation ITU-R RA.769. In order to ensure the protection of satellite passive services, the level of unwanted power density into a HAPS ground station antenna in the band 31.3-31.8 GHz shall be limited to  $-106$  dB(W/MHz) under clear-sky conditions, and may be increased up to  $-100$  dB(W/MHz) under rainy conditions to mitigate fading due to rain, provided the effective impact on the passive satellite does not exceed the impact under clear-sky conditions. See Resolution **145 (Rev.WRC-07)**. (WRC-07)

**5.544** In the band 31-31.3 GHz the power flux-density limits specified in Article **21**, Table **21-4** shall apply to the space research service.

**5.545** *Different category of service:* in Armenia, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 31-31.3 GHz to the space research service is on a primary basis (see No. **5.33**). (WRC-07)

**5.546** *Different category of service:* in Saudi Arabia, Armenia, Azerbaijan, Belarus, Egypt, the United Arab Emirates, Spain, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, the United Kingdom, South Africa, Tajikistan, Turkmenistan and Turkey, the allocation of the band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. **5.33**). (WRC-07)

**5.547** The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolution **75 (WRC-2000)**). Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the bands 39.5-40 GHz and 40.5-42 GHz (see No. **5.516B**), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC-07)

**5.547A** Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the

## Footnotes to International Frequency Allocation Table

radionavigation service in the 31.8-33.4 GHz band, taking into account the operational needs of the airborne radar systems. (WRC-2000)

**5.547B** *Alternative allocation:* in the United States, the band 31.8-32 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-97)

**5.547C** *Alternative allocation:* in the United States, the band 32-32.3 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-03)

**5.547D** *Alternative allocation:* in the United States, the band 32.3-33 GHz is allocated to the inter-satellite and radionavigation services on a primary basis. (WRC-97)

**5.547E** *Alternative allocation:* in the United States, the band 33-33.4 GHz is allocated to the radionavigation service on a primary basis. (WRC-97)

**5.548** In designing systems for the inter-satellite service in the band 32.3-33 GHz, for the radionavigation service in the band 32-33 GHz, and for the space research service (deep space) in the band 31.8-32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation **707**). (WRC-03)

**5.549** *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Jordan, Kuwait, Lebanon, Malaysia, Mali, Malta, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, Sri Lanka, Togo, Tunisia and Yemen, the band 33.4-36 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)

**5.549A** In the band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than 0.8° from the beam centre shall not exceed  $-73.3$  dB(W/m<sup>2</sup>) in this band. (WRC-03)

**5.550** *Different category of service:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 34.7-35.2 GHz to the space research service is on a primary basis (see No. **5.33**). (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.550A** For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution **752 (WRC-07)** shall apply. (WRC-07)

**5.551** (SUP - WRC-97)

**5.551A** (SUP - WRC-03)

**5.551AA** (SUP - WRC-03)

**5.551B** (SUP - WRC-2000)

**5.551C** (SUP - WRC-2000)

**5.551D** (SUP - WRC-2000)

**5.551E** (SUP - WRC-2000)

**5.551F** *Different category of service:* in Japan, the allocation of the band 41.5-42.5 GHz to the mobile service is on a primary basis (see No. **5.33**). (WRC-97)

**5.551G** (SUP - WRC-03)

**5.551H** The equivalent power flux-density (epfd) produced in the band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service (space-to-Earth) operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:

–230 dB(W/m<sup>2</sup>) in 1 GHz and –246 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and

–209 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These epfd values shall be evaluated using the methodology given in Recommendation ITU-R S.1586-1 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU-R RA.1631 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle  $\theta_{min}$  of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information).

These values shall apply at any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or

## Footnotes to International Frequency Allocation Table

- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution **743 (WRC-03)** shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-07)

**5.551I** The power flux-density in the band 42.5-43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service (space-to-Earth) operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station:

–137 dB(W/m<sup>2</sup>) in 1 GHz and –153 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and

–116 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall apply at the site of any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution **743 (WRC-03)** shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

**5.552** The allocation of the spectrum for the fixed-satellite service in the bands 42.5-43.5 GHz and 47.2-50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5-39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2-49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5-42.5 GHz.

**5.552A** The allocation to the fixed service in the bands 47.2-47.5 GHz and 47.9-48.2 GHz is designated for use by high altitude platform stations. The use of the bands 47.2-47.5 GHz and 47.9-48.2 GHz is subject to the provisions of Resolution **122 (Rev.WRC-07)**. (WRC-07)

## Footnotes to International Frequency Allocation Table

**5.553** In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. **5.43**). (WRC-2000)

**5.554** In the bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service. (WRC-2000)

**5.554A** The use of the bands 47.5-47.9 GHz, 48.2-48.54 GHz and 49.44-50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites. (WRC-03)

**5.555** *Additional allocation:* the band 48.94-49.04 GHz is also allocated to the radio astronomy service on a primary basis. (WRC-2000)

**5.555A** (SUP - WRC-03)

**5.555B** The power flux-density in the band 48.94-49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2-48.54 GHz and 49.44-50.2 GHz shall not exceed  $-151.8 \text{ dB(W/m}^2\text{)}$  in any 500 kHz band at the site of any radio astronomy station. (WRC-03)

**5.556** In the bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements. (WRC-2000)

**5.556A** Use of the bands 54.25-56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed  $-147 \text{ dB(W/(m}^2 \cdot 100 \text{ MHz))}$  for all angles of arrival. (WRC-97)

**5.556B** *Additional allocation:* in Japan, the band 54.25-55.78 GHz is also allocated to the mobile service on a primary basis for low-density use. (WRC-97)

**5.557** *Additional allocation:* in Japan, the band 55.78-58.2 GHz is also allocated to the radiolocation service on a primary basis. (WRC-97)



## Footnotes to International Frequency Allocation Table

**5.557A** In the band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to  $-26$  dB(W/MHz). (WRC-2000)

**5.558** In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)

**5.558A** Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed  $-147$  dB(W/(m<sup>2</sup> · 100 MHz)) for all angles of arrival. (WRC-97)

**5.559** In the band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)

**5.559A** The band 75.5-76 GHz is also allocated to the amateur and amateur-satellite services on a primary basis until the year 2006. (WRC-2000)

**5.560** In the band 78-79 GHz radars located on space stations may be operated on a primary basis in the Earth exploration-satellite service and in the space research service.

**5.561** In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service. (WRC-2000)

**5.561A** The 81-81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis. (WRC-2000)

**5.561B** In Japan, use of the band 84-86 GHz, by the fixed-satellite service (Earth-to-space) is limited to feeder links in the broadcasting-satellite service using the geostationary-satellite orbit. (WRC-2000)

**5.562** The use of the band 94-94.1 GHz by the Earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars. (WRC-97)

## Footnotes to International Frequency Allocation Table

**5.562A** In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible. (WRC-2000)

**5.562B** In the bands 105-109.5 GHz, 111.8-114.25 GHz, 155.5-158.5 GHz and 217-226 GHz, the use of this allocation is limited to space-based radio astronomy only. (WRC-2000)

**5.562C** Use of the band 116-122.25 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed  $-148 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  for all angles of arrival. (WRC-2000)

**5.562D** *Additional allocation:* In Korea (Rep. of), the bands 128-130 GHz, 171-171.6 GHz, 172.2-172.8 GHz and 173.3-174 GHz are also allocated to the radio astronomy service on a primary basis until 2015. (WRC-2000)

**5.562E** The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5-134 GHz. (WRC-2000)

**5.562F** In the band 155.5-158.5 GHz, the allocation to the Earth exploration-satellite (passive) and space research (passive) services shall terminate on 1 January 2018. (WRC-2000)

**5.562G** The date of entry into force of the allocation to the fixed and mobile services in the band 155.5-158.5 GHz shall be 1 January 2018. (WRC-2000)

**5.562H** Use of the bands 174.8-182 GHz and 185-190 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed  $-144 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  for all angles of arrival. (WRC-2000)

**5.563** (SUP - WRC-03)

## Footnotes to International Frequency Allocation Table

**5.563A** In the bands 200-209 GHz, 235-238 GHz, 250-252 GHz and 265-275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents. (WRC-2000)

**5.563B** The band 237.9-238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only. (WRC-2000)

**5.564** (SUP - WRC-2000)

**5.565** The frequency band 275-1 000 GHz may be used by administrations for experimentation with, and development of, various active and passive services. In this band a need has been identified for the following spectral line measurements for passive services:

- radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453-510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz;
- Earth exploration-satellite service (passive) and space research service (passive): 275-277 GHz, 294-306 GHz, 316-334 GHz, 342-349 GHz, 363-365 GHz, 371-389 GHz, 416-434 GHz, 442-444 GHz, 496-506 GHz, 546-568 GHz, 624-629 GHz, 634-654 GHz, 659-661 GHz, 684-692 GHz, 730-732 GHz, 851-853 GHz and 951-956 GHz.

Future research in this largely unexplored spectral region may yield additional spectral lines and continuum bands of interest to the passive services. Administrations are urged to take all practicable steps to protect these passive services from harmful interference until the date when the allocation Table is established in the above-mentioned frequency band. (WRC-2000)

## International Frequency Allocation table

### 9-110 kHz

Allocation to services		
Region 1	Region 2	Region 3
<b>Below 9</b>	(Not allocated) 5.53 5.54	
<b>9-14</b>	RADIONAVIGATION	
<b>14-19.95</b>	FIXED MARITIME MOBILE 5.57 5.55 5.56	
<b>19.95-20.05</b>	STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	
<b>20.05-70</b>	FIXED MARITIME MOBILE 5.57 5.56 5.58	
<b>70-72</b> RADIONAVIGATION 5.60	<b>70-90</b> FIXED MARITIME MOBILE 5.57 MARITIME RADIO- NAVIGATION 5.60 Radiolocation	<b>70-72</b> RADIONAVIGATION 5.60 Fixed Maritime mobile 5.57 5.59
<b>72-84</b> FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60 5.56		<b>72-84</b> FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60
<b>84-86</b> RADIONAVIGATION 5.60		<b>84-86</b> RADIONAVIGATION 5.60 Fixed Maritime mobile 5.57 5.59
<b>86-90</b> FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.56		<b>86-90</b> FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60
		5.61
<b>90-110</b>	RADIONAVIGATION 5.62 Fixed 5.64	

## International Frequency Allocation table

110-255 KHz

Allocation to services		
Region 1	Region 2	Region 3
<b>110-112</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.64	<b>110-130</b> FIXED MARITIME MOBILE MARITIME RADIO NAVIGATION 5.60 Radiolocation  5.61 5.64	<b>110-112</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64
<b>112-115</b> RADIONAVIGATION 5.60		<b>112-117.6</b> RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64 5.65
<b>115-117.6</b> RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64 5.66		<b>117.6-126</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64
<b>117.6-126</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64		<b>126-129</b> RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64 5.65
<b>126-129</b> RADIONAVIGATION 5.60		<b>129-130</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64
<b>129-130</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64  <b>130-135.7</b> FIXED MARITIME MOBILE 5.64 5.67	<b>130-135.7</b> FIXED MARITIME MOBILE 5.64	<b>129-130</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64  <b>130-135.7</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.64
<b>135.7-137.8</b> FIXED MARITIME MOBILE Amateur 5.67A 5.64 5.67 5.67B	<b>135.7-137.8</b> FIXED MARITIME MOBILE Amateur 5.67A 5.64	<b>135.7-137.8</b> FIXED MARITIME MOBILE RADIONAVIGATION Amateur 5.67A 5.64 5.67B
<b>137.8-148.5</b> FIXED MARITIME MOBILE 5.64 5.67	<b>137.8-160</b> FIXED MARITIME MOBILE 5.64	<b>137.8-160</b> FIXED MARITIME MOBILE RADIONAVIGATION 5.64
<b>148.5-255</b> BROADCASTING  5.68 5.69 5.70	<b>160-190</b> FIXED	<b>160-190</b> FIXED Aeronautical radionavigation
	<b>190-200</b> AERONAUTICAL RADIONAVIGATION	

## International Frequency Allocation table

200-495 kHz

Allocation to services		
Region 1	Region 2	Region 3
	<b>200-275</b> AERONAUTICAL RADIONAVIGATION Aeronautical mobile	<b>200-285</b> AERONAUTICAL RADIONAVIGATION Aeronautical mobile
<b>255-283.5</b> BROADCASTING AERONAUTICAL RADIONAVIGATION 5.70 5.71	<b>275-285</b> AERONAUTICAL RADIONAVIGATION Aeronautical mobile	
<b>283.5-315</b> AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73 5.72 5.74	Maritime radionavigation (radiobeacons)  <b>285-315</b> AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	
<b>315-325</b> AERONAUTICAL RADIONAVIGATION Maritime radionavigation (radiobeacons) 5.73 5.72 5.75	<b>315-325</b> MARITIME RADIONAVIGATION (radiobeacons) 5.73 Aeronautical radionavigation	<b>315-325</b> AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73
<b>325-405</b> AERONAUTICAL RADIONAVIGATION  5.72	<b>325-335</b> AERONAUTICAL RADIONAVIGATION Aeronautical mobile Maritime radionavigation (radiobeacons)	<b>325-405</b> AERONAUTICAL RADIONAVIGATION Aeronautical mobile
	<b>335-405</b> AERONAUTICAL RADIONAVIGATION Aeronautical mobile	
<b>405-415</b> RADIONAVIGATION 5.76 5.72	<b>405-415</b> RADIONAVIGATION 5.76 Aeronautical mobile	
<b>415-435</b> MARITIME MOBILE 5.79 AERONAUTICAL RADIONAVIGATION 5.72	<b>415-495</b> MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.80  5.77 5.78 5.82	
<b>435-495</b> MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.72 5.82		

## International Frequency Allocation table

495-1 800 kHz

Allocation to services		
Region 1	Region 2	Region 3
<b>495-505</b>	MOBILE 5.82A 5.82B	
<b>505-526.5</b> MARITIME MOBILE 5.79 5.79A MOD5.84 AERONAUTICAL RADIONAVIGATION  5.72	<b>505-510</b> MARITIME MOBILE 5.79  <b>510-525</b> MOBILE 5.79A 5.84 AERONAUTICAL RADIONAVIGATION	<b>505-526.5</b> MARITIME MOBILE 5.79 5.79A 5.84 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Land mobile
<b>526.5-1 606.5</b> BROADCASTING  5.87 5.87A	<b>525-535</b> BROADCASTING 5.86 AERONAUTICAL RADIONAVIGATION	<b>526.5-535</b> BROADCASTING Mobile 5.88
	<b>535-1 605</b> BROADCASTING	<b>535-1 606.5</b> BROADCASTING
<b>1 606.5-1 625</b> FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	<b>1 605-1 625</b> BROADCASTING 5.89  5.90	<b>1 606.5-1 800</b> FIXED MOBILE RADIOLOCATION RADIONAVIGATION  5.91
<b>1 625-1 635</b> RADIOLOCATION  5.93	<b>1 625-1 705</b> FIXED MOBILE BROADCASTING 5.89 Radiolocation 5.90	
<b>1 635-1 800</b> FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92 5.96	<b>1 705-1 800</b> FIXED MOBILE RADIOLOCATION AERONAUTICAL RADIONAVIGATION	

## International Frequency Allocation table

1 800-2 194 kHz

Allocation to services		
Region 1	Region 2	Region 3
<b>1 800-1 810</b> RADIOLOCATION 5.93	<b>1 800-1 850</b> AMATEUR	<b>1 800-2 000</b> AMATEUR FIXED MOBILE except aeronautical mobile RADIONAVIGATION Radiolocation
<b>1 810-1 850</b> AMATEUR 5.98 5.99 5.100 5.101		
<b>1 850-2 000</b> FIXED MOBILE except aeronautical mobile 5.92 5.96 5.103	<b>1 850-2 000</b> AMATEUR FIXED MOBILE except aeronautical mobile RADIOLOCATION RADIONAVIGATION 5.102	5.97
<b>2 000-2 025</b> FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	<b>2 000-2 065</b> FIXED MOBILE	
<b>2 025-2 045</b> FIXED MOBILE except aeronautical mobile (R) Meteorological aids 5.104 5.92 5.103		
<b>2 045-2 160</b> FIXED MARITIME MOBILE LAND MOBILE 5.92		
<b>2 160-2 170</b> RADIOLOCATION 5.93 5.107	<b>2 065-2 107</b> MARITIME MOBILE 5.105 5.106	
	<b>2 107-2 170</b> FIXED MOBILE	
<b>2 170-2 173.5</b>	MARITIME MOBILE	
<b>2 173.5-2 190.5</b>	MOBILE (distress and calling) 5.108 5.109 5.110 5.111	
<b>2 190.5-2 194</b>	MARITIME MOBILE	



## International Frequency Allocation table

2 194-3 230 kHz

Allocation to services		
Region 1	Region 2	Region 3
<b>2 194-2 300</b> FIXED MOBILE except aeronautical mobile (R) 5.92 5.103 5.112	<b>2 194-2 300</b> FIXED MOBILE 5.112	
<b>2 300-2 498</b> FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.103	<b>2 300-2 495</b> FIXED MOBILE BROADCASTING 5.113	
<b>2 498-2 501</b> STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)	<b>2 495-2 501</b> STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)	
<b>2 501-2 502</b>	STANDARD FREQUENCY AND TIME SIGNAL Space Research	
<b>2 502-2 625</b> FIXED MOBILE except aeronautical mobile (R) 5.92 5.103 5.114	<b>2 502-2 505</b> STANDARD FREQUENCY AND TIME SIGNAL	
<b>2 625-2 650</b> MARITIME MOBILE MARITIME RADIONAVIGATION 5.92	<b>2 505-2 850</b> FIXED MOBILE	
<b>2 650-2 850</b> FIXED MOBILE except aeronautical mobile (R) 5.92 5.103		
<b>2 850-3 025</b>	AERONAUTICAL MOBILE (R) 5.111 5.115	
<b>3 025-3 155</b>	AERONAUTICAL MOBILE (OR)	
<b>3 155-3 200</b>	FIXED MOBILE except aeronautical mobile (R) 5.116 5.117	
<b>3 200-3 230</b>	FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116	

## International Frequency Allocation table

3 230-5 003 kHz

Allocation to services		
Region 1	Region 2	Region 3
<b>3 230-3 400</b>	FIXED MOBILE except aeronautical mobile BROADCASTING 5.113 5.116 5.118	
<b>3 400-3 500</b>	AERONAUTICAL MOBILE (R)	
<b>3 500-3 800</b> AMATEUR FIXED MOBILE except aeronautical mobile 5.92	<b>3 500-3 750</b> AMATEUR 5.119	<b>3 500-3 900</b> AMATEUR FIXED MOBILE
<b>3 800-3 900</b> FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	<b>3 750-4 000</b> AMATEUR FIXED MOBILE except aeronautical mobile (R)	
<b>3 900-3 950</b> AERONAUTICAL MOBILE (OR) 5.123		<b>3 900-3 950</b> AERONAUTICAL MOBILE BROADCASTING
<b>3 950-4 000</b> FIXED BROADCASTING	5.122 5.125	<b>3 950-4 000</b> FIXED BROADCASTING 5.126
<b>4 000-4 063</b>	FIXED MARITIME MOBILE 5.127 5.126	
<b>4 063-4 438</b>	MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132 5.128 5.129	
<b>4 438-4 650</b> FIXED MOBILE except aeronautical mobile (R)		<b>4 438-4 650</b> FIXED MOBILE except aeronautical mobile
<b>4 650-4 700</b>	AERONAUTICAL MOBILE (R)	
<b>4 700-4 750</b>	AERONAUTICAL MOBILE (OR)	
<b>4 750-4 850</b> FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE BROADCASTING 5.113	<b>4 750-4 850</b> FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113	<b>4 750-4 850</b> FIXED BROADCASTING 5.113 Land mobile
<b>4 850-4 995</b>	FIXED LAND MOBILE BROADCASTING 5.113	
<b>4 995-5 003</b>	STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)	

## International Frequency Allocation table

5 003-7 450 kHz

Allocation to services		
Region 1	Region 2	Region 3
<b>5 003-5 005</b>	STANDARD FREQUENCY AND TIME SIGNAL Space research	
<b>5 005-5 060</b>	FIXED BROADCASTING 5.113	
<b>5 060-5 250</b>	FIXED Mobile except aeronautical mobile 5.133	
<b>5 250-5 450</b>	FIXED MOBILE except aeronautical mobile	
<b>5 450-5 480</b> FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	<b>5 450-5 480</b> AERONAUTICAL MOBILE (R)	<b>5 450-5 480</b> FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE
<b>5 480-5 680</b>	AERONAUTICAL MOBILE (R) 5.111 5.115	
<b>5 680-5 730</b>	AERONAUTICAL MOBILE (OR) 5.111 5.115	
<b>5 730-5 900</b> FIXED LAND MOBILE	<b>5 730-5 900</b> FIXED MOBILE except aeronautical mobile (R)	<b>5 730-5 900</b> FIXED Mobile except aeronautical mobile (R)
<b>5 900-5 950</b>	BROADCASTING 5.134 5.136	
<b>5 950-6 200</b>	BROADCASTING	
<b>6 200-6 525</b>	MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137	
<b>6 525-6 685</b>	AERONAUTICAL MOBILE (R)	
<b>6 685-6 765</b>	AERONAUTICAL MOBILE (OR)	
<b>6 765-7 000</b>	FIXED MOBILE except aeronautical mobile (R) 5.138 5.138A 5.139	
<b>7 000-7 100</b>	AMATEUR AMATEUR-SATELLITE 5.140 5.141 5.141A	
<b>7 100-7 200</b>	AMATEUR 5.141A 5.141B 5.141C 5.142	
<b>7 200-7 300</b> BROADCASTING	<b>7 200-7 300</b> AMATEUR 5.142	<b>7 200-7 300</b> BROADCASTING
<b>7 300-7 400</b>	BROADCASTING 5.134 5.143 5.143A 5.143B 5.143C 5.143D	
<b>7 400-7 450</b> BROADCASTING 5.143B 5.143C	<b>7 400-7 450</b> FIXED MOBILE except aeronautical mobile (R)	<b>7 400-7 450</b> BROADCASTING 5.143A 5.143C

## International Frequency Allocation table

### 7 450-13 360 kHz

Allocation to services		
Region 1	Region 2	Region 3
<b>7 450-8 100</b>	FIXED MOBILE except aeronautical mobile (R) 5.143E 5.144	
<b>8 100-8 195</b>	FIXED MARITIME MOBILE	
<b>8 195-8 815</b>	MARITIME MOBILE 5.109 5.110 5.132 5.145 5.111	
<b>8 815-8 965</b>	AERONAUTICAL MOBILE (R)	
<b>8 965-9 040</b>	AERONAUTICAL MOBILE (OR)	
<b>9 040-9 400</b>	FIXED	
<b>9 400-9 500</b>	BROADCASTING 5.134 5.146	
<b>9 500-9 900</b>	BROADCASTING 5.147	
<b>9 900-9 995</b>	FIXED	
<b>9 995-10 003</b>	STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111	
<b>10 003-10 005</b>	STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	
<b>10 005-10 100</b>	AERONAUTICAL MOBILE (R) 5.111	
<b>10 100-10 150</b>	FIXED Amateur	
<b>10 150-11 175</b>	FIXED Mobile except aeronautical mobile (R)	
<b>11 175-11 275</b>	AERONAUTICAL MOBILE (OR)	
<b>11 275-11 400</b>	AERONAUTICAL MOBILE (R)	
<b>11 400-11 600</b>	FIXED	
<b>11 600-11 650</b>	BROADCASTING 5.134 5.146	
<b>11 650-12 050</b>	BROADCASTING 5.147	
<b>12 050-12 100</b>	BROADCASTING 5.134 5.146	
<b>12 100-12 230</b>	FIXED	
<b>12 230-13 200</b>	MARITIME MOBILE 5.109 5.110 5.132 5.145	
<b>13 200-13 260</b>	AERONAUTICAL MOBILE (OR)	
<b>13 260-13 360</b>	AERONAUTICAL MOBILE (R)	

## International Frequency Allocation table

13 360-18 030 kHz

Allocation to services		
Region 1	Region 2	Region 3
13 360-13 410	FIXED RADIO ASTRONOMY 5.149	
13 410-13 570	FIXED Mobile except aeronautical mobile (R) 5.150	
13 570-13 600	BROADCASTING 5.134 5.151	
13 600-13 800	BROADCASTING	
13 800-13 870	BROADCASTING 5.134 5.151	
13 870-14 000	FIXED Mobile except aeronautical mobile (R)	
14 000-14 250	AMATEUR AMATEUR-SATELLITE	
14 250-14 350	AMATEUR 5.152	
14 350-14 990	FIXED Mobile except aeronautical mobile (R)	
14 990-15 005	STANDARD FREQUENCY AND TIME SIGNAL (15 000 kHz) 5.111	
15 005-15 010	STANDARD FREQUENCY AND TIME SIGNAL Space research	
15 010-15 100	AERONAUTICAL MOBILE (OR)	
15 100-15 600	BROADCASTING	
15 600-15 800	BROADCASTING 5.134 5.146	
15 800-16 360	FIXED 5.153	
16 360-17 410	MARITIME MOBILE 5.109 5.110 5.132 5.145	
17 410-17 480	FIXED	
17 480-17 550	BROADCASTING 5.134 5.146	
17 550-17 900	BROADCASTING	
17 900-17 970	AERONAUTICAL MOBILE (R)	
17 970-18 030	AERONAUTICAL MOBILE (OR)	

## International Frequency Allocation table

### 18 030-23 350 kHz

Allocation to services		
Region 1	Region 2	Region 3
18 030-18 052	FIXED	
18 052-18 068	FIXED Space research	
18 068-18 168	AMATEUR AMATEUR-SATELLITE 5.154	
18 168-18 780	FIXED Mobile except aeronautical mobile	
18 780-18 900	MARITIME MOBILE	
18 900-19 020	BROADCASTING 5.134 5.146	
19 020-19 680	FIXED	
19 680-19 800	MARITIME MOBILE 5.132	
19 800-19 990	FIXED	
19 990-19 995	STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	
19 995-20 010	STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111	
20 010-21 000	FIXED Mobile	
21 000-21 450	AMATEUR AMATEUR-SATELLITE	
21 450-21 850	BROADCASTING	
21 850-21 870	FIXED 5.155A 5.155	
21 870-21 924	FIXED 5.155B	
21 924-22 000	AERONAUTICAL MOBILE (R)	
22 000-22 855	MARITIME MOBILE 5.132 5.156	
22 855-23 000	FIXED 5.156	
23 000-23 200	FIXED Mobile except aeronautical mobile (R) 5.156	
23 200-23 350	FIXED 5.156A AERONAUTICAL MOBILE (OR)	

**International Frequency Allocation table****23 350-27 500 kHz**

<b>Allocation to services</b>		
<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>
<b>23 350-24 000</b>	FIXED MOBILE except aeronautical mobile 5.157	
<b>24 000-24 890</b>	FIXED LAND MOBILE	
<b>24 890-24 990</b>	AMATEUR AMATEUR-SATELLITE	
<b>24 990-25 005</b>	STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)	
<b>25 005-25 010</b>	STANDARD FREQUENCY AND TIME SIGNAL Space research	
<b>25 010-25 070</b>	FIXED MOBILE except aeronautical mobile	
<b>25 070-25 210</b>	MARITIME MOBILE	
<b>25 210-25 550</b>	FIXED MOBILE except aeronautical mobile	
<b>25 550-25 670</b>	RADIO ASTRONOMY 5.149	
<b>25 670-26 100</b>	BROADCASTING	
<b>26 100-26 175</b>	MARITIME MOBILE 5.132	
<b>26 175-27 500</b>	FIXED MOBILE except aeronautical mobile 5.150	

## International Frequency Allocation table

27.5-47 MHz

Allocation to services		
Region 1	Region 2	Region 3
27.5-28	METEOROLOGICAL AIDS FIXED MOBILE	
28-29.7	AMATEUR AMATEUR-SATELLITE	
29.7-30.005	FIXED MOBILE	
30.005-30.01	SPACE OPERATION (satellite identification) FIXED MOBILE SPACE RESEARCH	
30.01-37.5	FIXED MOBILE	
37.5-38.25	FIXED MOBILE Radio astronomy 5.149	
38.25-39.986	FIXED MOBILE	
39.986-40.02	FIXED MOBILE Space research	
40.02-40.98	FIXED MOBILE 5.150	
40.98-41.015	FIXED MOBILE Space research 5.160 5.161	
41.015-44	FIXED MOBILE 5.160 5.161	
44-47	FIXED MOBILE 5.162 5.162A	



**International Frequency Allocation table**

47-75.2 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>47-68</b> BROADCASTING     5.162A 5.163 5.164 5.165 5.169 5.171	<b>47-50</b> FIXED MOBILE	<b>47-50</b> FIXED MOBILE BROADCASTING 5.162A
	<b>50-54</b> AMATEUR 5.162A 5.166 5.167 5.168 5.170	
	<b>54-68</b> BROADCASTING Fixed Mobile  5.172	<b>54-68</b> FIXED MOBILE BROADCASTING  5.162A
<b>68-74.8</b> FIXED MOBILE except aeronautical mobile     5.149 5.174 5.175 5.177 5.179	<b>68-72</b> BROADCASTING Fixed Mobile 5.173	<b>68-74.8</b> FIXED MOBILE      5.149 5.176 5.179
	<b>72-73</b> FIXED MOBILE	
	<b>73-74.6</b> RADIO ASTRONOMY 5.178	
	<b>74.6-74.8</b> FIXED MOBILE	
<b>74.8-75.2</b> AERONAUTICAL RADIONAVIGATION 5.180 5.181		

## International Frequency Allocation table

### 75.2-137.175 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>75.2-87.5</b> FIXED MOBILE except aeronautical mobile  5.175 5.179 5.184 5.187	<b>75.2-75.4</b> FIXED MOBILE 5.179	
	<b>75.4-76</b> FIXED MOBILE	<b>75.4-87</b> FIXED MOBILE  5.182 5.183 5.188
	<b>76-88</b> BROADCASTING Fixed Mobile	
	<b>87.5-100</b> BROADCASTING  5.190	5.185  <b>88-100</b> BROADCASTING
<b>100-108</b> BROADCASTING 5.192 5.194	<b>108-117.975</b> AERONAUTICAL RADIONAVIGATION 5.197 5.197A	
<b>117.975-137</b>	AERONAUTICAL MOBILE (R) 5.111 5.200 5.201 5.202	
<b>137-137.025</b>	SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208 B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	
<b>137.025-137.175</b>	SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile-satellite (space-to-Earth) 5.208A 5.208 B 5.209 Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	

## International Frequency Allocation table

137.175-148 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>137.175-137.825</b>	SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208 B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	
<b>137.825-138</b>	SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile-satellite (space-to-Earth) 5.208A 5.208 B 5.209 Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	
<b>138-143.6</b> AERONAUTICAL MOBILE (OR)  5.210 5.211 5.212 5.214	<b>138-143.6</b> FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	<b>138-143.6</b> FIXED MOBILE Space research (space-to-Earth) 5.207 5.213
<b>143.6-143.65</b> AERONAUTICAL MOBILE (OR) SPACE RESEARCH (space-to-Earth)  5.211 5.212 5.214	<b>143.6-143.65</b> FIXED MOBILE RADIOLOCATION SPACE RESEARCH (space-to-Earth)	<b>143.6-143.65</b> FIXED MOBILE SPACE RESEARCH (space-to-Earth) 5.207 5.213
<b>143.65-144</b> AERONAUTICAL MOBILE (OR)  5.210 5.211 5.212 5.214	<b>143.65-144</b> FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	<b>143.65-144</b> FIXED MOBILE Space research (space-to-Earth) 5.207 5.213
<b>144-146</b>	AMATEUR AMATEUR-SATELLITE 5.216	
<b>146-148</b> FIXED MOBILE except aeronautical mobile (R)	<b>146-148</b> AMATEUR  5.217	<b>146-148</b> AMATEUR FIXED MOBILE 5.217



## International Frequency Allocation table

220-335.4 MHz

Allocation to services		
Region 1	Region 2	Region 3
	<b>220-225</b>	
<b>223-230</b> BROADCASTING Fixed Mobile  5.243 5.246 5.247	AMATEUR FIXED MOBILE Radiolocation 5.241	<b>223-230</b> FIXED MOBILE BROADCASTING AERONAUTICAL RADIONAVIGATION Radiolocation 5.250
<b>230-235</b> FIXED MOBILE  5.247 5.251 5.252	<b>225-235</b> FIXED MOBILE	<b>230-235</b> FIXED MOBILE AERONAUTICAL RADIONAVIGATION 5.250
<b>235-267</b>	FIXED MOBILE 5.111 5.199 5.252 5.254 5.256 5.256A	
<b>267-272</b>	FIXED MOBILE Space operation (space-to-Earth) 5.254 5.257	
<b>272-273</b>	SPACE OPERATION (space-to-Earth) FIXED MOBILE 5.254	
<b>273-312</b>	FIXED MOBILE 5.254	
<b>312-315</b>	FIXED MOBILE Mobile-satellite (Earth-to-space) 5.254 5.255	
<b>315-322</b>	FIXED MOBILE 5.254	
<b>322-328.6</b>	FIXED MOBILE RADIO ASTRONOMY 5.149	
<b>328.6-335.4</b>	AERONAUTICAL RADIONAVIGATION 5.258 5.259	

## International Frequency Allocation table

### 335.4-410 MHz (A2)

Allocation to services		
Region 1	Region 2	Region 3
<b>335.4-387</b>	FIXED MOBILE 5.254	
<b>387-390</b>	FIXED MOBILE Mobile-satellite (space-to-Earth) 5.208A 5.208 B 5.254 5.255	
<b>390-399.9</b>	FIXED MOBILE 5.254	
<b>399.9-400.05</b>	MOBILE-SATELLITE (Earth-to-space) 5.209 5.224A RADIONAVIGATION-SATELLITE 5.222 5.224B 5.260 5.220	
<b>400.05-400.15</b>	STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262	
<b>400.15-401</b>	METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208 B 5.209 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth) 5.262 5.264	
<b>401-402</b>	METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile	
<b>402-403</b>	METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile	
<b>403-406</b>	METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile	
<b>406-406.1</b>	MOBILE-SATELLITE (Earth-to-space) 5.266 5.267	
<b>406.1-410</b>	FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149	

## International Frequency Allocation table

410-460 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>410-420</b>	FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-space) 5.268	
<b>420-430</b>	FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271	
<b>430-432</b> AMATEUR RADIOLOCATION 5.271 5.272 5.273 5.274 5.275 5.276 5.277	<b>430-432</b> RADIOLOCATION Amateur  5.271 5.276 5.277 5.278 5.279	
<b>432-438</b> AMATEUR RADIOLOCATION Earth exploration-satellite (active) 5.279A 5.138 5.271 5.272 5.276 5.277 5.280 5.281 5.282	<b>432-438</b> RADIOLOCATION Amateur Earth exploration-satellite (active) 5.279A  5.271 5.276 5.277 5.278 5.279 5.281 5.282	
<b>438-440</b> AMATEUR RADIOLOCATION 5.271 5.273 5.274 5.275 5.276 5.277 5.283	<b>438-440</b> RADIOLOCATION Amateur  5.271 5.276 5.277 5.278 5.279	
<b>440-450</b>	FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271 5.284 5.285 5.286	
<b>450-455</b>	FIXED MOBILE 5.286 A A 5.209 5.271 5.286 5.286A 5.286B 5.286C 5.286D 5.286E	
<b>455-456</b> FIXED MOBILE 5.286 A A  5.209 5.271 5.286A 5.286B 5.286C 5.286E	<b>455-456</b> FIXED MOBILE 5.286 A A MOBILE-SATELLITE (Earth-to-space) 5.286A 5.286B 5.286C  5.209	<b>455-456</b> FIXED MOBILE 5.286 A A  5.209 5.271 5.286A 5.286B 5.286C 5.286E
<b>456-459</b>	FIXED MOBILE 5.286 A A  5.271 5.287 5.288	
<b>459-460</b> FIXED MOBILE 5.286 A A  5.209 5.271 5.286A 5.286B 5.286C 5.286E	<b>459-460</b> FIXED MOBILE 5.286 A A MOBILE-SATELLITE (Earth-to-space) 5.286A 5.286B 5.286C  5.209	<b>459-460</b> FIXED MOBILE 5.286 A A  5.209 5.271 5.286A 5.286B 5.286C 5.286E

## International Frequency Allocation table

### 460-890 MHz (A4)

Allocation to services		
Region 1	Region 2	Region 3
<b>460-470</b>	FIXED MOBILE 5.286 A A Meteorological-Satellite (space-to-Earth) 5.287 5.288 5.289 5.290	
<b>470-790</b> BROADCASTING	<b>470-512</b> BROADCASTING Fixed Mobile 5.292 5.293	<b>470-585</b> FIXED MOBILE BROADCASTING 5.291 5.298
	<b>512-608</b> BROADCASTING 5.297	<b>585-610</b> FIXED MOBILE BROADCASTING RADIONAVIGATION 5.149 5.305 5.306 5.307
	<b>608-614</b> RADIO ASTRONOMY Mobile-satellite except aeronautical mobile-satellite (Earth-to-space)	
	<b>614-698</b> BROADCASTING Fixed Mobile 5.293 5.309 5.311A	<b>610-890</b> FIXED MOBILE 5.313 A 5.317A BROADCASTING
	<b>698-806</b> BROADCASTING Fixed MOBILE 5.3131 B 5.317A 5.293 5.309 5.311A	
5.149 5.291A 5.294 5.296 5.300 5.302 5.304 5.306 5.311A 5.312		
<b>790-862</b> FIXED BROADCASTING MOBILE except aeronautical mobile ADD 5.XXX MOD 5.317A 5.312 5.314 5.315 5.316 5.316 A 5.319	<b>806-890</b> FIXED MOBILE 5.317A BROADCASTING 5.317 5.318	5.149 5.305 5.306 5.307 5.311A 5.320
<b>862-890</b> FIXED MOBILE except aeronautical mobile MOD 5.317A BROADCASTING 5.322 5.319 5.323		



## International Frequency Allocation table

### 890-1 300 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>890-942</b> FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 Radiolocation      5.323	<b>890-902</b> FIXED MOBILE except aeronautical mobile 5.317A Radiolocation 5.318 5.325	<b>890-942</b> FIXED MOBILE 5.317A BROADCASTING Radiolocation       5.327
	<b>902-928</b> FIXED Amateur Mobile except aeronautical mobile 5.325A Radiolocation 5.150 5.325 5.326	
	<b>928-942</b> FIXED MOBILE except aeronautical mobile 5.317A Radiolocation 5.325	
<b>942-960</b> FIXED MOBILE except aeronautical mobile 5.317 A BROADCASTING 5.322 5.323	<b>942-960</b> FIXED MOBILE 5.317A	<b>942-960</b> FIXED MOBILE 5.317A BROADCASTING 5.320
<b>960-1 164</b>	AERONAUTICAL RADIONAVIGATION 5.328 AERONAUTICAL MOBILE ( R) 5.327 A	
<b>1 164-1215</b>	AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.328A	
<b>1 215-1 240</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332	
<b>1 240-1 300</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.330 5.331 5.332 5.335 5.335A	

## International Frequency Allocation table

### 1 300-1 525 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>1 300-1 350</b>	AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION RADIONAVIGATION SATELLITE (Earth-to-space) 5.149 5.337A	
<b>1 350-1 400</b> FIXED MOBILE RADIOLOCATION 5.149 5.338 5.338 A 5.339	<b>1 350-1 400</b> RADIOLOCATION 5.338A 5.149 5.334 5.339	
<b>1 400-1 427</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	
<b>1 427-1 429</b>	SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.338 A 5.341	
<b>1 429-1 452</b> FIXED MOBILE except aeronautical mobile 5.338 A 5.341 5.342	<b>1 429-1 452</b> FIXED MOBILE 5.343 5.338 A 5.341	
<b>1 452-1 492</b> FIXED MOBILE except aeronautical mobile BROADCASTING 5.345 BROADCASTING-SATELLITE 5.208 B 5.345 5.341 5.342	<b>1 452-1 492</b> FIXED MOBILE 5.343 BROADCASTING 5.345 BROADCASTING-SATELLITE 5.208 B 5.345 5.341 5.344	
<b>1 492-1 518</b> FIXED MOBILE except aeronautical mobile 5.341 5.342	<b>1 492-1 518</b> FIXED MOBILE 5.343 5.341 5.344	<b>1 492-1 518</b> FIXED MOBILE 5.341
<b>1 518-1 525</b> FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A 5.341 5.342	<b>1 518-1 525</b> FIXED MOBILE 5.343 MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A 5.341 5.344	<b>1 518-1 525</b> FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B MOD 5.351A 5.341

**International Frequency Allocation table**

**1 525-1 610 MHz**

<b>Allocation to services</b>		
<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>
<p><b>1 525-1 530</b>                      SPACE OPERATION                      (space-to-Earth)                      FIXED                      MOBILE-SATELLITE                      (space-to-Earth) 5.347A 5.351A                      Earth exploration-satellite                      Mobile except aeronautical                      mobile 5.349                      5.341 5.342 5.350 5.351                      5.352A 5.354</p>	<p><b>1 525-1 530</b>                      SPACE OPERATION                      (space-to-Earth)                      MOBILE-SATELLITE                      (space-to-Earth) 5.347A 5.351A                      Earth exploration-satellite                      Fixed                      Mobile 5.343                        5.341 5.351 5.354</p>	<p><b>1 525-1 530</b>                      SPACE OPERATION                      (space-to-Earth)                      FIXED                      MOBILE-SATELLITE                      (space-to-Earth) 5.347A 5.351A                      Earth exploration-satellite                      Mobile 5.349                        5.341 5.351 5.352A 5.354</p>
<p><b>1 530-1 535</b>                      SPACE OPERATION                      (space-to-Earth)                      MOBILE-SATELLITE                      (space-to-Earth) 5.347A 5.351A                      5.353A                      Earth exploration-satellite                      Fixed                      Mobile except aeronautical mobile                      5.341 5.342 5.351 5.354</p>	<p><b>1 530-1 535</b>                      SPACE OPERATION (space-to-Earth)                      MOBILE-SATELLITE (space-to-Earth) 5.347A 5.351A 5.353A                      Earth exploration-satellite                      Fixed                      Mobile 5.343                        5.341 5.351 5.354</p>	
<p><b>1 535-1 559</b></p>	<p>MOBILE-SATELLITE (space-to-Earth) 5.347A 5.351A                      5.341 5.351 5.353A 5.354 5.355 5.356 5.357 5.357A 5.359 5.362A</p>	
<p><b>1 559-1 610</b></p>	<p>AERONAUTICAL RADIONAVIGATION                      RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)                      5.208 B 5.328B 5.329A                      5.341 5.362B 5.362C</p>	

## International Frequency Allocation table

### 1 610-1 660 MHz

Allocation to services		
Region 1	Region 2	Region 3
<p><b>1 610-1 610.6</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>5.341 5.355 5.359 5.363 5.364 5.366 5.367 5.368 5.369 5.371 5.372</p>	<p><b>1 610-1 610.6</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>RADIODETERMINATION- SATELLITE (Earth-to-space)</p> <p>5.341 5.364 5.366 5.367 5.368 5.370 5.372</p>	<p><b>1 610-1 610.6</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>Radiodetermination-satellite (Earth-to-space)</p> <p>5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.372</p>
<p><b>1 610.6-1 613.8</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>RADIO ASTRONOMY</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>5.149 5.341 5.355 5.359 5.363 5.364 5.366 5.367 5.368 5.369 5.371 5.372</p>	<p><b>1 610.6-1 613.8</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>RADIO ASTRONOMY</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>RADIODETERMINATION- SATELLITE (Earth-to-space)</p> <p>5.149 5.341 5.364 5.366 5.367 5.368 5.370 5.372</p>	<p><b>1 610.6-1 613.8</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>RADIO ASTRONOMY</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>Radiodetermination-satellite (Earth-to-space)</p> <p>5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.372</p>
<p><b>1 613.8-1 626.5</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>Mobile-satellite (space-to-Earth) 5.347A</p> <p>5.341 5.355 5.359 5.363 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372</p>	<p><b>1 613.8-1 626.5</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>RADIODETERMINATION- SATELLITE (Earth-to-space)</p> <p>Mobile-satellite (space-to-Earth) 5.347A</p> <p>5.341 5.364 5.365 5.366 5.367 5.368 5.370 5.372</p>	<p><b>1 613.8-1 626.5</b></p> <p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>AERONAUTICAL RADIONAVIGATION</p> <p>Mobile-satellite (space-to-Earth) 5.347A</p> <p>Radiodetermination-satellite (Earth-to-space)</p> <p>5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.372</p>
<p><b>1 626.5-1 660</b></p>	<p>MOBILE-SATELLITE (Earth-to-space) 5.351A</p> <p>5.341 5.351 5.353A 5.354 5.355 5.357A 5.359 5.362A 5.374 5.375 5.376</p>	

## International Frequency Allocation table

1 660-1 710 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>1 660-1 660.5</b>	MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY 5.149 5.341 5.351 5.354 5.362A 5.376A	
<b>1 660.5-1 668</b>	RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	
<b>1 668-1 668.4</b>	MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	
<b>1 668.4-1 670</b>	METEOROLOGICAL AIDS FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY 5.149 5.341 5.379D 5.379E	
<b>1 670-1 675</b>	METEOROLOGICAL AIDS FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A	
<b>1 675-1 690</b>	METEOROLOGICAL AIDS FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.341	
<b>1 690-1 700</b> METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) Fixed Mobile except aeronautical mobile 5.289 5.341 5.382	<b>1 690-1 700</b> METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth)  5.289 5.341 5.381	
<b>1 700-1 710</b> FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341		<b>1 700-1 710</b> FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341 5.384

## International Frequency Allocation table

### 1 710-2 170 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>1 710-1 930</b>	FIXED MOBILE 5.384A 5.388A 5.388B 5.149 5.341 5.385 5.386 5.387 5.388	
<b>1 930-1 970</b> FIXED MOBILE 5.388A 5.388B 5.388	<b>1 930-1 970</b> FIXED MOBILE 5.388A 5.388B Mobile-satellite (Earth-to-space) 5.388	<b>1 930-1 970</b> FIXED MOBILE 5.388A 5.388B 5.388
<b>1 970-1 980</b>	FIXED MOBILE 5.388A 5.388B 5.388	
<b>1 980-2 010</b>	FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.388 5.389A 5.389B 5.389F	
<b>2 010-2 025</b> FIXED MOBILE 5.388A 5.388B  5.388	<b>2 010-2 025</b> FIXED MOBILE MOBILE-SATELLITE (Earth-to-space)  5.388 5.389C 5.389E	<b>2 010-2 025</b> FIXED MOBILE 5.388A 5.388B  5.388
<b>2 025-2 110</b>	SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392	
<b>2 110-2 120</b>	FIXED MOBILE 5.388A 5.388B SPACE RESEARCH (deep space) (Earth-to-space) 5.388	
<b>2 120-2 160</b> FIXED MOBILE 5.388A 5.388B 5.388	<b>2 120-2 160</b> FIXED MOBILE 5.388A 5.388B Mobile-satellite (space-to-Earth) 5.388	<b>2 120-2 160</b> FIXED MOBILE 5.388A 5.388B 5.388
<b>2 160-2 170</b> FIXED MOBILE 5.388A 5.388B  5.388	<b>2 160-2 170</b> FIXED MOBILE MOBILE-SATELLITE (space-to-Earth)  5.388 5.389C 5.389E	<b>2 160-2 170</b> FIXED MOBILE 5.388A 5.388B  5.388

## International Frequency Allocation table

2 170-2 520 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>2 170-2 200</b>	FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A 5.388 5.389A 5.389F	
<b>2 200-2 290</b>	SPACE OPERATION (space-to-Earth) (space-to-space) EARTH EXPLORATION-SATELLITE (space-to-Earth) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (space-to-Earth) (space-to-space) 5.392	
<b>2 290-2 300</b>	FIXED MOBILE except aeronautical mobile SPACE RESEARCH (deep space) (space-to-Earth)	
<b>2 300-2 450</b> FIXED MOBILE 5.384 A Amateur Radiolocation 5.150 5.282 5.395	<b>2 300-2 450</b> FIXED MOBILE 5.384 A RADIOLOCATION Amateur 5.150 5.282 5.393 5.394 5.396	
<b>2 450-2 483.5</b> FIXED MOBILE Radiolocation 5.150 5.397	<b>2 450-2 483.5</b> FIXED MOBILE RADIOLOCATION 5.150	
<b>2 483.5-2 500</b> FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A Radiolocation 5.150 5.371 5.397 5.398 5.399 5.400 5.402	<b>2 483.5-2 500</b> FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIOLOCATION RADIODETERMINATION- SATELLITE (space-to-Earth) 5.398 5.150 5.402	<b>2 483.5-2 500</b> FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIOLOCATION Radiodetermination-satellite (space-to-Earth) 5.398 5.150 5.400 5.402
<b>2 500-2 520</b> FIXED 5.410 MOBILE except aeronautical mobile 5.384A  5.405 5.412	<b>2 500-2 520</b> FIXED 5.410 FIXED-SATELLITE (space- to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A  5.404	<b>2 500-2 520</b> FIXED 5.410 FIXED-SATELLITE (space- to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A MOBILE-SATELLITE(space-to- Earth) 5.351A 5.407 5.414 5.404 5.415A

## International Frequency Allocation table

2 520-2 700 MHz(

Allocation to services		
Region 1	Region 2	Region 3
<p><b>2 520-2 655</b>            FIXED 5.410            MOBILE except aeronautical mobile 5.384A            BROADCASTING-SATELLITE 5.413 5.416</p> <p>5.339 5.405 5.412            5.417C 5.417D 5.418B 5.418C</p> <p><b>2 655-2 670</b>            FIXED 5.410            MOBILE except aeronautical mobile 5.384A            BROADCASTING-SATELLITE 5.208B 5.413 5.416            Earth exploration-satellite (passive)            Radio astronomy            Space research (passive)</p> <p>5.149 5.412</p>	<p><b>2 520-2 655</b>            FIXED 5.410            FIXED-SATELLITE (space-to-Earth) 5.415            MOBILE except aeronautical mobile 5.384A            BROADCASTING-SATELLITE 5.413 5.416</p> <p>5.339 5.417C 5.417D 5.418B 5.418C</p> <p><b>2 655-2 670</b>            FIXED 5.410            FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.415            MOBILE except aeronautical mobile 5.384A            BROADCASTING-SATELLITE 5.413 5.416            Earth exploration-satellite (passive)            Radio astronomy            Space research (passive)</p> <p>5.149 5.208B</p>	<p><b>2 520-2 535</b>            FIXED 5.410            FIXED-SATELLITE (space-to-Earth) 5.415            MOBILE except aeronautical mobile 5.384A            BROADCASTING-SATELLITE 5.413 5.416            5.403 5.414A, 5.415A</p> <p><b>2 535-2 655</b>            FIXED 5.410            MOBILE except aeronautical mobile 5.384A            BROADCASTING-SATELLITE 5.413 5.416            5.339 5.417A 5.417B 5.417C 5.417D 5.418 5.418A 5.418B 5.418C</p> <p><b>2 655-2 670</b>            FIXED 5.410            FIXED-SATELLITE (Earth-to-space) 5.415            MOBILE except aeronautical mobile 5.384A            BROADCASTING-SATELLITE 5.413 5.416            Earth exploration-satellite (passive)            Radio astronomy            Space research (passive)</p> <p>5.149 5.208B 5.420</p>
<p><b>2 670-2 690</b>            FIXED 5.410            MOBILE except aeronautical mobile 5.384A            Earth exploration-satellite (passive)            Radio astronomy            Space research (passive)            5.149 5.412</p>	<p><b>2 670-2 690</b>            FIXED 5.410            FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.208B 5.415            MOBILE except aeronautical mobile 5.384A            Earth exploration-satellite (passive)            Radio astronomy            Space research (passive)            5.149</p>	<p><b>2 670-2 690</b>            FIXED 5.410            FIXED-SATELLITE (Earth-to-space) 5.415            MOBILE except aeronautical mobile 5.384A            MOBILE-SATELLITE (Earth-to-space) 5.351A 5.419            Earth exploration-satellite (passive)            Radio astronomy            Space research (passive)            5.149</p>
<p><b>2 690-2 700</b>            EARTH EXPLORATION-SATELLITE (passive)            RADIO ASTRONOMY            SPACE RESEARCH (passive)            5.340 5.422</p>		



# International Frequency Allocation table

2 700-4 800 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>2 700-2 900</b>	AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation 5.423 5.424	
<b>2 900-3 100</b>	RADIOLOCATION 5.424A RADIONAVIGATION 5.426 5.425 5.427	
<b>3 100-3 300</b>	RADIOLOCATION Earth exploration-satellite (active) Space research (active) 5.149 5.428	
<b>3 300-3 400</b> RADIOLOCATION 5.149 5.429 5.430	<b>3 300-3 400</b> RADIOLOCATION Amateur Fixed Mobile 5.149	<b>3 300-3 400</b> RADIOLOCATION Amateur 5.149 5.429
<b>3 400-3 600</b> FIXED FIXED-SATELLITE (space-to-Earth) Mobile 5.430A Radiolocation 5.431	<b>3 400-3 500</b> FIXED FIXED-SATELLITE (space-to-Earth) Amateur Mobile 5.431A Radiolocation 5.433 5.282	<b>3 400-3 500</b> FIXED FIXED-SATELLITE (space-to-Earth) Amateur Mobile 5.432B Radiolocation 5.433 5.282 5.432 5.432A
<b>3 600-4 200</b> FIXED FIXED-SATELLITE (space-to-Earth) Mobile	<b>3 500-3 700</b> FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile Radiolocation 5.433	<b>3 500-3 600</b> FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.433A Radiolocation 5.433 5.435
		<b>3 600-3 700</b> FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile Radiolocation 5.433 5.435
	<b>3700-4200</b> FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile	
<b>4 200-4 400</b>	AERONAUTICAL RADIONAVIGATION 5.438 5.439 5.440	
<b>4 400-4 500</b>	FIXED MOBILE 5.440A	
<b>4 500-4 800</b>	FIXED FIXED-SATELLITE (space-to-Earth) 5.441 5.440A	

## International Frequency Allocation table

### 4 800-5 570 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>4 800-4 990</b>	FIXED MOBILE 5.440A 5.442 Radio astronomy 5.149 5.339 5.443	
<b>4 990-5 000</b>	FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY Space research (passive) 5.149	
<b>5 000-5 010</b>	AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space) 5.367	
<b>5 010-5 030</b>	AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-space) 5.328B 5.443B 5.367	
<b>5 030-5 091</b>	AERONAUTICAL RADIONAVIGATION 5.367 5.444	
<b>5 091-5 150</b>	AERONAUTICAL RADIONAVIGATION AERONAUTICAL MOBILE ADD 5.444B 5.367 5.444 5.444A	
<b>5 150-5 250</b>	AERONAUTICAL RADIONAVIGATION FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B 5.446,5.446C 5.447 5.447B 5.447C	
<b>5 250-5 255</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.447D MOBILE except aeronautical mobile 5.446A 5.447F 5.447E 5.448 5.448A	
<b>5 255- 5 350</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) MOBILE except aeronautical mobile 5.446A 5.447F 5.447E 5.448 5.448A	
<b>5 350-5 460</b>	EARTH EXPLORATION-SATELLITE (active) 5.448B SPACE RESEARCH (active) 5.448C AERONAUTICAL RADIONAVIGATION 5.449 RADIOLOCATION 5.448D	
<b>5 460-5 470</b>	RADIONAVIGATION 5.449 EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.448D 5.448B	
<b>5 470-5 570</b>	MARITIME RADIONAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.450B 5.448B 5.450 5.451	

**International Frequency Allocation table**

**5 570-7 250 MHz**

<b>Allocation to services</b>		
<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>
<b>5 570-5 650</b>	MARITIME RADIONAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B 5.450 5.451 5.452	
<b>5 650-5 725</b>	RADIOLOCATION MOBILE except aeronautical mobile 5.446A 5.450A Amateur Space research (deep space) 5.282 5.451 5.453 5.454 5.455	
<b>5 725-5 830</b> FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur 5.150 5.451 5.453 5.455 5.456	<b>5 725-5 830</b> RADIOLOCATION Amateur 5.150 5.453 5.455	
<b>5 830-5 850</b> FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur Amateur-satellite (space-to-Earth) 5.150 5.451 5.453 5.455 5.456	<b>5 830-5 850</b> RADIOLOCATION Amateur Amateur-satellite (space-to-Earth) 5.150 5.453 5.455	
<b>5 850-5 925</b> FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.150	<b>5 850-5 925</b> FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Amateur Radiolocation 5.150	<b>5 850-5 925</b> FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Radiolocation 5.150
<b>5 925-6 700</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B MOBILE 5.457C 5.149 5.440 5.458	
<b>6 700-7 075</b>	FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.458 5.458A 5.458B 5.458C	
<b>7 075-7 145</b>	FIXED MOBILE 5.458 5.459	
<b>7 145-7 235</b>	FIXED MOBILE SPACE RESEARCH (Earth-to-space) 5.460 5.458 5.459	
<b>7 235-7 250</b>	FIXED MOBILE 5.458	

## International Frequency Allocation table

### 7 250-8 500 MHz

Allocation to services		
Region 1	Region 2	Region 3
<b>7 250-7 300</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE 5.461	
<b>7 300-7 450</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.461	
<b>7 450-7 550</b>	FIXED FIXED-SATELLITE (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.461A	
<b>7 550-7 750</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile	
<b>7 750-7 850</b>	FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) 5.461B MOBILE except aeronautical mobile	
<b>7 850-7 900</b>	FIXED MOBILE except aeronautical mobile	
<b>7 900-8 025</b>	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.461	
<b>8 025-8 175</b>	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	
<b>8 175-8 215</b>	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	
<b>8 215-8 400</b>	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	
<b>8 400-8 500</b>	FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth) 5.465 5.466	

**International Frequency Allocation table**  
**8 500-10 000 MHz**

Allocation to services		
Region 1	Region 2	Region 3
<b>8 500-8 550</b>	RADIOLOCATION 5.468 5.469	
<b>8 550-8 650</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.468 5.469 5.469A	
<b>8 650-8 750</b>	RADIOLOCATION 5.468 5.469	
<b>8 750-8 850</b>	RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.470 5.471	
<b>8 850-9 000</b>	RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473	
<b>9 000-9 200</b>	AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION 5.471 5.473A	
<b>9 200-9 300</b>	RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473 5.474	
<b>9 300-9 500</b>	RADIONAVIGATION EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.427 5.474 5.475 5.475A 5.475B 5.476A	
<b>9 500-9 800</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A	
<b>9 800-9 900</b>	RADIOLOCATION Earth exploration-satellite(active) Space research(active) Fixed 5.477 5.478 5.478A 5.478B	
<b>9 900-10 000</b>	RADIOLOCATION Fixed 5.477 5.478 5.479	

## International Frequency Allocation table

### 10-11.7 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>10-10.45</b> FIXED MOBILE RADIOLOCATION Amateur 5.479	<b>10-10.45</b> RADIOLOCATION Amateur 5.479 5.480	<b>10-10.45</b> FIXED MOBILE RADIOLOCATION Amateur 5.479
<b>10.45-10.5</b>	RADIOLOCATION Amateur Amateur-satellite 5.481	
<b>10.5-10.55</b> FIXED MOBILE Radiolocation	<b>10.5-10.55</b> FIXED MOBILE RADIOLOCATION	
<b>10.55-10.6</b>	FIXED MOBILE except aeronautical mobile Radiolocation	
<b>10.6-10.68</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Radiolocation 5.149 5.482 5.482A	
<b>10.68-10.7</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.483	
<b>10.7-11.7</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.441 5.484A (Earth-to-space) 5.484 MOBILE except aeronautical mobile	<b>10.7-11.7</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.441 5.484A MOBILE except aeronautical mobile	

## International Frequency Allocation table

11.7-14 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>11.7-12.5</b> FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492	<b>11.7-12.1</b> FIXED 5.486 FIXED-SATELLITE (space-to-Earth) 5.484A 5.488 Mobile except aeronautical mobile 5.485	<b>11.7-12.2</b> FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE  5.487 5.487A 5.492
	<b>12.1-12.2</b> FIXED-SATELLITE (space-to-Earth) 5.484A 5.488 5.485 5.489	
	5.487 5.487A	<b>12.2-12.7</b> FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492 5.487A 5.488 5.490
<b>12.5-12.75</b> FIXED-SATELLITE (space-to-Earth) 5.484A (Earth-to-space)  5.494 5.495 5.496	<b>12.7-12.75</b> FIXED FIXED-SATELLITE (Earth-to-space) MOBILE except aeronautical mobile	<b>12.5-12.75</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.484A MOBILE except aeronautical mobile BROADCASTING-SATELLITE 5.493
<b>12.75-13.25</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.441 MOBILE Space research (deep space) (space-to-Earth)	
<b>13.25-13.4</b>	EARTH EXPLORATION-SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A 5.499	
<b>13.4-13.75</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501 5.501B	
<b>13.75-14</b>	FIXED-SATELLITE (Earth-to-space) 5.484A RADIOLOCATION Earth exploration-satellite Standard frequency and time signal-satellite (Earth-to-space) Space research 5.499 5.500 5.501 5.502 5.503	

## International Frequency Allocation table

### 14-15.4 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>14-14.25</b>	FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.504C 5.506A Space research 5.504A 5.505	
<b>14.25-14.3</b>	FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.508A Space research 5.504A 5.505 5.508 5.509	
<b>14.3-14.4</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A	<b>14.3-14.4</b> FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506 5.506B Mobile-satellite (Earth-to-space) 5.506A Radionavigation-satellite  5.504A	<b>14.3-14.4</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A
<b>14.4-14.47</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Space research (space-to-Earth) 5.504A	
<b>14.47-14.5</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Radio astronomy 5.149 5.504A	
<b>14.5-14.8</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.510 MOBILE Space research	
<b>14.8-15.35</b>	FIXED MOBILE Space research 5.339	
<b>15.35-15.4</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.511	



**International Frequency Allocation table**  
**15.4-18.4 GHz(A16)**

<b>Allocation to services</b>		
<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>
<b>15.4-15.43</b>	AERONAUTICAL RADIONAVIGATION 5.511D	
<b>15.43-15.63</b>	FIXED-SATELLITE (Earth-to-space) 5.511A AERONAUTICAL RADIONAVIGATION 5.511C	
<b>15.63-15.7</b>	AERONAUTICAL RADIONAVIGATION 5.511D	
<b>15.7-16.6</b>	RADIOLOCATION 5.512 5.513	
<b>16.6-17.1</b>	RADIOLOCATION Space research (deep space) (Earth-to-space) 5.512 5.513	
<b>17.1-17.2</b>	RADIOLOCATION 5.512 5.513	
<b>17.2-17.3</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.512 5.513 5.513A	
<b>17.3-17.7</b> FIXED-SATELLITE (Earth-to-space) 5.516 (space-to-Earth) 5.516A 5.516B Radiolocation 5.514	<b>17.3-17.7</b> FIXED-SATELLITE (Earth-to-space) 5.516 BROADCASTING-SATELLITE Radiolocation 5.514 5.515	<b>17.3-17.7</b> FIXED-SATELLITE (Earth-to-space) 5.516 Radiolocation 5.514
<b>17.7-18.1</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.484A (Earth-to-space) 5.516 MOBILE	<b>17.7-17.8</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.517 (Earth-to-space) 5.516 BROADCASTING-SATELLITE Mobile 5.515	<b>17.7-18.1</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.484A (Earth-to-space) 5.516 MOBILE
	<b>17.8-18.1</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.484A (Earth-to-space) 5.516 MOBILE 5.519	
<b>18.1-18.4</b>	FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B (Earth-to-space) 5.520 MOBILE 5.519 5.521	

## International Frequency Allocation table

### 18.4-22 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>18.4-18.6</b>	FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B MOBILE	
<b>18.6-18.8</b> EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A 5.522C	<b>18.6-18.8</b> EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.522B MOBILE except aeronautical mobile SPACE RESEARCH (passive) 5.522A	<b>18.6-18.8</b> EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A
<b>18.8-19.3</b>	FIXED FIXED-SATELLITE (space-to-Earth) 5.516.B 5.523A MOBILE	
<b>19.3-19.7</b>	FIXED FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.523B 5.523C 5.523D 5.523E MOBILE	
<b>19.7-20.1</b> FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B Mobile-satellite (space-to-Earth)  5.524	<b>19.7-20.1</b> FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528 5.529	<b>19.7-20.1</b> FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B Mobile-satellite (space-to-Earth)  5.524
<b>20.1-20.2</b>	FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528	
<b>20.2-21.2</b>	FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space-to-Earth) 5.524	
<b>21.2-21.4</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)	
<b>21.4-22</b> FIXED MOBILE BROADCASTING-SATELLITE 5.347A 5.530	<b>21.4-22</b> FIXED MOBILE	<b>21.4-22</b> FIXED MOBILE BROADCASTING-SATELLITE 5.347A 5.530 5.531

## International Frequency Allocation table

22-24.75 GHz

Allocation to services		
Region 1	Region 2	Region 3
22-22.21	FIXED MOBILE except aeronautical mobile 5.149	
22.21-22.5	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.532	
22.5-22.55	FIXED MOBILE	
22.55-23.55	FIXED INTER-SATELLITE 5.338A MOBILE 5.149	
23.55-23.6	FIXED MOBILE	
23.6-24	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
24-24.05	AMATEUR AMATEUR-SATELLITE 5.150	
24.05-24.25	RADIOLOCATION Amateur Earth exploration-satellite (active) 5.150	
24.25-24.45 FIXED	24.25-24.45 RADIONAVIGATION	24.25-24.45 RADIONAVIGATION FIXED MOBILE
24.45-24.65 FIXED INTER-SATELLITE	24.45-24.65 INTER-SATELLITE RADIONAVIGATION 5.533	24.45-24.65 FIXED INTER-SATELLITE MOBILE RADIONAVIGATION 5.533
24.65-24.75 FIXED INTER-SATELLITE	24.65-24.75 INTER-SATELLITE RADIOLOCATION- SATELLITE (Earth-to-space)	24.65-24.75 FIXED INTER-SATELLITE MOBILE 5.533

## International Frequency Allocation table

### 24.75-29.9 GHz

Allocation to services		
Region 1	Region 2	Region 3
24.75-25.25 FIXED	24.75-25.25 FIXED-SATELLITE (Earth-to-space) 5.535	24.75-25.25 FIXED FIXED-SATELLITE (Earth-to-space) 5.535 MOBILE
25.25-25.5	FIXED INTER-SATELLITE 5.536 MOBILE Standard frequency and time signal-satellite (Earth-to-space)	
25.5-27	EARTH EXPLORATION-SATELLITE (space-to Earth) 5.536B FIXED INTER-SATELLITE 5.536 MOBILE SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space) 5.536A	
27-27.5 FIXED INTER-SATELLITE 5.536 MOBILE	27-27.5 FIXED FIXED-SATELLITE (Earth-to-space) INTER-SATELLITE 5.536 5.537 MOBILE	
27.5-28.5	FIXED 5.537A FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 MOBILE 5.538 5.540	
28.5-29.1	FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.523A 5.539 MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540	
29.1-29.5	FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.523C 5.523E 5.535A 5.539 5.541A MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540	
29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542	29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.525 5.526 5.527 5.529 5.540 5.542	29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542

## International Frequency Allocation table

29.9-34.2 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>29.9-30</b>	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540 5.542	
<b>30-31</b>	FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth) 5.542	
<b>31-31.3</b>	FIXED 5.338A 5.543A MOBILE Standard frequency and time signal-satellite (space-to-Earth) Space research 5.544 5.545 5.149	
<b>31.3-31.5</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
<b>31.5-31.8</b> EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.546	<b>31.5-31.8</b> EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	<b>31.5-31.8</b> EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149
<b>31.8-32</b>	FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547B 5.548	
<b>32-32.3</b>	FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547C 5.548	
<b>32.3-33</b>	FIXED 5.547A INTER-SATELLITE RADIONAVIGATION 5.547 5.547D 5.548	
<b>33-33.4</b>	FIXED 5.547A RADIONAVIGATION 5.547 5.547E	
<b>33.4-34.2</b>	RADIOLOCATION 5.549	

## International Frequency Allocation table

### 34.2-40 GHz

Allocation to services		
Region 1	Region 2	Region 3
34.2-34.7	RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space) 5.549	
34.7-35.2	RADIOLOCATION Space research 5.550 5.549	
35.2-35.5	METEOROLOGICAL AIDS RADIOLOCATION 5.549	
35.5-36	METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549 5.549A	
36-37	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A	
37-37.5	FIXED MOBILE SPACE RESEARCH (space-to-Earth) 5.547	
37.5-38	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE SPACE RESEARCH (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547	
38-39.5	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Earth exploration-satellite (space-to-Earth) 5.547	
39.5-40	FIXED FIXED-SATELLITE (space-to-Earth) 5.516B MOBILE MOBILE-SATELLITE (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547	

## International Frequency Allocation table

40-47.5 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>40-40.5</b>	EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B MOBILE MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration-satellite (space-to-Earth)	
<b>40.5-41</b> FIXED FIXED-SATELLITE (space-to-Earth) BROADCASTING BROADCASTING-SATELLITE Mobile 5.547	<b>40.5-41</b> FIXED FIXED-SATELLITE (space-to-Earth) 5.516B BROADCASTING BROADCASTING-SATELLITE Mobile Mobile-satellite (space-to-Earth) 5.547	<b>40.5-41</b> FIXED FIXED-SATELLITE (space-to-Earth) BROADCASTING BROADCASTING-SATELLITE Mobile 5.547
<b>41-42.5</b>	FIXED FIXED-SATELLITE (space-to-Earth) 5.516B BROADCASTING BROADCASTING-SATELLITE Mobile 5.547 5.551F 5.551H 5.551I	
<b>42.5-43.5</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.547	
<b>43.5-47</b>	MOBILE 5.553 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	
<b>47-47.2</b>	AMATEUR AMATEUR-SATELLITE	
<b>47.2-47.5</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE 5.552A	

## International Frequency Allocation table

### 47.5-51.4 GHz(A20)

Allocation to services		
Region 1	Region 2	Region 3
<b>47.5-47.9</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.552 (space-to-Earth) 5.516B 5.554A MOBILE	<b>47.5-47.9</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE	
<b>47.9-48.2</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE 5.552A	
<b>48.2-48.54</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	<b>48.2-50.2</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.338A 5.552 MOBILE	
<b>48.54-49.44</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE 5.149 5.340 5.555		
<b>49.44-50.2</b> FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE		
<b>50.2-50.4</b>	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	
<b>50.4-51.4</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE Mobile-satellite (Earth-to-space)	



**International Frequency Allocation table**

**51.4-55.78 GHz**

<b>Allocation to services</b>		
<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>
<b>51.4-52.6</b>	FIXED 5.338A MOBILE 5.547 5.556	
<b>52.6-54.25</b>	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556	
<b>54.25-55.78</b>	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive) 5.556B	

## International Frequency Allocation table

### 55.78-66 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>55.78-56.9</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	
<b>56.9-57</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	
<b>57-58.2</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	
<b>58.2-59</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.547 5.556	
<b>59-59.3</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIOLOCATION 5.559 SPACE RESEARCH (passive)	
<b>59.3-64</b>	FIXED INTER-SATELLITE MOBILE 5.558 RADIOLOCATION 5.559 5.138	
<b>64-65</b>	FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556	
<b>65-66</b>	EARTH EXPLORATION-SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH 5.547	

## International Frequency Allocation table

66-81 GHz(A22)

Allocation to services		
Region 1	Region 2	Region 3
<b>66-71</b>	INTER-SATELLITE MOBILE 5.553 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	
<b>71-74</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	
<b>74-76</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth) 5.561	
<b>76-77.5</b>	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149	
<b>77.5-78</b>	AMATEUR AMATEUR-SATELLITE Radio astronomy Space research (space-to-Earth) 5.149	
<b>78-79</b>	RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to-Earth) 5.149 5.560	
<b>79-81</b>	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149	

## International Frequency Allocation table

### 81-86 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>81-84</b>	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Space research (space-to-Earth) 5.149 5.561A	
<b>84-86</b>	FIXED FIXED-SATELLITE (Earth-to-space) 5.561B MOBILE RADIO ASTRONOMY 5.149	

## International Frequency Allocation table

86-111.8 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>86-92</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
<b>92-94</b>	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	
<b>94-94.1</b>	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A	
<b>94.1-95</b>	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	
<b>95-100</b>	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	
<b>100-102</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	
<b>102-105</b>	FIXED MOBILE RADIO ASTRONOMY 5.149 5.341	
<b>105-109.5</b>	FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	
<b>109.5-111.8</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	

## International Frequency Allocation table

### 111.8-119.98 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>111.8-114.25</b>	FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	
<b>114.25-116</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	
<b>116-119.98</b>	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341	

## International Frequency Allocation table

### 119.98-151.5 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>119.98-122.25</b>	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341	
<b>122.25-123</b>	FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138	
<b>123-130</b>	FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.562D 5.149 5.554	
<b>130-134</b>	EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A	
<b>134-136</b>	AMATEUR AMATEUR-SATELLITE Radio astronomy	
<b>136-141</b>	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	
<b>141-148.5</b>	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	
<b>148.5-151.5</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	

## International Frequency Allocation table

### 151.5-158.5 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>151.5-155.5</b>	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	
<b>155.5-158.5</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.562F 5.562G	



## International Frequency Allocation table

158.5-202 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>158.5-164</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	
<b>164-167</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
<b>167-174.5</b>	FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149 5.562D	
<b>174.5-174.8</b>	FIXED INTER-SATELLITE MOBILE 5.558	
<b>174.8-182</b>	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	
<b>182-185</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
<b>185-190</b>	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	
<b>190-191.8</b>	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	
<b>191.8-200</b>	FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.341 5.554	
<b>200-202</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	

## International Frequency Allocation table

### 202-248 GHz

Allocation to services		
Region 1	Region 2	Region 3
<b>202-209</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	
<b>209-217</b>	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.341	
<b>217-226</b>	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	
<b>226-231.5</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
<b>231.5-232</b>	FIXED MOBILE Radiolocation	
<b>232-235</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation	
<b>235-238</b>	EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive) 5.563A 5.563B	
<b>238-240</b>	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE	
<b>240-241</b>	FIXED MOBILE RADIOLOCATION	
<b>241-248</b>	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	

**International Frequency Allocation table**

**248-1 000 GHz**

<b>Allocation to services</b>		
<b>Region 1</b>	<b>Region 2</b>	<b>Region 3</b>
<b>248-250</b>	AMATEUR AMATEUR-SATELLITE Radio astronomy 5.149	
<b>250-252</b>	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A	
<b>252-265</b>	FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	
<b>265-275</b>	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A	
<b>275-1 000</b>	(Not allocated) 5.565	

**National Frequency Allocation Table**

kHz 9 - 110 NATIONAL ALLOCATIONS	
INDIA	REMARKS
Below 9 (not allocated) 5.53 5.54	
9 - 14 <b>RADIONAVIGATION</b>	
14 - 19.95 <b>FIXED</b> <b>MARITIME MOBILE 5.57</b> 5.56	
19.95 - 20.05 <b>STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)</b>	
20.05 - 70 <b>FIXED</b> <b>MARITIME MOBILE 5.57</b> 5.56	<b>IND01</b>
70 - 72 <b>RADIONAVIGATION 5.60</b> <b>Fixed</b> <b>Maritime Mobile 5.57</b>	<b>IND01</b>
72 - 84 <b>FIXED</b> <b>MARITIME MOBILE 5.57</b> <b>RADIONAVIGATION 5.60</b>	<b>IND01</b>
84 - 86 <b>RADIONAVIGATION 5.60</b> <b>Fixed</b> <b>Maritime Mobile 5.57</b>	<b>IND01</b>
86 - 90 <b>FIXED</b> <b>MARITIME MOBILE 5.57</b> <b>RADIONAVIGATION 5.60</b>	<b>IND01</b>
90 - 110 <b>RADIONAVIGATION 5.62</b> <b>Fixed</b> 5.64	<b>IND03</b> <b>IND01</b>

**National Frequency Allocation Table**

kHz 110 - 200 NATIONAL ALLOCATIONS	
INDIA	REMARKS
110 - 112 <b>FIXED</b> <b>MARITIME MOBILE</b> <b>RADIONAVIGATION 5.60</b> 5.64	<b>IND01</b>
112 - 117.6 <b>RADIONAVIGATION 5.60</b> <b>Fixed</b> <b>Maritime Mobile</b> 5.64	<b>IND01</b>
117.6 - 126 <b>FIXED</b> <b>MARITIME MOBILE</b> <b>RADIONAVIGATION 5.60</b> 5.64	<b>IND 01</b> <b>IND02</b> <b>IND03</b>
126 - 129 <b>RADIONAVIGATION 5.60</b> <b>Fixed</b> <b>Maritime Mobile</b> 5.64	<b>IND01</b> <b>IND02</b>
129 - 130 <b>FIXED</b> <b>MARITIME MOBILE</b> <b>RADIONAVIGATION 5.60</b> 5.64	<b>IND01</b> <b>IND02</b>
<b>130-135.7</b> <b>FIXED</b> <b>MARITIME MOBILE</b> <b>RADIONAVIGATION</b> <b>5.64</b>	<b>IND01</b> <b>IND02</b>
<b>135.7-137.8</b> <b>FIXED</b> <b>MARITIME MOBILE</b> <b>RADIONAVIGATION</b> Amateur 5.67A 5.64	<b>IND01</b>
<b>137.8-160</b> <b>FIXED</b> <b>MARITIME MOBILE</b> <b>RADIONAVIGATION</b> 5.64	<b>IND03</b> <b>IND01</b>
160 - 190 <b>FIXED</b> Aeronautical Radionavigation	<b>IND01</b>
190 - 200 <b>AERONAUTICAL RADIONAVIGATION</b>	<b>IND01</b>

**National Frequency Allocation Table**

kHz 200 - 495 NATIONAL ALLOCATIONS	
INDIA	REMARKS
200 - 285 <b>AERONAUTICAL RADIONAVIGATION</b> Aeronautical Mobile	
285 - 325 <b>AERONAUTICAL RADIONAVIGATION</b> <b>MARITIME RADIONAVIGATION</b> (radiobeacons) 5.73	
325 - 405 <b>AERONAUTICAL RADIONAVIGATION</b> Aeronautical Mobile	
405 - 415 <b>RADIONAVIGATION 5.76</b> Aeronautical Mobile	
415 - 495 MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.80  5.77 5.82	

**National Frequency Allocation Table**

kHz 495 - 1800 NATIONAL ALLOCATIONS	
INDIA	REMARKS
495 - 505 <b>MOBILE (distress and calling)</b> 5.83	
505 - 526.5 <b>MARITIME MOBILE 5.79 5.79A 5.84</b> <b>AERONAUTICAL RADIONAVIGATION</b> Aeronautical Mobile Land Mobile	
526.5 - 535 <b>BROADCASTING</b> Mobile	
535-1606.5 <b>BROADCASTING</b>	
1606.5 -1800 <b>FIXED</b> <b>MOBILE</b> <b>RADIOLOCATION</b> <b>RADIONAVIGATION</b>	<b>IND 04</b>

**National Frequency Allocation Table**

kHz 1800 - 2194 NATIONAL ALLOCATIONS	
INDIA	REMARKS
1800 - 2000 <b>AMATEUR</b> <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> <b>RADIONAVIGATION</b> Radiolocation 5.97	<b>IND 05</b>
2000 - 2065 <b>FIXED</b> <b>MOBILE</b>	<b>IND 06</b>
2065 - 2107 <b>MARITIME MOBILE</b> 5.106	
2107 - 2170 <b>FIXED</b> <b>MOBILE</b>	
2170 - 2173.5 <b>MARITIME MOBILE</b>	
2173.5 - 2190.5 <b>MOBILE (distress and calling)</b> 5.108 5.109 5.110 5.111	
2190.5 - 2194 <b>MARITIME MOBILE</b>	



**National Frequency Allocation Table**

kHz 2194- 3230 NATIONAL ALLOCATIONS	
INDIA	REMARKS
2194 - 2300 <b>FIXED</b> <b>MOBILE</b>	
2300 - 2495 <b>FIXED</b> <b>MOBILE</b> <b>BROADCASTING 5.113</b>	
2495 - 2501 <b>STANDARD FREQUENCY AND TIME SIGNAL (2500 kHz)</b>	
2501 - 2502 <b>STANDARD FREQUENCY AND TIME SIGNAL</b> Space Research	
2502 - 2505 <b>STANDARD FREQUENCY AND TIME SIGNAL</b>	
2505 - 2850 <b>FIXED</b> <b>MOBILE</b>	
2850 - 3025 <b>AERONAUTICAL MOBILE (R)</b>  5.111 5.115	
3025 - 3155 <b>AERONAUTICAL MOBILE (OR)</b>	
3155 - 3200 <b>FIXED</b> <b>MOBILE except aeronautical mobile (R)</b>  5.116	
3200 - 3230 <b>FIXED</b> <b>MOBILE except aeronautical mobile (R)</b> <b>BROADCASTING 5.113</b> 5.116	<b>IND 07</b>

**National Frequency Allocation Table**

kHz 3230 - 5003 NATIONAL ALLOCATIONS	
INDIA	REMARKS
3230 - 3400 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> <b>BROADCASTING 5.113</b> 5.116	
3400 - 3500 <b>AERONAUTICAL MOBILE (R)</b>	
3500-3900 <b>FIXED</b> <b>MOBILE</b> <b>AMATEUR</b>	<b>IND 05, IND 08</b>
3900 - 3950 <b>AERONAUTICAL MOBILE</b> <b>BROADCASTING</b>	
3950 - 4000 <b>FIXED</b> <b>BROADCASTING</b> 5.126	
4000 - 4063 <b>FIXED</b> <b>MARITIME MOBILE 5.127</b> 5.126	
4063- 4438 <b>MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132</b> 5.128 5.129	
4438 - 4650 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b>	
4650 - 4700 <b>AERONAUTICAL MOBILE (R)</b>	
4700 - 4750 <b>AERONAUTICAL MOBILE (OR)</b>	
4750 - 4850 <b>FIXED</b> <b>BROADCASTING 5.113</b> Land Mobile	
4850 - 4995 <b>FIXED</b> <b>LAND MOBILE</b> <b>BROADCASTING 5.113</b>	
4995 - 5003 <b>STANDARD FREQUENCY AND TIME</b> <b>SIGNAL (5000 kHz)</b>	

**National Frequency Allocation Table**

kHz 5003 - 7450 NATIONAL ALLOCATIONS	
INDIA	REMARKS
5003-5005 <b>STANDARD FREQUENCY AND TIME SIGNAL</b> Space Research	
5005 - 5060 <b>FIXED</b> <b>BROADCASTING 5.113</b>	
5060 - 5250 <b>FIXED</b> <b>Mobile except aeronautical mobile</b>	<b>IND 07</b>
5250 - 5450 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b>	
5450 - 5480 <b>FIXED</b> <b>AERONAUTICAL MOBILE (OR)</b> <b>LAND MOBILE</b>	
5480 - 5680 <b>AERONAUTICAL MOBILE (R)</b> 5.111 5.115	
5680 - 5730 <b>AERONAUTICAL MOBILE (OR)</b> 5.111 5.115	
5730 - 5900 <b>FIXED</b> Mobile except Aeronautical mobile (R)	<b>IND 08</b>
5900 - 5950 <b>BROADCASTING 5.134</b>  5.136	
5950 - 6200 <b>BROADCASTING</b>	
6200 - 6525 <b>MARITIME MOBILE 5.109 5.110 5.130 5.132</b> 5.137	
6525 - 6685 <b>AERONAUTICAL MOBILE (R)</b>	
6685 - 6765 <b>AERONAUTICAL MOBILE (OR)</b>	
6765 - 7000 <b>FIXED</b> <b>MOBILE except aeronautical mobile (R)</b> 5.138 5.138A	
7000 - 7100 <b>AMATEUR</b> <b>AMATEUR - SATELLITE</b>	<b>IND 05</b>
7100-7200 <b>AMATEUR</b>	
7200 - 7300 <b>BROADCASTING</b>	
7300 - 7450 <b>BROADCASTING 5.134</b> 5.143 5.143A	

**National Frequency Allocation Table**

kHz 7450 - 13360 NATIONAL ALLOCATIONS	
INDIA	REMARKS
7450 - 8100 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile (R) 5.144	
8100 - 8195 <b>FIXED</b> <b>MARITIME MOBILE</b>	
8195 - 8815 <b>MARITIME MOBILE</b> 5.109 5.110 5.132 5.145 5.111	<b>IND 09</b>
8815 - 8965 <b>AERONAUTICAL MOBILE (R)</b>	
8965 - 9040 <b>AERONAUTICAL MOBILE (OR)</b>	
9040 - 9400 <b>FIXED</b>	
9400 - 9500 <b>BROADCASTING</b> 5.134 5.146	
9500 - 9900 <b>BROADCASTING</b> 5.147	
9900 - 9995 <b>FIXED</b>	
9995 - 10003 <b>STANDARD FREQUENCY AND TIME SIGNAL (10000 kHz)</b> 5.111	
10003 - 10005 <b>STANDARD FREQUENCY AND TIME SIGNAL</b> Space Research 5.111	
10005 - 10100 <b>AERONAUTICAL MOBILE (R)</b> 5.111	
10100 - 10150 <b>FIXED</b> Amateur	
10150 - 11175 <b>FIXED</b> Mobile except aeronautical mobile (R)	
11175 - 11275 <b>AERONAUTICAL MOBILE (OR)</b>	
11275 - 11400 <b>AERONAUTICAL MOBILE (R)</b>	
11400 - 11600 <b>FIXED</b>	
11600 - 11650 <b>BROADCASTING</b> 5.134 5.146	
11650 - 12050 <b>BROADCASTING</b> 5.147	
12050 - 12100 <b>BROADCASTING</b> 5.134 5.146	
12100 - 12230 <b>FIXED</b>	
12230 - 13200 <b>MARITIME MOBILE</b> 5.109 5.110 5.132 5.145	<b>IND 09</b>
13200 - 13260 <b>AERONAUTICAL MOBILE(OR)</b>	
13260 - 13360 <b>AERONAUTICAL MOBILE(R)</b>	

**National Frequency Allocation Table**

kHz 13360 - 18030 NATIONAL ALLOCATIONS	
INDIA	REMARKS
13360 - 13410 <b>FIXED</b> <b>RADIO ASTRONOMY</b> 5.149	
13410 - 13570 <b>FIXED</b> Mobile except aeronautical mobile ® 5.150	
13570 - 13600 <b>BROADCASTING 5.134</b> 5.151	
13600 - 13800 <b>BROADCASTING</b>	
13800 - 13870 <b>BROADCASTING 5.134</b> 5.151	<b>IND 07</b>
13870 - 14000 <b>FIXED</b> Mobile except aeronautical mobile (R)	
14000 - 14250 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b>	<b>IND 05</b>
14250 - 14350 <b>AMATEUR</b>	<b>IND 05</b>
14350 - 14990 <b>FIXED</b> Mobile except aeronautical mobile (R)	
14990 - 15005 <b>STANDARD FREQUENCY AND TIME SIGNAL (15 000 kHz)</b> 5.111	
15005 - 15010 <b>STANDARD FREQUENCY AND TIME SIGNAL</b> Space Research	
15010 - 15100 <b>AERONAUTICAL MOBILE (OR)</b>	
15100 - 15600 <b>BROADCASTING</b>	
15600 - 15800 <b>BROADCASTING 5.134</b> 5.146	
15800 - 16360 <b>FIXED</b> 5.153	
16360 - 17410 <b>MARITIME MOBILE 5.109 5.110 5.132 5.145</b>	
17410 - 17480 <b>FIXED</b>	
17480 - 17550 <b>BROADCASTING 5.134</b> 5.146	
17550 - 17900 <b>BROADCASTING</b>	
17900 - 17970 <b>AERONAUTICAL MOBILE (R)</b>	
17970 - 18030 <b>AERONAUTICAL MOBILE (OR)</b>	

**National Frequency Allocation Table**

kHz 18030 - 23350 NATIONAL ALLOCATIONS	
INDIA	REMARKS
18030 - 18052 <b>FIXED</b>	
18052 - 18068 <b>FIXED</b> Space Research	
18068 - 18168 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b>	<b>IND 05</b>
18168 - 18780 <b>FIXED</b> Mobile except aeronautical mobile	
18780 - 18900 <b>MARITIME MOBILE</b>	
18900 - 19020 <b>BROADCASTING 5.134</b> 5.146	
19020 - 19680 <b>FIXED</b>	
19680 - 19800 <b>MARITIME MOBILE 5.132</b>	
19800 - 19990 <b>FIXED</b>	
<b>19990-19995</b> <b>STANDARD FREQUENCY AND TIME SIGNAL</b> Space Research 5.111	
19995 - 20010 <b>STANDARD FREQUENCY AND TIME SIGNAL (20000 kHz)</b>  5.111	
20010 - 21000 <b>FIXED</b> Mobile	
21000 - 21450 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b>	<b>IND 05</b>
21450 - 21850 <b>BROADCASTING</b>	
21850 - 21870 <b>FIXED</b>	
21870 - 21924 <b>FIXED 5.155B</b>	
21924 - 22000 <b>AERONAUTICAL MOBILE (R)</b>	
22000 - 22855 <b>MARITIME MOBILE 5.132</b>	
22855 - 23000 <b>FIXED</b>	
23000 - 23200 <b>FIXED</b> Mobile except aeronautical mobile (R)	
23200 - 23350 <b>FIXED 5.156A</b> <b>AERONAUTICAL MOBILE (OR)</b>	

**National Frequency Allocation Table**

kHz 23350 - 27500 NATIONAL ALLOCATIONS	
INDIA	REMARKS
23350 - 24000 <b>FIXED</b> <b>MOBILE except aeronautical mobile 5.157</b>	
24000 - 24890 <b>FIXED</b> <b>LAND MOBILE</b>	
24890 - 24990 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b>	<b>IND 05</b>
24990 - 25005 <b>STANDARD FREQUENCY AND TIME</b> <b>SIGNAL (25000 kHz)</b>	
25005 - 25010 <b>STANDARD FREQUENCY AND TIME</b> <b>SIGNAL</b> Space Research	
25010 - 25070 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b>	
25070 - 25210 <b>MARITIME MOBILE</b>	
25210 - 25550 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b>	
25550 - 25670 <b>RADIO ASTRONOMY</b> 5.149	
25670 - 26100 <b>BROADCASTING</b>	
26100 - 26175 <b>MARITIME MOBILE 5.132</b>	
26175 - 27500 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> 5.150	<b>IND 04, IND 10</b>

**National Frequency Allocation Table**

MHz 27.5 - 47 NATIONAL ALLOCATIONS	
INDIA	REMARKS
27.5 - 28 <b>METEOROLOGICAL AIDS</b> <b>FIXED</b> <b>MOBILE</b>	
28 - 29.7 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b>	<b>IND 05</b>
29.7 - 30.005 <b>FIXED</b> <b>MOBILE</b>	
30.005 - 30.01 <b>SPACE OPERATION (satellite identification)</b> <b>FIXED</b> <b>MOBILE</b> <b>SPACE RESEARCH</b>	
30.01 - 37.5 <b>FIXED</b> <b>MOBILE</b>	<b>IND 11</b>
37.5 - 38.25 <b>FIXED</b> <b>MOBILE</b> Radio Astronomy 5.149	<b>IND 11</b>
38.25-39.986 <b>FIXED</b> <b>MOBILE</b>	
39.986-40.02 <b>FIXED</b> <b>MOBILE</b> Space Research	
40.02-40.98 <b>FIXED</b> <b>MOBILE</b> 5.150	
40.98-41.015 <b>FIXED</b> <b>MOBILE</b> Space Research	
41.015-44 <b>FIXED</b> <b>MOBILE</b>	<b>IND 04</b>
44-47 <b>FIXED</b> <b>MOBILE</b>	<b>IND 04</b>



**National Frequency Allocation Table**

MHz 47 - 75.2 NATIONAL ALLOCATIONS	
INDIA	REMARKS
47-50 <b>FIXED</b> <b>MOBILE</b> <b>BROADCASTING</b>	<b>IND 04</b>
50-54 <b>AMATEUR</b> 5.167	
54---68 <b>FIXED</b> <b>MOBILE</b> <b>BROADCASTING</b>	<b>IND 12</b>
68---74.8 <b>FIXED</b> <b>MOBILE</b> 5.149	<b>IND 07</b>
74.8 - 75.2 <b>AERONAUTICAL RADIONAVIGATION</b> 5.180	

**National Frequency Allocation Table**

MHz 75.2 – 137.175 NATIONAL ALLOCATIONS	
INDIA	REMARKS
75.2 - 75.4 <b>FIXED MOBILE</b>	
75.4 - 87 <b>FIXED MOBILE</b>	<b>IND 07</b>
87 - 100 <b>FIXED MOBILE BROADCASTING</b>	<b>IND 13, IND 14, IND15</b>
100 - 108 <b>BROADCASTING</b>	<b>IND15</b>
108 - 117.975 <b>AERONAUTICAL RADIONAVIGATION</b> 5.197A	
117.975 - 137 <b>AERONAUTICAL MOBILE (R)</b> 5.111 5.200	
137 - 137.025 <b>SPACE OPERATION (space-to-Earth)</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b> <b>MOBILE-SATELLITE (space-to-Earth) 5.208A 5.209</b> <b>SPACE RESEARCH (space-to-Earth)</b> Fixed Mobile except aeronautical mobile (R) 5.204 5.208	
137.025 - 137.175 <b>SPACE OPERATION (space to Earth)</b> <b>METEOROLOGICAL-SATELLITE(space-to-Earth)</b> <b>SPACE RESEARCH ( space to Earth)</b> Fixed Mobile satellite ( space-to-Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.204 5.208	

**National Frequency Allocation Table**

MHz 137.175 – 148 NATIONAL ALLOCATIONS	
INDIA	REMARKS
137.175 - 137.825 <b>SPACE OPERATION (space-to-Earth)</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b> <b>MOBILE-SATELLITE (space-to-Earth) 5.208 5.208A 5.208 B 5.209</b> <b>SPACE RESEARCH (space-to-Earth)</b> Fixed Mobile except aeronautical mobile (R) 5.204	
137.825 - 138 <b>SPACE OPERATION (space-to-Earth)</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b> <b>SPACE RESEARCH (space-to-Earth)</b> <b>FIXED 5.204</b> <b>MOBILE except aeronautical mobile (R) 5.204</b> Mobile-satellite (space-to-Earth) <b>5.208A 5.208 B 5.209</b> 5.208	
138 - 143.6 <b>FIXED</b> <b>MOBILE</b> Space Research (space-to-Earth)	
143.6 - 143.65 <b>FIXED</b> <b>MOBILE</b> <b>SPACE RESEARCH (space-to-Earth)</b>	
143.65 - 144 <b>FIXED</b> <b>MOBILE</b> Space Research (space-to-Earth)	<b>IND 14</b>
144 - 146 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b>	<b>IND 05</b>
146 - 148 <b>FIXED</b> <b>MOBILE</b>	<b>IND 17</b>

**National Frequency Allocation Table**

MHz 148 - 223 NATIONAL ALLOCATIONS	
INDIA	REMARKS
148 - 149.9 <b>FIXED</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (Earth to space) 5.209</b> 5.218 5.219 5.221	<b>IND 18</b>
149.9 - 150.05 <b>MOBILE-SATELLITE (Earth to Space) 5.209 5.224A</b> <b>RADIONAVIGATION-SATELLITE 5.224B</b> 5.220 5.222 5.223	
150.05 – 156.4875 <b>FIXED</b> <b>MOBILE</b> 5.225 5.226	<b>IND 04, IND 09, IND 16, IND 17, IND 20, IND 21</b>
156.4875-156.5625 <b>MARITIME MOBILE ( Distress and calling via DSC)</b> 5.111, 5.226	<b>IND 09, IND 16, IND 17, IND 20, IND 21</b>
156.5625– 156.7625 <b>FIXED</b> <b>MOBILE</b> 5.225, 5.526	<b>IND 04, IND 09, IND 16, IND 17, IND 20, IND 21</b>
156.7625 - 156.8375 <b>MARITIME MOBILE (distress and calling)</b> 5.111 5.226	<b>IND 04, IND 09, IND 16, IND 17, IND 20, IND 21</b>
156.8375 -174 <b>FIXED</b> <b>MOBILE</b> 5.226, 5.227A	<b>IND 09, IND 16, IND 17, IND 18, IND 20, IND 21</b>
174 - 223 <b>FIXED</b> <b>MOBILE</b> <b>BROADCASTING</b>	<b>IND22, IND23</b>

**National Frequency Allocation Table**

MHz 223 - 335.4 NATIONAL ALLOCATIONS	
INDIA	REMARKS
223 – 230 <b>FIXED</b> <b>MOBILE</b> <b>BROADCASTING</b> <b>AERONAUTICAL RADIONAVIGATION</b> Radiolocation	<b>IND 22, IND23</b>
230 – 235 <b>FIXED</b> <b>MOBILE</b> <b>AERONAUTICAL RADIONAVIGATION</b>	<b>IND24</b>
235 – 267 <b>FIXED</b> <b>MOBILE</b> 5.111 5.199 5.254 5.256	
267 - 272 <b>FIXED</b> <b>MOBILE</b> Space Operation (space-to-Earth) 5.254 5.257	
272 – 273 <b>SPACE OPERATION (space-to-Earth)</b> <b>FIXED</b> <b>MOBILE</b> 5.254	
273 – 312 <b>FIXED</b> <b>MOBILE</b> 5.254	<b>IND 25</b>
312 – 315 <b>FIXED</b> <b>MOBILE</b> Mobile-Satellite (Earth to Space) 5.254 5.255	
315 – 322 <b>FIXED</b> <b>MOBILE</b> 5.254	
322 - 328.6 <b>FIXED</b> <b>MOBILE</b> <b>RADIO ASTRONOMY</b> 5.149	
328.6 - 335.4 <b>AERONAUTICAL RADIONAVIGATION</b> 5.258	

**National Frequency Allocation Table**

MHz 335.4 - 410 NATIONAL ALLOCATIONS	
INDIA	REMARKS
335.4 - 387 <b>FIXED</b> <b>MOBILE</b> 5.254	<b>IND 27, IND 26, IND28, IND29, IND30</b>
387 – 390 <b>FIXED</b> <b>MOBILE</b> Mobile-satellite (space-to-Earth) 5.208A, 5.208B 5.254 5.255	<b>IND 29</b>
390 - 399.9 <b>FIXED</b> <b>MOBILE</b> <b>Mobile Satellite ( space-to-earth)</b> 5.254	<b>IND29</b>
399.9 - 400.05 <b>MOBILE SATELLITE (Earth-to-space) 5.209 5.224A</b> <b>RADIONAVIGATION-SATELLITE 5.222 5.224B 5.260</b> 5.220	
400.05 - 400.15 <b>STANDARD FREQUENCY AND TIME</b> <b>SIGNAL-SATELLITE (400.1 MHz)</b> 5.261	
400.15 - 401 <b>METEOROLOGICAL AIDS</b> <b>METEOROLOGICAL-SATELLITE 5.208A, 5.208B, 5.209</b> <b>(space-to-Earth)</b> <b>MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209</b> <b>SPACE RESEARCH (space-to-Earth) 5.263</b> Space Operation (space-to-Earth) 5.264	
401 – 402 <b>METEOROLOGICAL AIDS</b> <b>METEOROLOGICAL-SATELLITE (Earth-to-space)</b> <b>SPACE OPERATIONS (space-to-Earth)</b> <b>EARTH EXPLORATION-SATELLITE (Earth-to-space)</b>  Fixed Mobile except aeronautical mobile	
402 - 403 <b>METEOROLOGICAL AIDS</b> <b>EARTH EXPLORATION-SATELLITE (Earth-to-space)</b> <b>METEOROLOGICAL -SATELLITE (Earth-to-space)</b> Fixed Mobile except aeronautical mobile	<b>IND31</b>
403 - 406 <b>METEOROLOGICAL AIDS</b> Fixed Mobile except aeronautical mobile	<b>IND31</b>
406 - 406.1 <b>MOBILE-SATELLITE (Earth-to-space)</b> 5.266 5.267	
406.1 - 410 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> <b>RADIO ASTRONOMY</b> 5.149	<b>IND32</b>

**National Frequency Allocation Table**

MHz 410 - 460 NATIONAL ALLOCATIONS	
INDIA	REMARKS
410 - 420 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile <b>SPACE RESEARCH</b> (space-to-space) 5.268	<b>IND 29, IND32</b>
420 - 430 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile Radiolocation 5.269 5.271	<b>IND 29, IND32</b>
430-432 <b>RADIOLOCATION</b> Amateur 5.271 5.276	<b>IND 05, IND 07, IND 32</b>
432-438 <b>RADIOLOCATION</b> Amateur Earth Exploration-Satellite ( active) 5.271 5.276	<b>IND 05, IND 07, IND 32</b>
438-440 <b>RADIOLOCATION</b> Amateur 5.271 5.276	<b>IND 05, IND 07, IND 32</b>
440 – 450 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile Radiolocation 5.269 5. 271 5.286	<b>IND 32, IND 33</b>
450 – 455 <b>FIXED</b> <b>MOBILE 5.286AA</b> 5.209 5.271 5.286 5.286A	<b>IND 34</b>
455- 456 <b>FIXED</b> <b>MOBILE 5.286AA</b> 5.209 5.271 5.286 5.286A	<b>IND 34</b>
456-459 <b>FIXED</b> <b>MOBILE 5.286AA</b> 5.271, 5.287	<b>IND 34</b>
459 – 460 <b>FIXED</b> <b>MOBILE 5.286AA</b> 5.209 5.271 5.286A	<b>IND 30, IND 34, IND73</b>

**National Frequency Allocation Table**

MHz 460 – 890 NATIONAL ALLOCATIONS	
INDIA	REMARKS
460-470 FIXED MOBILE 5.286AA Meteorological Satellite (Space to Earth) 5.287 5.289	IND 07, IND 33, IND 34, IND 35 IND 73
470 – 585 FIXED MOBILE BROADCASTING 5.298	IND 36
585-610 FIXED MOBILE BROADCASTING RADIO NAVIGATION 5.149 5.307	IND37
610-890 FIXED MOBILE 5.313A 5.317A BROADCASTING 5.149 5.307 5.311A 5.320	IND37, IND 38, IND 39, IND 40, IND41, IND42, IND43, IND44, IND45, IND73



**National Frequency Allocation Table**

MHz 890 – 1300 NATIONAL ALLOCATIONS	
INDIA	REMARKS
890--942 <b>FIXED 5.317A</b> <b>MOBILE</b> <b>BROADCASTING</b> Radiolocation	<b>IND 25, IND 44, IND 46, IND47, IND 48, IND49, IND50</b>
942--960 <b>FIXED</b> <b>MOBILE 5.317A</b> <b>BROADCASTING</b> 5.320	<b>IND 46, IND47, IND48, IND49</b>
960 – 1164 <b>AERONAUTICAL RADIONAVIGATION 5.328</b> <b>AERONAUTICAL MOBILE ( R) 5.327A</b>	
1164-1215 <b>AERONAUTICAL RADIONAVIGATION 5.328</b> <b>RADIONAVIGATION SATELLITE (space-to- Earth) (space-to-space) 5.328B</b> 5.328A	
1215 – 1240 <b>EARTH EXPLORATION SATELLITE (active)</b> <b>RADIOLOCATION</b> <b>RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)</b> <b>SPACE RESEARCH (active)</b> 5.328B 5.329 5.329A 5.330 5.331 5.332	
1240 – 1300 <b>EARTH EXPLORATION SATELLITE (active)</b> <b>RADIOLOCATION</b> <b>RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)</b> <b>5.328B 5.329 5.329A</b> <b>SPACE RESEARCH (active)</b> Amateur 5.282 5.330 5.331 5.332 5.335A	<b>IND 05</b>

**National Frequency Allocation Table**

MHz 1300 - 1525 NATIONAL ALLOCATIONS	
INDIA	REMARKS
1300 – 1350 <b>AERONAUTICAL RADIONAVIGATION 5.337</b> <b>RADIOLOCATION</b> <b>RADIONAVIGATION SATELLITE (Earth-to-space)</b> 5.149 5.337A	
1350 - 1400 <b>RADIOLOCATION 5.338A</b>  5.149 5.339	
1400 - 1427 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b>  5.340 5.341	
1427 - 1429 <b>SPACE OPERATION (Earth to space)</b> <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile 5.338A 5.341	
1429 – 1452 <b>FIXED</b> <b>MOBILE</b>  5.338A 5.341	
1452 – 1492 <b>FIXED</b> <b>MOBILE</b> <b>BROADCASTING 5.345</b> <b>BROADCASTING SATELLITE 5.208 B 5.345</b> 5.341	
1492 – 1518 <b>FIXED</b> <b>MOBILE</b> <b>5.341</b>	
1518-1525 <b>FIXED</b> <b>MOBILE</b> <b>MOBILE SATELLITE (space-to-Earth) 5.348 5.348A 5.351A</b> 5.341	

**National Frequency Allocation Table**

MHz 1525 – 1610 NATIONAL ALLOCATIONS	
INDIA	REMARKS
1525 – 1530 <b>SPACE OPERATION (space-to-Earth)</b> <b>FIXED</b> <b>MOBILE-SATELLITE (space-to-Earth) 5.351A</b> Earth Exploration-Satellite Mobile  5.341 5.351 5.352A 5.354	
1530 – 1535 <b>SPACE OPERATION (space-to-Earth)</b> <b>MOBILE –SATELLITE (space-to-Earth) 5.353A 5.351A</b> Earth Exploration-Satellite Fixed Mobile  5.341, 5.351, 5. 354	
1535 – 1559 <b>MOBILE-SATELLITE (space-to-Earth) 5.351A</b>  5.341, 5.351, 5.353A , 5.354, 5.356, 5.357, 5.357A	
1559 – 1610 <b>AERONAUTICAL RADIONAVIGATION</b> <b>RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)</b> <b>5.208B 5.328B 5.329A</b>  5.341	

**National Frequency Allocation Table**

MHz 1610 - 1660 NATIONAL ALLOCATIONS	
INDIA	REMARKS
1610 - 1610.6 <b>MOBILE-SATELLITE (Earth-to-space) 5.351A</b> <b>AERONAUTICAL RADIONAVIGATION</b> Radiodetermination- satellite (Earth-to-space) <b>5.369</b>  5.341 5.364 5.366 5.367 5.368 5.372	
1610.6 - 1613.8 <b>MOBILE-SATELLITE (Earth-to-space) 5.351A</b> <b>RADIO ASTRONOMY</b> <b>AERONAUTICAL RADIONAVIGATION</b> Radiodetermination-satellite ( Earth-to-space) <b>5.369</b>  5.149 5.341 5.364 5.366 5.367 5.368 5.372	
1613.8 - 1626.5 <b>MOBILE-SATELLITE (Earth-to-space) 5.351A</b> <b>AERONAUTICAL RADIONAVIGATION</b> Mobile-satellite (space-to-Earth) 5.347A Radiodetermination satellite (Earth-to-space) 5.369  5.341 5.364 5.365 5.366 5.368 5.372	
1626.5 – 1660 <b>MOBILE-SATELLITE (Earth-to-space) 5.351A</b>  5.341 5.351 5.353A 5.354 5.374 5.375 5.376	

**National Frequency Allocation Table**

MHz 1660 - 1710 NATIONAL ALLOCATIONS	
INDIA	REMARKS
1660 - 1660.5 <b>MOBILE-SATELLITE (Earth-to-space) 5.351A</b> <b>RADIO ASTRONOMY</b>  5.149 5.341 5.351 5.354 5.376A	
1660.5 - 1668 <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> Fixed Mobile except aeronautical mobile  5.149 5.341 5.379 5.379A	
1668-1668.4 <b>MOBILE-SATELLITE ( EARTH-TO-SPACE) 5.351A, 5.379B, 5.379C</b> <b>RADIOASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	
1668.4 - 1670 <b>METEOROLOGICAL AIDS</b> <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> <b>MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C</b> <b>RADIO ASTRONOMY</b> 5.149 5.341 5.379D	
1670 – 1675 <b>METEOROLOGICAL AIDS</b> <b>FIXED</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B</b> 5.341 5.379D 5.380A	
1675 – 1690 <b>METEOROLOGICAL AIDS</b> <b>FIXED</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b> <b>MOBILE except aeronautical mobile</b>  5.341	
1690 – 1700 <b>METEOROLOGICAL AIDS</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b>  5.289 5.341 5.381	
1700 – 1710 <b>FIXED</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b> <b>MOBILE except aeronautical mobile</b>  5.289 5.341 5.384	<b>IND51, IND52</b>

**National Frequency Allocation Table**

MHz 1710 – 2170 NATIONAL ALLOCATION	
INDIA	REMARKS
1710 – 1930 <b>FIXED</b> <b>MOBILE</b> 5.384A 5.388A  5.149 5.341 5.385 5.386 5.388 5.388B	<b>IND 51, IND 52, IND 53, IND 54,IND55</b>
1930-1980 <b>FIXED</b> <b>MOBILE</b> 5.388A  5.388,	<b>IND 51, IND53,IND54,IND55</b>
1980 – 2010 <b>FIXED</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (Earth-to-space) 5.351A</b> 5.388 5.389A	<b>IND 51, IND55</b>
2010 – 2025 <b>FIXED</b> <b>MOBILE</b> 5.388A 5.388	<b>IND 55</b>
2025—2110 <b>SPACE OPERATION (Earth-to-space) (space-to-space)</b> <b>EARTH EXPLORATION SATELLITE</b> (Earth-to-space) (space-to-space) <b>FIXED</b> <b>MOBILE</b> 5.391 <b>SPACE RESEARCH (Earth-to-space) (space-to-space)</b> 5.392	
2110 – 2120 <b>FIXED</b> <b>MOBILE</b> 5.388A 5.388B <b>SPACE RESEARCH (deep space) (Earth-to-space)</b>  5.388	<b>IND55, IND56</b>
2120 – 2160 <b>FIXED</b> <b>MOBILE</b> 5.388A  5.388 5.388B	<b>IND 55</b>
2160-2170 <b>FIXED</b> <b>MOBILE</b>  5.388 5.388B	

**National Frequency Allocation Table**

MHz 2170 - 2520 NATIONAL ALLOCATION	
INDIA	REMARKS
2170 - 2200 <b>FIXED</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (space-to-Earth) 5.351A</b> 5.388 5.389A	<b>IND 55</b>
2200 – 2290 <b>SPACE OPERATION (space-to-Earth) (space-to-space)</b> <b>EARTH-EXPLORATION SATELLITE (space-to-Earth) (space-to-space)</b> <b>FIXED</b> <b>MOBILE 5.391</b> <b>SPACE RESEARCH (space-to-Earth) (space-to-space)</b> 5.392	
2290—2300 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile <b>SPACE RESEARCH (deep space) (space-to-Earth)</b>	<b>IND56</b>
2300 – 2450 <b>FIXED</b> <b>MOBILE 5.384A</b> <b>RADIOLOCATION</b> Amateur 5.150 5.282 5.393 5.396	<b>IND 58</b>
2450 – 2483.5 <b>FIXED</b> <b>MOBILE</b> <b>RADIOLOCATION</b> 5.150	<b>IND 58</b>
2483.5 – 2500 <b>FIXED</b> <b>MOBILE</b> <b>MOBILE SATELLITE (space-to-Earth) 5.351A</b> <b>RADIOLOCATION</b> Radiodetermination satellite (space-to-Earth) 5.398, 5.400 5.150 5.402	
2500 – 2520 <b>FIXED 5.409 5.411</b> <b>FIXED-SATELLITE (space-to-Earth) 5.415</b> <b>MOBILE</b> except aeronautical mobile <b>5.384A</b> <b>MOBILE-SATELLITE (space-to-Earth) 5.414A</b>  5. 351 A 5.404 5.407 5.414 5.415A	

**National Frequency Allocation Table**

MHz 2520 - 2700 NATIONAL ALLOCATION	
INDIA	REMARKS
2520 - 2535 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.415</b> <b>MOBILE except Aeronautical Mobile 5.384A</b> <b>BROADCASTING-SATELLITE 5.413 5.416</b> 5.403 5.414A 5.415A	
2535 - 2655 <b>FIXED</b> <b>MOBILE except aeronautical mobile 5.384A</b> <b>BROADCASTING-SATELLITE 5.418</b> 5.339 5.413 5.416 5.418A 5.418B 5.418C	<b>IND 59</b>
2655 - 2670 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.415</b> <b>MOBILE except aeronautical mobile 5.384A</b> <b>BROADCASTING-SATELLITE 5.413 5.416</b> Earth Exploration-Satellite (passive) Radio Astronomy Space Research (passive) 5.149 5.208B 5.420	
2670 - 2690 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.415</b> <b>MOBILE except aeronautical mobile 5.384A</b> <b>MOBILE-SATELLITE (Earth-to-space) 5.351A, 5.419</b> Earth Exploration-Satellite (passive) Radio Astronomy Space Research (passive) 5.149	
2690 - 2700 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> 5.340	



**National Frequency Allocation Table**

MHz 2700 - 4800 NATIONAL ALLOCATION	
INDIA	REMARKS
2700 - 2900 <b>AERONAUTICAL RADIONAVIGATION 5.337</b> Radiolocation 5.423	<b>IND 60</b>
2900 – 3100 <b>RADIOLOCATION 5.424A</b> <b>RADIONAVIGATION 5.426</b>  5.425 5.427	
3100 - 3300 <b>RADIOLOCATION</b> Earth Exploration Satellite(active) Space Research(active) 5.149	
3300 - 3400 <b>RADIOLOCATION</b> Amateur 5.149 5.429	<b>IND61</b>
<b>3400 - 3500</b> <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> Amateur <b>Mobile 5.432B</b> Radiolocation 5.433 5.282	<b>IND62</b>
3500 - 3600 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> except aeronautical mobile 5.433A Radiolocation 5.433	<b>IND62</b>
3600 - 3700 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> except aeronautical mobile Radiolocation 5.435	
3700 - 4200 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> except aeronautical mobile	
4200 - 4400 <b>AERONAUTICAL RADIONAVIGATION 5.438</b> 5.440	
4400 - 4500 <b>FIXED</b> <b>MOBILE</b>	
4500 - 4800 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.441</b> <b>MOBILE</b>	

National Frequency Allocation Table

MHz 4800 - 5570 NATIONAL ALLOCATION	
INDIA	REMARKS
4800 - 4990 <b>FIXED</b> <b>MOBILE 5.442</b> Radio Astronomy 5.149 5.339	<b>IND73</b>
4990 - 5000 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile <b>RADIO ASTRONOMY</b> Space Research (passive) 5.149	
5000-5010 <b>AERONAUTICAL RADIONAVIGATION</b> <b>RADIONAVIGATION SATELLITE (space-to-Earth) (space-to-space)</b>  5.367	
5010-5030 <b>AERONAUTICAL RADIONAVIGATION</b> <b>RADIONAVIGATION SATELLITE (space-to-Earth) (space-to-space)</b> 5.328B 5.443B 5.367	
5030-5091 <b>AERONAUTICAL RADIONAVIGATION</b> 5.367 5.444	
5091-5150 <b>AERONAUTICAL RADIONAVIGATION</b> <b>AERONAUTICAL MOBILE 5.444B</b> 5.367 5.444 5.444A	
5150 - 5250 <b>AERONAUTICAL RADIONAVIGATION</b> <b>FIXED SATELLITE SERVICE (Earth to space) 5.447A</b> <b>MOBILE</b> except aeronautical mobile 5.446A 5.447B 5.446 5.447C	<b>IND63</b>
5250 - 5255 <b>EARTH EXPLORATION SATELLITE (active)</b> <b>RADIOLOCATION</b> <b>SPACE RESEARCH 5.447D</b> <b>MOBILE</b> except aeronautical mobile 5.446A 5.446F 5.447E 5.448A	<b>IND63</b>
5255 - 5350 <b>EARTH EXPLORATION SATELLITE (active)</b> <b>RADIOLOCATION</b> <b>SPACE RESEARCH (active)</b> <b>MOBILE</b> except aeronautical mobile 5.446A 5.447F 5.447E 5.448A	<b>IND63</b>
5350 - 5460 <b>EARTH EXPLORATION SATELLITE (active) 5.448B</b> <b>SPACE RESEARCH (active) 5.448C</b> <b>AERONAUTICAL RADIONAVIGATION 5.449</b> <b>RADIOLOCATION 5.448D</b>	
5460 - 5470 <b>RADIONAVIGATION 5.449</b> <b>EARTH EXPLORATION SATELLITE (active)</b> <b>SPACE RESEARCH (active)</b> <b>RADIOLOCATION 5.448D</b> 5.448B	
5470 - 5570 <b>MARITIME RADIONAVIGATION</b> <b>MOBILE</b> except aeronautical mobile 5.446A 5.450A <b>EARTH EXPLORATION SATELLITE (active)</b> <b>SPACE RESEARCH (active)</b> <b>RADIOLOCATION 5.450B</b> 5.448B	<b>IND64</b>

National Frequency Allocation Table

MHz 5570 - 7250 NATIONAL ALLOCATION	
INDIA	REMARKS
5570-5650 <b>MARITIME RADIONAVIGATION</b> <b>MOBILE except aeronautical mobile 5.446A 5.450A</b> <b>RADIOLOCATION 5.450B</b> 5. 452	<b>IND64</b>
5650- 5725 <b>RADIOLOCATION</b> <b>MOBILE except aeronautical mobile 5.446A 5.450A</b> Amateur Space research (deep space) 5.282 5.453	<b>IND64</b>
5725- 5830 <b>RADIOLOCATION</b> Amateur 5.150 5. 453	<b>IND64, IND65 , IND66</b>
5830-5850 <b>RADIOLOCATION</b> Amateur <b>Amateur satellite (space-to-Earth)</b> 5.150 5.453	<b>IND64, IND 65, IND66</b>
5850- 5925 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>MOBILE</b> <b>Radiolocation</b> 5.150	<b>IND65, IND 66, IND73</b>
5925-6700 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.457A</b> <b>MOBILE</b> 5.149 5.440 5. 458	
6700-7075 <b>FIXED</b> <b>FIXED SATELLITE ( Earth-to-space) (space -to- Earth) 5.441</b> <b>MOBILE</b> 5.458 5.458A 5.458B 5.458C	
7075-7145 <b>FIXED</b> <b>MOBILE</b> <b>5.458</b>	
7145-7235 <b>FIXED</b> <b>MOBILE</b> <b>SPACE RESEARCH (Earth-to-space) 5.460</b> <b>5.458</b>	
7235-7250 <b>FIXED</b> <b>MOBILE</b> <b>5.458</b>	

**National Frequency Allocation Table**

MHz 7250 – 8500 NATIONAL ALLOCATION	
INDIA	REMARKS
7250-7300 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> <b>5.461</b>	
7300 - 7450 <b>FIXED</b> <b>FIXED-SATELLITE (Space-To-Earth)</b> <b>MOBILE</b> except aeronautical mobile 5.461	
7450 - 7550 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>METEOROLOGICAL-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> except aeronautical mobile 5.461A	
7550 - 7750 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> except aeronautical mobile	
7750 - 7850 <b>FIXED</b> <b>METEOROLOGICAL SATELLITE(space to Earth) 5.461B</b> <b>MOBILE</b> except aeronautical mobile	
7850--7900 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile	
7900 - 8025 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>MOBILE</b> 5.461	
8025 - 8175 <b>EARTH EXPLORATION-SATELLITE (space-to-Earth)</b> <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>MOBILE 5.463</b> 5.462A	
8175 - 8215 <b>EARTH EXPLORATION SATELLITE (space-to-Earth)</b> <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>METEOROLOGICAL-SATELLITE (Earth-to-space)</b> <b>MOBILE 5.463</b> 5.462A	
8215 - 8400 <b>EARTH EXPLORATION SATELLITE (space-to-Earth)</b> <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>MOBILE 5.463</b> 5.462A	
8400 - 8500 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile <b>SPACE RESEARCH (space-to-Earth) 5.465</b>	

**National Frequency Allocation Table**

MHz 8750 - 10000 NATIONAL ALLOCATION	
INDIA	REMARKS
8500 - 8550 <b>RADIOLOCATION</b>	
<b>8550--8650</b> EARTH EXPLORATION SATELLITE (active) RADIO LOCATION SPACE RESEARCH (active) 5.469A	
8650 - 8750 <b>RADIOLOCATION</b>	
8750 - 8850 <b>RADIOLOCATION</b> AERONAUTICAL RADIONAVIGATION 5.470	
8850 - 9000 <b>RADIOLOCATION</b> MARITIME RADIONAVIGATION 5.472	
9000 - 9200 AERONAUTICAL RADIONAVIGATION 5.337 <b>RADIOLOCATION</b> 5.473A	
9200 - 9300 <b>RADIOLOCATION</b> MARITIME RADIONAVIGATION 5.472 5.474	
9300 - 9500 RADIONAVIGATION EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) <b>RADIOLOCATION</b> 5.427 5.474 5.475 5.475B 5.476A	
9500 - 9800 EARTH EXPLORATION SATELLITE (active) <b>RADIOLOCATION</b> RADIONAVIGATION SPACE RESEARCH (active) 5.476A	
9800 - 9900 <b>RADIOLOCATION</b> Earth exploration-satellite (active) Space Research ( active) Fixed 5.477 5.478A 5.478B	
9900 - 10000 <b>RADIOLOCATION</b> Fixed 5.479	

**National Frequency Allocation Table**

GHz 10 - 11.7 NATIONAL ALLOCATION	
INDIA	REMARKS
10 - 10.45 <b>FIXED</b> <b>MOBILE</b> <b>RADIOLOCATION</b> Amateur 5.479	<b>IND 67</b>
10.45 - 10.5 <b>RADIOLOCATION</b> Amateur Amateur-Satellite	<b>IND 67</b>
10.5 - 10.55 <b>FIXED</b> <b>MOBILE</b> <b>RADIOLOCATION</b>	<b>IND 67</b>
10.55 - 10.6 <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile Radiolocation	<b>IND 67</b>
10.6 - 10.68 <b>EARTH EXPLORATION-SATELLITE</b> (passive) <b>FIXED</b> <b>MOBILE</b> except aeronautical mobile <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH</b> (passive) Radiolocation 5.149 5.482 5.482A	<b>IND 67</b>
10.68 - 10.7 <b>EARTH EXPLORATION-SATELLITE</b> (passive) <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH</b> (passive) 5.340	
10.7 - 11.7 <b>FIXED</b> <b>FIXED-SATELLITE</b> (space-to-Earth) 5.441 5.484A <b>MOBILE</b> except aeronautical mobile	<b>IND 68</b>

**National Frequency Allocation Table**

GHz 11.7 - 14.00 NATIONAL ALLOCATION	
INDIA	REMARKS
11.7 - 12.2 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> <b>BROADCASTING</b> <b>BROADCASTING-SATELLITE</b> 5.487 5.492	
12.2 - 12.5 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE except aeronautical mobile</b> <b>BROADCASTING</b> 5.484A 5.487	
12.5 - 12.75 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.484A</b> <b>MOBILE except aeronautical mobile</b> <b>BROADCASTING-SATELLITE 5.493</b>	
12.75 - 13.25 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.441</b> <b>MOBILE</b> Space Research (Deep Space) (Space To Earth)	
13.25 - 13.4 <b>EARTH EXPLORATION SATELLITE (active)</b> <b>AERONAUTICAL RADIONAVIGATION 5.497</b> <b>SPACE RESEARCH (active)</b> 5.498A 5.499	
13.4 - 13.75 <b>EARTH EXPLORATION SATELLITE (active)</b> <b>RADIOLOCATION</b> <b>SPACE RESEARCH 5.501A</b> Standard Frequency and Time Signal-Satellite (Earth-to-space) 5.501B	
13.75 - 14 <b>FIXED-SATELLITE (Earth-to-space) 5.484A</b> <b>RADIOLOCATION</b> <b>Earth exploration- satellite</b> Standard Frequency and Time Signal-Satellite (Earth-to-space) Space Research 5.499 5.502 5.503	

**National Frequency Allocation Table**

GHz 14.00- 15.4 NATIONAL ALLOCATION	
INDIA	REMARKS
14 - 14.25 <b>FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506</b> <b>RADIONAVIGATION 5.504</b> Mobile satellite (Earth-to-space) 5.504C 5.506A Space Research 5.504A 5.505	
14.25 - 14.3 <b>FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506</b> <b>RADIONAVIGATION 5.504</b> Mobile-Satellite (Earth-to-space) 5.506A 5.508A Space Research 5.504A 5.505	
14.3 - 14.4 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506</b> <b>MOBILE except aeronautical mobile</b> Mobile satellite (Earth-to-space) 5.506A 5.509A Radionavigation-Satellite 5.504A	
14.4 - 14.47 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506</b> <b>MOBILE except aeronautical mobile</b> Mobile-satellite (Earth to space) .506A 5.509A Space Research (space-to-Earth) 5.504A	
14.47 - 14.5 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506</b> <b>MOBILE except aeronautical mobile</b> Mobile-satellite (Earth to space) 506A 5.509A Radio Astronomy 5.149 5.504A	
14.5 - 14.8 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.510</b> <b>MOBILE</b> Space Research	
14.8 - 15.35 <b>FIXED</b> <b>MOBILE</b> Space Research 5.339	
15.35 - 15.4 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> 5.340	



**National Frequency Allocation Table**

GHz 15.4 - 18.4 NATIONAL ALLOCATION	
INDIA	REMARKS
15.4-15.43 <b>AERONAUTICAL RADIONAVIGATION</b> 5.511D	
15.43- 15.63 <b>FIXED SATELLITE (Earth-To-Space) 5.511A</b> <b>AERONAUTICAL RADIONAVIGATION</b> 5.511C	
15.63 - 15.7 <b>AERONAUTICAL RADIONAVIGATION</b> 5.511D	
15.7 - 16.6 <b>RADIOLOCATION</b> 5.512	
16.6 - 17.1  <b>RADIOLOCATION</b> Space Research (deep space) (Earth-to-space) 5.512	
17.1 - 17.2  <b>RADIOLOCATION</b> 5. 512	
17.2 - 17.3 <b>EARTH EXPLORATION-SATELLITE (active)</b> <b>RADIOLOCATION</b> <b>SPACE RESEARCH (active)</b>  5. 512 5.513A	
17.3 - 17.7 <b>FIXED-SATELLITE (Earth-to-space) 5.516</b> Radiolocation 5.514	
17.7 - 18.1 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.484A (Earth-to-space) 5.516</b> <b>MOBILE</b>	
18.1 - 18.4 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B (Earth-to-space) 5.520</b> <b>MOBILE</b> 5.519	

National Frequency Allocation Table

GHz 18.4 - 22.0 NATIONAL ALLOCATION	
INDIA	REMARKS
18.4 - 18.6 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B</b> <b>MOBILE</b>	
18.6 - 18.8 <b>EARTH EXPLORATION SATELLITE ( passive)</b> <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.522B</b> <b>MOBILE except aeronautical mobile</b> Space Research (passive) 5.522A	<b>IND 69</b>
18.8 - 19.3 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.516B 5.523A</b> <b>MOBILE</b>	
19.3 - 19.7 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.523B 5.523C</b> <b>5.523D 5.523E</b> <b>MOBILE</b>	
19.7 - 20.1 <b>FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B</b> Mobile-satellite (space-to-Earth) 5.524	<b>IND 70</b>
20.1 – 20.2 <b>FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B</b> <b>MOBILE-SATELLITE (space-to-Earth)</b> 5.524 5.525 5.526 5.527 5.528	<b>IND 70</b>
20.2 – 21.2 <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE-SATELLITE (space-to-Earth)</b> Standard Frequency and Time Signal-Satellite (space-to-Earth) 5.524	<b>IND 70</b>
21.2 – 21.4 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>FIXED</b> <b>MOBILE</b> <b>SPACE RESEARCH (passive)</b>	
21.4 - 22 <b>FIXED</b> <b>MOBILE</b> <b>BROADCASTING-SATELLITE 5.347A 5.530</b>	

**National Frequency Allocation Table**

GHz 22.0 - 24.75 NATIONAL ALLOCATION	
INDIA	REMARKS
22 - 22.21 <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> 5.149	
22.21 - 22.5 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>FIXED</b> <b>MOBILE except aeronautical mobile</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> 5.149 5.532	
22.5 - 22.55 <b>FIXED</b> <b>MOBILE</b>	
22.55 - 23.55 <b>FIXED</b> <b>INTER-SATELLITE 5.338A</b> <b>MOBILE</b> 5.149	
23.55 - 23.6 <b>FIXED</b> <b>MOBILE</b>	
23.6 - 24 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> 5.340	
24 - 24.05 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b> 5.150	
24.05 - 24.25 <b>RADIOLOCATION</b> Amateur Earth exploration-satellite (active) 5.150	
24.25 - 24.45 <b>RADIONAVIGATION</b> <b>FIXED</b> <b>MOBILE</b>	
24.45 - 24.65 <b>FIXED</b> <b>INTER-SATELLITE</b> <b>MOBILE</b> <b>RADIONAVIGATION</b> 5.533	<b>IND71</b>
24.65 - 24.75 <b>FIXED</b> <b>INTER-SATELLITE</b> <b>MOBILE</b> 5.533	<b>IND71</b>

**National Frequency Allocation Table**

GHz 24.75 - 29.9 NATIONAL ALLOCATION	
INDIA	REMARKS
24.75 - 25.25 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.535</b> <b>MOBILE</b>	<b>IND71</b>
25.25 - 25.5 <b>FIXED</b> <b>INTER-SATELLITE 5.536</b> <b>MOBILE</b> Standard Frequency and Time Signal-Satellite (Earth-to-space)	<b>IND71</b>
25.5 - 27 <b>EARTH EXPLORATION-SATELLITE (space-to-Earth) 5.536B</b> <b>FIXED</b> <b>INTER-SATELLITE 5.536</b> <b>MOBILE</b> <b>SPACE RESEARCH (space-to-Earth)</b> Standard Frequency and Time Signal-Satellite (Earth-to-space) <b>5. 536A</b>	<b>IND71</b>
27 - 27.5 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>INTER-SATELLITE 5.536 5.537</b> <b>MOBILE</b>	
27.5 - 28.5 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539</b> <b>MOBILE</b>  5.538 5.540	<b>IND 71</b>
28.5 - 29.1 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.523A 5.539</b> <b>MOBILE</b> Earth exploration-satellite (Earth-to-space) 5.541  5.540	<b>IND71</b>
29.1 - 29.5 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.516B 5.523C 5.523E 5.535A</b> <b>5.539 5.541A</b> <b>MOBILE</b> Earth Exploration-Satellite (Earth-to-space) 5.541 5.540	<b>IND71</b>
29.5 - 29.9 <b>FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539</b> Earth Exploration-Satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542	<b>IND 70</b>

**National Frequency Allocation Table**

GHz 29.9 - 34.2 NATIONAL ALLOCATION	
INDIA	REMARKS
29.9 - 30 <b>FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539</b> <b>MOBILE-SATELLITE (Earth-to-Space)</b> Earth exploration-satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540 5.542	<b>IND 70</b>
30 - 31 <b>FIXED-SATELLITE (Earth-to-space) 5.338A</b> <b>MOBILE-SATELLITE (Earth-to-Space)</b> Standard Frequency and Time Signal-Satellite (space-to-Earth) 5.542	<b>IND 70</b>
31 - 31.3 <b>FIXED 5.338A 5.543A</b> <b>MOBILE</b> Standard Frequency and Time Signal-Satellite (space-to-Earth) Space Research 5.544 5.149	
31.3 - 31.5 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> 5.340	
31.5 - 31.8 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> Fixed Mobile except aeronautical mobile 5.149	
31.8 - 32 <b>FIXED 5.547A</b> <b>RADIONAVIGATION</b> <b>SPACE RESEARCH (deep space) (space-to-Earth)</b> 5.547 5.548	<b>IND72</b>
32 - 32.3 <b>FIXED 5.547A</b> <b>RADIONAVIGATION</b> <b>SPACE RESEARCH (deep space) (space-to-Earth)</b> 5.547 5.548	<b>IND72</b>
32.3 - 33 <b>FIXED 5.547A</b> <b>INTER-SATELLITE</b> <b>RADIONAVIGATION</b> 5.547 5.548	<b>IND72</b>
33 - 33.4 <b>FIXED 5.547A</b> <b>RADIONAVIGATION</b> 5.547	<b>IND72</b>
33.4 - 34.2 <b>RADIOLOCATION</b>	

**National Frequency Allocation Table**

GHz 34.2 - 40 NATIONAL ALLOCATION	
INDIA	REMARKS
34.2 - 34.7 <b>RADIOLOCATION</b> <b>SPACE RESEARCH (deep space) (Earth-to-space)</b>	
34.7 - 35.2 <b>RADIOLOCATION</b> Space Research	-
35.2 - 35.5 <b>METEOROLOGICAL AIDS</b> <b>RADIOLOCATION</b>	
35.5 - 36 <b>METEOROLOGICAL AIDS</b> <b>EARTH EXPLORATION-SATELLITE (Active)</b> <b>RADIOLOCATION</b> <b>SPACE RESEARCH(active)</b> 5.549A	
36 - 37 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>FIXED</b> <b>MOBILE</b> <b>SPACE RESEARCH (passive)</b> 5.149 5.550A	
37 - 37.5 <b>FIXED</b> <b>MOBILE</b> <b>SPACE RESEARCH (space-to-Earth)</b> 5.547	<b>IND72</b>
37.5 - 38 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> <b>SPACE RESEARCH (space-to-Earth)</b> Earth exploration-satellite (space-to-Earth) 5.547	<b>IND72</b>
38 - 39.5 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> Earth exploration-satellite (space-to-Earth) 5.547	<b>IND72</b>
39.5 - 40 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5.516B</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (space-to-Earth)</b> Earth exploration-satellite (space-to-Earth) 5.547	<b>IND72</b>

National Frequency Allocation Table

GHz 40.0 – 47.5 NATIONAL ALLOCATION	
INDIA	REMARKS
40 - 40.5 <b>EARTH EXPLORATION-SATELLITE (Earth-to-space)</b> <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth) 5. 516B</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (space-to-Earth)</b> <b>SPACE RESEARCH (Earth-to-space)</b> Earth exploration-satellite (space-to-Earth)	
40.5 - 42.5 <b>FIXED</b> <b>FIXED SATELLITE (space-to-Earth) 5.516B</b> <b>BROADCASTING</b> <b>BROADCASTING-SATELLITE</b> Mobile 5. 547 5.551H 5.551I	<b>IND72</b>
42.5 - 43.5 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.552</b> <b>MOBILE except aeronautical mobile</b> <b>RADIO ASTRONOMY</b> 5.149 5.547	
43.5 - 47 <b>MOBILE 5.553</b> <b>MOBILE-SATELLITE</b> <b>RADIONAVIGATION</b> <b>RADIONAVIGATION-SATELLITE</b> 5.554	
47 - 47.2 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b>	
47.2 – 47.5 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.552</b> <b>MOBILE</b> 5.552A	

**National Frequency Allocation Table**

GHz 47.5 – 51.4 NATIONAL ALLOCATION	
INDIA	REMARKS
<b>47.5-47.9</b> <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.552</b> <b>MOBILE</b>	
<b>47.9-48.2</b> <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.552</b> <b>MOBILE</b> <b>5.552A</b>	
<b>48.2-50.2</b> <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.516B 5.338A 5.552</b> <b>MOBILE 5.149 5.340 5.555</b>	
<b>50.2 - 50.4</b> <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>SPACE RESEARCH (passive)</b> <b>5.340</b>	
<b>50.4 – 51.4</b> <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.338A</b> <b>MOBILE</b> Mobile-satellite (Earth-to-space)	



**National Frequency Allocation Table**

GHz 51.4 – 55.78 NATIONAL ALLOCATION	
INDIA	REMARKS
51.4 – 52.6 <b>FIXED 5.338A</b> <b>MOBILE</b> 5.547 5.556	
52.6 – 54.25 <b>EARTH EXPLORATION SATELITTE (passive)</b> <b>SPACE RESEARCH (Passive)</b> 5.340 5.556	
54.25 – 55.78 <b>EARTH EXPLORATION SATELITTE (passive)</b> <b>INTERSATELLITE 5.556A</b> <b>SPACE RESEARCH (passive)</b> <b>5.556B</b>	

National Frequency Allocation Table

GHz 55.78 – 66 NATIONAL ALLOCATION	
INDIA	REMARKS
55.78 - 56.9 EARTH EXPLORATION-SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	
56.9 -57 EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	
57 - 58.2 EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	IND 72
58.2 – 59 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.547 5.556	IND 72
59 - 59.3 EARTH EXPLORATION SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIO LOCATION 5.559 SPACE RESEARCH (passive)	
59.3 - 64 FIXED INTER-SATELLITE MOBILE 5.558 RADIO LOCATION 5.559 5.138	
64 - 65 FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556	
65 - 66 EARTH EXPLORATION-SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH 5.547	

**National Frequency Allocation Table**

GHz 66 - 81 NATIONAL ALLOCATION	
INDIA	REMARKS
66 - 71 <b>INTER-SATELLITE</b> <b>MOBILE 5.553 5.558</b> <b>MOBILE-SATELLITE</b> <b>RADIONAVIGATION</b> <b>RADIONAVIGATION-SATELLITE</b> 5.554	
71 - 74 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (space-to-Earth)</b>	
74 - 76 <b>FIXED</b> <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE</b> <b>BROADCASTING</b> <b>BROADCASTING-SATELLITE</b> Space Research (space-to-Earth) 5.561	
76-77.5 <b>RADIO ASTRONOMY</b> <b>RADIOLOCATION</b> Amateur Amateur- Satellite Space Research (space-to-Earth) 5.149	
77.5 - 78 <b>AMATEUR</b> <b>AMATEUR SATELLITE</b> Radio Astronomy Space Research (space-to-Earth) 5.149	
78-79 <b>RADIOLOCATION</b> Amateur Amateur Satellite Radio Astronomy Space Research (space-to-Earth) 5.149 5.560	
79-81 <b>RADIO ASTRONOMY</b> <b>RADIOLOCATION</b> Amateur Amateur Satellite Space Research (space-to-Earth)  5.149	

**National Frequency Allocation Table**

GHz 81 - 86 NATIONAL ALLOCATION	
INDIA	REMARKS
81 - 84 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (Earth-to-space)</b> <b>RADIO ASTRONOMY</b> Space Research (space-to-Earth) 5.149 5.561A	
84 - 86 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space) 5.561</b> <b>MOBILE</b> <b>RADIO ASTRONOMY</b>  5.149	

**National Frequency Allocation Table**

GHz 86 – 111.8 NATIONAL ALLOCATION	
INDIA	REMARKS
86 - 92 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
92 - 94 FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	
94 - 94.1 EARTH EXPLORATION SATELLITE (active) RADIO LOCATION SPACE RESEARCH (active) Radio Astronomy 5.562 5.562A	
94.1-95 FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION  5.149	
95 - 100 FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	
100 - 102 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	
102 - 105 FIXED MOBILE RADIO ASTRONOMY 5.149 5.341	
105-109.5 FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	
109.5-111.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	

**National Frequency Allocation Table**

GHz 111.8 – 119.98 NATIONAL ALLOCATION	
INDIA	REMARKS
111.8 – 114.25 <b>FIXED</b> <b>MOBILE</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive) 5.562B</b> 5.149 5.341	
114.25 - 116 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> 5 340 5.341	
116 - 119.98 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>INTER-SATELLITE 5.562C</b> <b>SPACE RESEARCH (passive)</b> 5.341	

National Frequency Allocation Table

GHz 119.98 – 151.5 NATIONAL ALLOCATION	
INDIA	REMARKS
<b>119.98-122.25</b> <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>INTER-SATELLITE 5.562C</b> <b>SPACE RESEARCH (passive)</b> <b>5.138 5.341</b>	
122.25 - 123 <b>FIXED</b> <b>INTER-SATELLITE</b> <b>MOBILE 5.558</b> Amateur 5.138	
123 - 130 <b>FIXED-SATELLITE (space-to-Earth)</b> <b>MOBILE –SATELLITE (space-to-Earth)</b> <b>RADIONAVIGATION</b> <b>RADIONAVIGATION-SATELLITE</b> Radio astronomy 5.562D 5.149 5.554	
130-134 <b>EARTH EXPLORATION-SATELLITE (active) 5.562E</b> <b>FIXED</b> <b>MOBILE 5.558</b> <b>INTER-SATELLITE</b> <b>RADIO ASTRONOMY</b> <b>5.149 5.562A</b>	
134-136 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b> Radio Astronomy	
136- 141 <b>RADIO ASTRONOMY</b> <b>RADIOLOCATION</b> Amateur Amateur –satellite 5.149	
<b>141-148.5</b> <b>FIXED</b> <b>MOBILE</b> <b>RADIO ASTRONOMY</b> <b>RADIOLOCATION</b> 5.149	
148.5 – 151.5 <b>EARTH EXPLORATION SATELLITE (passive)</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive)</b> <b>5.340</b>	

**National Frequency Allocation Table**

GHz 151.5 – 158.5 NATIONAL ALLOCATION	
INDIA	REMARKS
151.5 – 155.5 <b>FIXED</b> <b>MOBILE</b> <b>RADIO ASTRONOMY</b> <b>RADIOLOCATION</b> <b>5.149</b>	
155 – 158.5 <b>EARTH EXPLORATION-SATELLITE (passive) 5.562F</b> <b>FIXED</b> <b>MOBILE</b> <b>RADIO ASTRONOMY</b> <b>SPACE RESEARCH (passive) 5.562B</b> 5.149 5.562F 5.562G	



**National Frequency Allocation Table**

GHz 158.5 - 202 NATIONAL ALLOCATION	
INDIA	REMARKS
158.5 - 164 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE SATELLITE (space –to-Earth)	
164 - 167 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
167 – 174.5 FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149 5.562D	
174.5-174.8 FIXED INTER-SATELLITE MOBILE 5.558	
174.8 - 182 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE SPACE RESEARCH (passive)	
182 - 185 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
185 - 190 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE REASERCH (passive)	
190-191.8 EARTH EXPLORATION-SATELLITE (passive) SPACE REASERCH (passive) 5.340	
191.8 – 200 FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.341 5.554	
200 - 202 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)  5.340 5.341 5.563A	

National Frequency Allocation Table

GHz 202 - 248 NATIONAL ALLOCATION	
INDIA	REMARKS
202 - 209 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	
209-217 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.341	
217 - 226 FIXED FIXED-SATELLITE ( Earth –to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	
226-231.5 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
231.5 - 232 FIXED MOBILE Radiolocation	
232 - 235 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation	
235-238 EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive)  5.563A 5.563B	
238 - 240 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION SATELLITE	
240-241 FIXED MOBILE RADIOLOCATION	
241 - 248 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-Satellite  5.138 5.149	

**National Frequency Allocation Table**

GHz 248 - 1000 NATIONAL ALLOCATION	
INDIA	REMARKS
248 – 250 <b>AMATEUR</b> <b>AMATEUR-SATELLITE</b> Radio Astronomy 5.149	
250 – 252 <b>EARTH EXPLORATION-SATELLITE (passive)</b> <b>SPACE RESEARCH (passive)</b> <b>RADIO ASTRONOMY</b> 5. 340 5.563A	
252 – 265 <b>FIXED</b> <b>MOBILE</b> <b>MOBILE-SATELLITE (Earth-to space)</b> <b>RADIO ASTRONOMY</b> <b>RADIONAVIGATION</b> <b>RADIONAVIGATION-SATELLITE</b>  5.149 5.554	
265 – 275 <b>FIXED</b> <b>FIXED-SATELLITE (Earth-to-space)</b> <b>MOBILE</b> <b>RADIO ASTRONOMY</b> 5.149 5.563A	
275 – 1000 (Not allocated) 5.565	